

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







**CHEMINAX** 

DESIGNATED

.173

.203

100 OHM, AWG 22, 19 STRANDS OF AWG 34, RADIO FREQUENCY, TWIN CONDUCTOR CABLE

Date: 5-5-97 Revision: С

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

# CONSTRUCTION DETAILS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE

**ELECTRICAL CHARACTERISTICS** 

CAPACITANCE - MUTUAL

100 ± 10 ohms, Method C at 1 MHz

13.5 pF/ft. (nominal)

VELOCITY OF PROPAGATION

CHARACTERISTIC IMPEDANCE

75% (nominal)

## CONDUCTORS AWG 22, 19 Strands of 032 AWG 34, Tin-Coated Copper 078 **DIELECTRICS** Ravfoam® L Colors - Tan/White

SHIELD

**JACKET** 

Thermorad® S

**AWG 38** 

Tin-Coated Copper

# ADDITIONAL REQUIREMENTS

### ELECTRICAL

CONDUCTOR RESISTANCE INSULATION RESISTANCE

14.75 ohms/1000 ft. (nominal) 10,000 megohms (minimum)

for 1000 ft.

JACKET FLAWS SPARK TEST

1.0 kV (rms), 60 Hz 6.0 kV (peak)

IMPULSE TEST

1000 volts (rms) (minimum)

**VOLTAGE WITHSTAND** (DIELECTRIC)

#### **ENVIRONMENTAL**

AGING STABILITY FLAMMABILITY

135°C/-55°C/5.50 inch mandrel Method C

**HEAT SHOCK** 

225°C

LOW TEMPERATURE-

-55°C/5.50 inch mandrel

COLD BEND

VOLTAGE WITHSTAND

1000 volts (rms), 1 minute

(POST ENVIRONMENTAL)

### PHYSICAL

INSULATION (DIELECTRIC)

(Prior to Cabling)

ELONGATION

TENSILE STRENGTH

**JACKET** 

1000 lbf/in2 (minimum)

50% (minimum)

ELONGATION TENSILE STRENGTH JACKET THICKNESS

SHIELD COVERAGE

250% (minimum) 2000 lbf/in2 (minimum) .015 inch (nominal) 90% (minimum)

Outer jacket will be black (designated by a "-0" appended to the part number, e.g., 0022E0311-0) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681.

WEIGHT

20.0 lbs/1000 ft. (nominal)



Raychem Corporation 300 Constitution Drive Menio Park, California 94025. 1-800-2 Raychem Fax 1-415-361-6297

THIS SPECIFICATION SHEET TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HERIN. REFERENCE DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.