mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Operating Temperature Range

-25° to 70° C, relative humidity of 85% or less

Materials

- 1. Insulator: POM, black
- 2. Shell: C3604 brass, 2 µm nickel plated
- 3. Spring contact: C5191 phosphor bronze, 2 µm nickel plated
- 4. Spring fork: C3604 brass, 1 µ" gold plated

Electrical Requirements

Dielectric strength: 1 min @ 500 Vac Insulation resistance: 100 MΩ @ 500 Vdc Contact resistance: 50 m Ω or less

Mechanical Requirements

Insertion force: 0.4-4 kgf

Withdrawal force: 0.4-4 kgf

Life cycle: 5000 mating cycles while maintaining 0.4 kgf min. insertion force, 0.4 kgf min. withdrawal force and less than $60 \text{ m}\Omega$ contact resistance.


Date:

9/4/2009

Revision:

А

- Environmental Requirements Heat test: 70 °C, relative humidity 70-85% for 96 hours without deformation
- Humidity test: 40 °C, relative humidity 90-100% for 96 hours without deformation
- Salt spray test: 35±2 °C, relative humidity 90-95%, 5% NaCl mist for 24 hrs. Wash parts after test. Maintain mechanical requirements and a contact resistance of less than 100 m Ω .



2

5

Description:

Initial release

3