

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







## **CHEMINAX**

50 OHM, AWG 24, 19 STRANDS OF AWG 36, OPTIMIZED SHIELDS, COAXIAL CABLE Date:

1-23-95

Revision:

F

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

## CONSTRUCTION DETAILS **ELECTRICAL CHARACTERISTICS** DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED CHARACTERISTIC IMPEDANCE 50 ± 2 ohms, Method A CAPACITANCE 27.1 pF/ft. (nominal) 29.5 pF/ft. (maximum) CONDUCTOR .025 AWG 24, 19 Strands VELOCITY OF PROPAGATION 75% (nominal) of AWG 36, Silver-Coated High SURFACE TRANSFER IMPEDANCE 60 milliohms/m (maximum), Strength Copper Alloy .1 to 1000 MHz DIELECTRIC .066 Rayfoam® L ± .003 ADDITIONAL REQUIREMENTS Color - Natural **ELECTRICAL** CONDUCTOR RESISTANCE 26.5 ohms/1000 ft. (nominal) 10,000 megohms (minimum) INSULATION RESISTANCE 1st SHIFLD .083 for 1000 ft. **AWG 38** JACKET FLAWS Silver-Coated Copper, SPARK TEST 1.0 kV (rms), 60 Hz Optimized **IMPULSE TEST** 6.0 kV (peak) **VOLTAGE WITHSTAND** 1000 volts (rms) (minimum) (DIELECTRIC) 2nd SHIELD **AWG 38** .100 **ENVIRONMENTAL** Silver-Coated Copper Optimized AGING STABILITY 135°C/-55°C/3.25 inch mandrel **FLAMMABILITY** Method C **HEAT SHOCK** 225°C LOW TEMPERATURE--55°C/3.25 inch mandrel COLD BEND **VOLTAGE WITHSTAND** (POST ENVIRONMENTAL) 1000 volts (rms), 1 minute **PHYSICAL** INSULATION (DIELECTRIC) .120 JACKET **ELONGATION** 50% (minimum) Thermorad® S (nominal) TENSILE STRENGTH 1000 lbf/in2 (minimum) .133 JACKET (maximum) **ELONGATION** 250% (minimum) 2000 lbf/in2 (minimum) TENSILE STRENGTH JACKET THICKNESS .010 inch (nominal) SHIELD COVERAGE 90% (minimum) (EACH) Outer jacket color will be black (designated by a "-0" appended to the part number, e.g., 5024A3314-0) unless otherwise specified. Designate outer jacket color with a dash number in accordance WEIGHT 13.6 lbs/1000 ft. (nominal)



with MIL-STD-681.