

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







CHEMINAX

50 OHM, AWG 30, 7 STRANDS OF AWG 38, COAXIAL CABLE

Date:

04-07-00


Revision:

D

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CONSTRUCTION DETAILS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.



.067 (maximum)

JACKET

Thermorad® S

Outer jacket color will be black (designated by a "-0" appended to the part number, e.g., 5030A1318-0) unless otherwise specified.

Jesignate outer jacket color with a dash number in accordance with MIL-STD-681.

ELECTRICAL CHARACTERISTICS

CHARACTERISTIC IMPEDANCE

50 ± 2 ohms, Method A

CAPACITANCE

27.5 pF/ft. (nominal)

VELOCITY OF PROPAGATION

74% (nominal)

ADDITIONAL REQUIREMENTS

ELECTRICAL

CONDUCTOR RESISTANCE **INSULATION RESISTANCE**

235. ohms/1000 ft. (nominal) 10,000 megohms (minimum)

for 1000 ft.

JACKET FLAWS SPARK TEST

1.0 kV (rms) 6.0 kV (peak)

IMPULSE TEST VOLTAGE WITHSTAND (DIELECTRIC)

750 volts (rms) (minimum)

ENVIRONMENTAL

AGING STABILITY **FLAMMABILITY**

135°C/-55°C/1.75 inch mandrel Method C

HEAT SHOCK LOW TEMPERATURE-

225°C -55°C/1.75 inch mandrel

COLD BEND

VOLTAGE WITHSTAND

(POST ENVIRONMENTAL)

1000 volts (rms), 1 minute

PHYSICAL

INSULATION (DIELECTRIC)

ELONGATION TENSILE STRENGTH 50% (minimum)

JACKET

ELONGATION TENSILE STRENGTH JACKET THICKNESS

SHIELD COVERAGE

1000 lbf/in2 (minimum) 250% (minimum)

2000 lbf/in2 (minimum) .009 inch (nominal)

90% (minimum)

WEIGHT

3.0 lbs/1000 ft. (nominal)



.062

(nominal)