

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







CHEMINAX

75 OHM, AWG 24, 19 STRANDS OF AWG 36. COAXIAL CABLE

Date:


9-22-98

Revision: Α

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CONSTRUCTION DETAILS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.



ELECTRICAL CHARACTERISTICS

CHARACTERISTIC IMPEDANCE

75 ± 3 ohms, Method B

CAPACITANCE

17.2 pF/ft. (nominal)

19.0 pF/ft. (maximum) at 1 kHz

VELOCITY OF PROPAGATION

79% (nominal)

ADDITIONAL REQUIREMENTS

ELECTRICAL

CONDUCTOR RESISTANCE **NSULATION RESISTANCE**

26.5 ohms/1000 ft. (nominal) 10,000 megohms (minimum)

for 1000 ft.

JACKET FLAWS

SPARK TEST **IMPULSE TEST** VOLTAGE WITHSTAND

1.0 kV (rms), 60 Hz 6.0 kV (peak)

(DIELECTRIC)

1000 volts (rms) (minimum)

ENVIRONMENTAL

AGING STABILITY

135°C/-55°/4.25 inch mandrel

FLAMMABILITY HEAT SHOCK

Method C 225°C

LOW TEMPERATURE-

COLD BEND

VOLTAGE WITHSTAND

-55°C/4.25 inch mandrel

(POST ENVIRONMENTAL)

1000 volts (rms), 1 minute

PHYSICAL

INSULATION (DIELECTRIC)

ELONGATION TENSILE STRENGTH

50% (minimum)

JACKET

ELONGATION TENSILE STRENGTH JACKET THICKNESS SHIELD COVERAGE

800 lbf/in2 (minimum)

250% (minimum) 2000 lbf/in2 (minimum) .012 inch (nominal) 90% (minimum)

Outer jacket color will be black (designated by a "0" appended to the part number, e.g., 7524A1314-0) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681.

WEIGHT

12.9 lbs/1000 ft. (nominal)