

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







CHEMINAX

75 OHM, AWG 24, 19 STRANDS OF AWG 36, TRIAXIAL CABLE Date: 10-13-00


Revision:

D

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CONSTRUCTION DETAILS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.



Outer jacket color will be white (designated by a "-9" appended to the part number, e.g. 7524D5110-9) unless otherwise specified

Designate outer jacket color with a dash number in accordance with MIL-STD-681.

ELECTRICAL CHARACTERISTICS

CHARACTERISTIC IMPEDANCE 75 ± 3 ohms, Method B

CAPACITANCE 17.4 pF/ft. (nominal) at 1 kHz

19.0 pF/ft. (maximum) at 1 kHz

VELOCITY OF PROPAGATION 78% (nominal)

ADDITIONAL REQUIREMENTS

ELECTRICAL

CONDUCTOR RESISTANCE 25.7 ohms/1000 ft. (nominal) INSULATION RESISTANCE (CONDUCTOR TO SHIELD) for 1000 ft.

JACKET FLAWS

SPARK TEST 1.0 kV (rms)
IMPULSE TEST 6.0 kV, (peak)
VOLTAGE WITHSTAND

(DIELECTRIC)

CONDUCTOR TO SHIELD 1000 volts (rms) (minimum) SHIELD TO SHIELD 500 volts (rms) (minimum)

ENVIRONMENTAL

FLAMMABILITY Method B
HEAT SHOCK 225°C
LOWTEMPERATURECOLD BEND
VOLTAGE WITHSTAND

(POSTENVIRONMENTAL) 1000 volts (rms), 1 minute

PHYSICAL

CONDUCTOR FREE TIN- 40 micro inches (minimum)
COATING THICKNESS

INSULATION (DIELECTRIC)
ELONGATION

ELONGATION 50% (minimum)
TENSILE STRENGTH 1000 lbf/in² (minimum)
1ST JACKET

ELONGATION TENSILE STRENGTH 2ND JACKET ELONGATION

TENSILE STRENGTH
1ST JACKET THICKNESS
2ND JACKET THICKNESS
SHIELD COVERAGE (EACH)

250% (minimum) 2000 lbf/in² (minimum)

200% (minimum) 4000 lbf/in² (minimum) .012 inch (nominal) .009 inch (nominal) 90% (minimum)

WEIGHT 29.1 lbs/1000 ft. (nominal)

Raychem

Raychem Corporation 300 Constitution Drive Menlo Park, California 94025 1-800-2 Raychem FAX: 1-650-361-6297

THIS SPECIFICATION SHEET TAKES PRECEDENCE
OVER DOCUMENTS REFERENCED HEREIN. REFERENCE
DOCUMENTS SHALL BE OF THE ISSUE IN EFFE CT
ON DATE OF INVITATION FOR BID.