

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







## SPECIFICATION CONTROL DRAWING

**CHEMINAX** 

.0250

.050

117

.133

specified.

75 OHM, AWG 24, 19 STRANDS OF AWG 36, DATA BUS, MIL-STD-1553, OUTER SPACE USE

**VELOCITY** 

8-30-10 Date С Revision

75 ± 5 ohms, Method C at 1 MHz

24 pF/ft. (nominal)

62% (nominal)

7524S1664

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CHARACTERISTIC IMPEDANCE

MUTUAL CAPACITANCE

## CONSTRUCTION DETAILS

## **ELECTRICAL CHARACTERISTICS**

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED

CONDUCTORS AWG 24, 19 Strands of

High Strength Copper Alloy

**DIELECTRICS** 

Radiation-Crosslinked, Modified ETFE

AWG 36, Silver-Coated

Colors - Light Blue/White

**SHIELD** AWG 38.

Silver-Coated Copper

**JACKET** 

Radiation-Crosslinked, Modified ETFE

**ATTENUATION** 1.3 dB/100 ft. (nominal) at 1 MHz

ADDITIONAL REQUIREMENTS

**COMPONENT WIRE PRIOR TO CABLING (Test Procedures per SAE AS22759)** 

CROSSLINK PROOF 300 ± 3°C for 1 hour. .625 inch mandrel. .375 lb., 2.5 kV dielectric test

INSULATION (DIELECTRIC)

**ELONGATION** 50% (minimum) TENSILE STRENGTH 5000 lbf/in2 (minimum)

**INSULATION FLAWS** SPARK TEST 3.0 kV (rms)

**IMPULSE TEST** 8.0 kV (peak)

**INSULATION RESISTANCE** 5000 megohms for 1000 ft. (minimum) LOW TEMPERATURE-COLD BEND -65 ± 3°C for 4 hours, .500 inch mandrel, 1.00 lb., 2.5 kV dielectric test

**SHRINKAGE** 200 ± 3°C for 1 hour.

no flaming of facial tissue

.125 inch (maximum) in 12 inches

**FINISHED CABLE** 

(Test Procedures per NEMA WC 27500, unless otherwise specified)

**BLOCKING** 200°C for 6 hours CABLE LAY LENGTH

.75 inch (minimum), 1.25 inches (maximum) **CROSSLINKED VERIFICATION** 300 ± 5°C for 6 hours, 6.00 inch mandrel 3 seconds (maximum); 3 inches (maximum); **FLAMMABILITY** 

(Method B of Spec 1200)

**JACKET** 

**ELONGATION** 50% (minimum) 5000 lbf/in2 (minimum) TENSILE STRENGTH

JACKET FLAWS SPARK TEST 1.0 kV (rms) **IMPULSE TEST** 6.0 kV (peak) .008 inch (nominal) JACKET THICKNESS -55 ± 5°C for 4 hours, 6.00 inch mandrel

LOW TEMPERATURE-COLD BEND

SHIELD COVERAGE **VOLTAGE WITHSTAND** 

(DIELECTRIC)

WEIGHT 12.8 lbs/1000 ft. (nominal)

**OUTER SPACE REQUIREMENTS** 

**RADIATION RESISTANCE** 500 megarads/4.00 inch mandrel

1.0 kV dielectric test

90% (minimum)

1500 volts (rms)

**VACUUM STABILITY** 

TOTAL MASS LOSS (TML) 1.00% (maximum) **VOLATILE CONDENSABLE** 0.10% (maximum)

MATERIAL (VCM)

WEIGHT LOSS (Test per Spec 55/): 0.45% (maximum)

Users should evaluate the suitability of this product for their application. Specifications are subject to change without notice. Tyco Electronics also reserves the right to make changes in materials or processing, which do not affect compliance with any specification, without notification to Buyer.

The TE logo, Tyco Electronics, Cheminax and Raychem are trademarks.



requirements imposed by the purchase order.

Outer jacket color will be white (designated by a "-9" appended

Designate outer jacket color with a dash number in accordance

with MIL-STD-681. Other codes and suffixes may be added to

to the part number, e.g. 7524S1664-9) unless otherwise

the part number, as necessary, to capture any additional