

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







CHEMINAX


75 OHM, AWG 30, SOLID CONDUCTOR. COAXIAL CABLE

Date: Revision: 11-11-98

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

## CONSTRUCTION DETAILS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.



Outer jacket color will be black (designated by a "0" appended to the part number, e.g.7530F1334-0) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681.

## **ELECTRICAL CHARACTERISTICS**

CHARACTERISTIC IMPEDANCE 75 ± 3 ohms, Method B

CAPACITANCE 20.8 pF/ft. (nominal) at 1 kHz

**VELOCITY OF PROPAGATION** 65% (nominal)

# ADDITIONAL REQUIREMENTS

#### ELECTRICAL

124. ohms/1000 ft. (nominal) CONDUCTOR RESISTANCE **INSULATION RESISTANCE** 10,000 megohms (minimum)

for 1000 ft. JACKET FLAWS

1.0 kV (rms), 60 Hz SPARK TEST 6.0 kV (peak) IMPULSE TEST

**VOLTAGE WITHSTAND** (DIELECTRIC)

1000 volts (rms) (minimum)

### **ENVIRONMENTAL**

135°C/-55°C/2.75 inch mandrel AGING STABILITY

**FLAMMABILITY** Method C 225°C **HEAT SHOCK** 

LOW TEMPERATURE--55°C/2.75 inch mandrel

COLD BEND

**VOLTAGE WITHSTAND** 

1000 volts (rms), 1 minute (POST ENVIRONMENTAL)

### **PHYSICAL**

INSULATION (DIELECTRIC)

**ELONGATION** TENSILE STRENGTH

**JACKET** 

**ELONGATION** TENSILE STRENGTH JACKET THICKNESS SHIELD COVERAGE

200% (minimum) 1800 lbf/in2 (minimum)

250% (minimum) 2000 lbf/in2 (minimum) .010 inch (nominal) 90% (minimum)

6.1 lbs/1000 ft. (nominal) WEIGHT



Raychem Corporation 300 Constitution Drive Menlo Park, California 94025 1-800-2 Raychem FAX: 1-650-361-6297 THIS SPECIFICATION SHEET TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HERIN. REFERENCE DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.