# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





SIOV-Q14K550

Data sheet

Disc type
Ordering code: B72214Q0551K101

Form: FBLE3K/b

File name: Q14K550\_a

**MODIFICATIONS:** New data sheet

**REMARKS:** 

| Prepared by | Hotwagner | H - Delesse |        | signed: PE / Hotwagner |   |          | signed: QS / Zödl |     |  |
|-------------|-----------|-------------|--------|------------------------|---|----------|-------------------|-----|--|
|             |           | Release     | signed | 1:                     |   | signed:  |                   |     |  |
| ISSUE DATE  | 22.05.02  | ISSUE       | а      | PUBLISHER              | K | H PE VAR | PAGE              | 0/6 |  |




#### SIOV-Q14K550

Data sheet

## SIOV nomenclature

| Q   | = | EnergetiQ™ Series                |
|-----|---|----------------------------------|
| 14  | = | Rated disk diameter              |
| K   | = | Tolerance of $V_V$ at 1mA : ±10% |
| 550 | = | Max. AC voltage                  |



| b <sub>max</sub> | = | 16,5          |
|------------------|---|---------------|
| h <sub>max</sub> | = | 19,5          |
| <b>S</b> max     | = | 9,0           |
| е                | = | 10,0±1,0      |
| а                | = | 4,8±1,0       |
| I <sub>min</sub> | = | 30,0          |
| Ød               | = | $1,0\pm 0,05$ |
|                  |   |               |

## Electrical data:

## Maximum Ratings (85°C):

| Max. operating AC voltage<br>Max. operating DC voltage<br>Surge current (8/20µs) 1 time<br>Energy absorption (2ms) 1 time<br>Average power dissipation | V <sub>RMS</sub><br>V <sub>DC</sub><br>I <sub>max</sub><br>W <sub>max</sub><br>P <sub>max</sub> | =<br>=<br>=<br>= | 550V<br>745V<br>6000A<br>260J<br>0,80W |
|--|---|------------------|--|
| <u>Characteristics (25°C):</u><br>Varistor voltage at 1mA<br>Clamping voltage at 65A (8/20µs)<br>Typ. capacitance at 1 kHz                             | V <sub>V</sub><br>V <sub>C,max</sub><br>C   | =<br>=<br>=      | 910V ± 10%<br>1500V<br>245pF           |

|  | ISSUE DATE | 22.05.02 | ISSUE | а | PUBLISHER | KH PE VAR | PAGE | 1/6 |  |
|--|------------|----------|-------|---|-----------|-----------|------|-----|--|
|--|------------|----------|-------|---|-----------|-----------|------|-----|--|

Ordering code: B72214Q0551K101




#### SIOV-Q14K550


Ordering code: B72214Q0551K101

Disc type

Data sheet

## V/I Characteristic:





| ISSUE DATE 22.05.02 ISSUE a | PUBLISHER | KH PE VAR | PAGE | 2/6 |
|-----------------------------|-----------|-----------|------|-----|
|-----------------------------|-----------|-----------|------|-----|



### SIOV-Q14K550

Data sheet

## Reliability Data:

|   | Characteristics                    | Test Methods/Description   | Specifications   |
|---|------------------------------------|--|--|
| E | Varistor<br>Voltage                | The voltage between two terminals with the specified measuring current applied is called $V_v$ (1 mA <sub>DC</sub> @ 0.2 - 2 s). | To meet the specified value.   |
| L | Clamping<br>Voltage                | The maximum voltage between two terminals<br>with the specified standard impulse current<br>(8/20µs) illustrated below applied.  | To meet the specified value.   |
| E |                                    | z] Peak  |  |
| С |                                    | 100<br>90<br>Edge<br>50  |  |
| Т |                                    |  |  |
| R |                                    | Tu Bise Time jis<br>T. Bise Time jis<br>T. Deay line to half value jis<br>O. Nomral start<br>I. Peak value                       |  |
| I |                                    |  |  |
| С | Surge current derating,            | 100 surge currents (8/20 μs), unipolar, interval 30 s, amplitude corresponding to derating curve                                 | $  \Delta V/V (1 mA)  $<br>$\leq 10 \%$ (measured  |
| A | 8/20 μs                            | for 20 μs  | in direction of surge<br>current)<br>No visible damage                                       |
| L | Surge current<br>derating,<br>2 ms | 100 surge currents (2ms), unipolar, interval<br>120s, amplitude corresponding to derating curve<br>for 2ms                       | ∆ V/V (1 mA)  <br>≤ 10 % (measured<br>in direction of surge<br>current)<br>No visible damage |

| ISSUE DATE 22.05.02 | ISSUE | а | PUBLISHER | KH PE VAR | PAGE | 3/6 |
|---------------------|-------|---|-----------|-----------|------|-----|
|---------------------|-------|---|-----------|-----------|------|-----|

### Disc type

Ordering code: B72214Q0551K101



## SIOV-Q14K550

### Disc type

Ordering code: B72214Q0551K101

Data sheet

|        | Characteristics     | Test Methods/Description  | Specifications  |
|--------|---------------------|---|---|
|        | Tensile<br>strength | After gradually applying the force specified<br>below and keeping the unit fixed for 10 seconds,<br>the terminal shall be visually examined for any<br>damage.            | $  \Delta V/V (1 mA)  $<br>$\leq 5 \%$<br>No break of solder<br>joint, no wire break                                  |
| М      |                     | Terminal diameter         Force           0.5 mm         5 N           0.6 mm         10 N           0.8 mm         10 N           1.0 mm         20 N                    |   |
| E      | Vibration           | After repeatedly applying a single harmonic vibration according to the table below. Thereafter, the unit shall be visually examined.                                      | $  \Delta V/V (1 mA)  $<br>$\leq 5 \%$<br>No visible damage   |
| н      |                     | frequency range:10 55 Hzamplitude:0.75 mm or 98 m/s²duration:6 h (3 x 2 h)pulse:sine wave   |   |
| A<br>N | Solderability       | After dipping the terminals to a depth of<br>approximately 3 mm from the body in a<br>soldering bath of 235°C for 5 seconds, the<br>terminals shall be visually examined. | The inspection shall<br>be carried out under<br>adequate light with<br>normal eyesight or                             |
| I      |                     |   | with the assistance<br>of a magnifier<br>capable of giving a<br>magnification of 4<br>times to 10 times.              |
| C<br>A |                     |   | The dipped surface<br>shall be covered<br>with a smooth and<br>bright solder coating                                  |
| L      |                     |   | with no more than<br>small amounts of<br>scattered<br>imperfections such<br>as pinholes or un-<br>wetted or de-wetted |
|        |                     |   | areas. These<br>imperfections shall<br>not be concentrated<br>in one area.  |

| ISSUE DATE | 22.05.02 | ISSUE | а | PUBLISHER | KH PE VAR | PAGE | 4/6 |   |
|------------|----------|-------|---|-----------|-----------|------|-----|---|
|            |          |       |   |           |           |      |     | L |



## SIOV-Q14K550

### Disc type

Ordering code: B72214Q0551K101

Data sheet

|   | Characteristics   | Test Methods/Description  | Specifications                |
|---|-------------------|---|-------------------------------|
| М | Resistance to     | Each lead shall be dipped into a solder bath  | <u>\( \) \( \) \( 1 mA)  </u> |
| E | soldering heat    | having a temperature of $260 \pm 5^{\circ}$ C to a point 2.0 to 2.5 mm from the body of the unit, be held | ≤ 5 %<br>No visible damage    |
| С |                   | there for $10 \pm 1$ s and then be stored at room   | nto violoio damago            |
| Н |                   | temperature and normal humidity for 1 to 2 hours. The change of $V_v$ and mechanical                      |                               |
| А |                   | damages shall be examined.  |                               |
| Ν | Electric strength | 2500 V <sub>RMS</sub> , 10 s  | No breakdown                  |
| Ι |                   | The varistor is placed in a container holding 1.6 $\pm$ 0.2 mm diameter metal balls such that only the    |                               |
| С |                   | terminations of the varistor are protruding.  |                               |
| А |                   | The specified voltage shall be applied between<br>both terminals of the specimen connected                |                               |
| L |                   | together and the electrode inserted between the metal balls.  |                               |

| ISSUE DATE | 22.05.02 | ISSUE | а | PUBLISHER | KH PE VAR | PAGE | 5/6 |   |
|------------|----------|-------|---|-----------|-----------|------|-----|---|
|            |          |       |   |           |           |      |     | L |



#### SIOV-Q14K550

#### Disc type

Ordering code: B72214Q0551K101

Data sheet

|             | Characteristics                 | Test Methods/Description   | Specifications  |  |  |
|-------------|---------------------------------|--|---|--|--|
| E<br>N      | Max. AC<br>operating<br>voltage | After being continuously applied the maximum allowable voltage at $85 \pm 2^{\circ}$ C for 1000 hours, the specimen shall be stored at room temperature and normal humidity for 1 to 2 hours. Thereafter, the change of V <sub>v</sub> shall be measured.  | ∆ V/V (1 mA)  <br>≤ 10 %                                    |  |  |
| V<br>I      | Damp heat,<br>steady state      | The specimen shall be subjected to $40 \pm 2^{\circ}$ C, 90 to 95 % r.H. for 56 days without load and then stored at room temperature and normal humidity for 1 to 2 hours. Thereafter, the change of V <sub>v</sub> shall be measured.  | ∆ V/V (1 mA)  <br>≤ 10 %                                    |  |  |
| R<br>O<br>N | Climatic<br>sequence            | <ul> <li>The specimen shall be subjected to:</li> <li>a) dry heat at +85°C, 16 h</li> <li>b) damp heat, 1st cycle: 55°C, 93 % r.H., 24 h</li> <li>c) cold, -40°C, 2 h</li> <li>d) damp heat, additional</li> <li>5 cycles: 55°C, 93 % r.H., 24 h/cycle</li> <li>Then the specimen shall be stored at room</li> </ul> | ∆ V/V (1 mA)  <br>≤ 10 %                                    |  |  |
| М           |                                 | temperature and normal humidity for 1 to 2 hours. Thereafter, the change of $V_v$ shall be measured.   |   |  |  |
| E           | Fast<br>temperature<br>cycling  | The temperature cycle shown below shall be repeated 5 times. Then the specimen shall be stored at room temperature and normal humidity for 1 to 2 hours. The change of $V_v$ and   | $  \Delta V/V (1 mA)  $<br>$\leq 5 \%$<br>No visible damage |  |  |
| Ν           |                                 | mechanical damage shall be examined.   |   |  |  |
| т           |                                 | $\begin{array}{c cccc} \underline{Step} & \underline{Temperature (^{\circ}C)} & \underline{Period (min.)} \\ 1 & -40 \pm 3 & 30 \pm 3 \\ 2 & transition time & <10 s \\ 3 & 85 \pm 2 & 30 \pm 3 \end{array}$   |   |  |  |
| A           |                                 |  |   |  |  |
| L           |                                 |  |   |  |  |

## <u>Note:</u> More details can be found in the data book 'SIOV Metal Oxide Varistors', Ordering No. EPC: 62002-7600

© EPCOS AG 2002. Reproduction, publication and dissemination of this data sheet, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

| ISSUE DATE | 22.05.02 | ISSUE | а | PUBLISHER | KH PE VAR | PAGE | 6/6 | l |
|------------|----------|-------|---|-----------|-----------|------|-----|---|
|            |          |       |   |           |           |      |     | l |