

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









.087

104

.124

141

.161

75 OHM, AWG 26, 19 STRANDS OF AWG 38, TRIAXIAL CABLE

Revision: Α

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

## **CONSTRUCTION DETAILS**

# **ELECTRICAL CHARACTERISTICS**

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED

CONDUCTOR AWG 26, 19 Strands of .020 AWG 38, Silver-Coated High Strength Copper

> DIELECTRIC Rayfoam® L

> > Color - Natural

**1ST SHIELD** AWG 38. Tin-Coated Copper

**1ST JACKET** Thermorad® S Color - White

**2ND SHIELD** AWG 38. Tin-Coated Copper

2ND JACKET

Thermorad® S

COLD BEND

(POST ENVIRONMENTAL)

INSULATION (DIELECTRIC) **ELONGATION** 

JACKET (EACH) **ELONGATION** TENSILE STRENGTH

JACKET THICKNESS (EACH) SHIELD COVERAGE (EACH)

CHARACTERISTIC IMPEDANCE 75 ± 3 ohms. Method B

17.1 pF/ft. (nominal) at 1 kHz

**VELOCITY OF PROPAGATION** 79% (nominal)

## ADDITIONAL REQUIREMENTS

#### ELECTRICAL

CAPACITANCE

CONDUCTOR RESISTANCE INSULATION RESISTANCE for 1000 ft. (CONDUCTOR TO SHIELD)

JACKET FLAWS SPARK TEST **IMPULSE TEST** 

**VOLTAGE WITHSTAND** (DIELECTRIC)

CONDUCTOR TO SHIELD SHIELD TO SHIELD

42.0 ohms/1000 ft. (nominal) 10,000 megohms (minimum)

1.0 kV (rms), 60 Hz 6.0 kV (peak)

1000 volts (rms) (minimum) 500 volts (rms) (minimum)

### **ENVIRONMENTAL**

135°C/-55/4.50 inch mandrel AGING STABILITY Method C **FLAMMABILITY** 

**HEAT SHOCK** 225°C LOW TEMPERATURE--55°C/4.50 inch mandrel

VOLTAGE WITHSTAND

1000 volts (rms), 1 minute

### **PHYSICAL**

TENSILE STRENGTH

50% (minimum) 800 lbf/in2 (minimum)

250% (minimum) 2000 lbf/in2 (minimum) .010 inch (nominal) 90% (minimum)

WEIGHT

19.3 lbs/1000 ft. (nominal)

Outer jacket color will be black (designated by a "-0" appended to the part number, e.g. 7526D5314-0) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681

