

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











# **SPECIFICATION**

(Reference sheet)

· Supplier : Samsung electro-mechanics · Samsung P/N : CL10A226MO7JZNC


· Product : Multi-layer Ceramic Capacitor · Description : CAP, 22\(\mu\)F, 16V, \(\pm\)20\(\mu\), X5R, 0603

#### A. Samsung Part Number

<u>CL</u>	<u>10</u>	<u>A</u>	<u>226</u>	M	<u>o</u>	<u>7</u>	<u>J</u>	<u>Z</u>	<u>N</u>	<u>C</u>
1	2	3	4	<b>(5</b> )	<b>6</b>	7	8	9	10	11)

1	Series	Samsung Multi-layer Ceramic Capacitor					
2	Size	0603 (inch code)	L: 1.60 ± 0.30		W :	$0.80 \pm 0.30$	
			8	Thickness division		Low profile	
3	Dielectric	X5R		Inner electrode		Ni	
4	Capacitance	22 <i>µ</i> F		Termination		Cu	
(5)	Capacitance	±20 %		Plating		Sn 100%	(Pb Free)
	tolerance		9	Product		Size control of	ode
6	Rated Voltage	16 V	10	Special		Reserved for	future use
7	Thickness	0.70 ± 0.10	11)	Packaging		Cardboard Ty	/pe, 7" reel

#### **B. Structure & Dimension**



Samouna D/N	Dimension(mm)						
Samsung P/N	L	L W		BW			
CL10A226MO7JZNC	1.60 ± 0.30	0.80 ± 0.30	0.70 ± 0.10	0.30 ± 0.20			

#### C. Samsung Reliablility Test and Judgement Condition

	Judgement	Test condition			
Capacitance	Within specified tolerance	120Hz ±20% / 0.5±0.1Vrms			
		*A capacitor prior to measuring the capacitance is heat			
Tan δ (DF)	0.15 max.	treated at 150°C+0/-10°C for 1hour and maintained in			
		ambient air for 24±2 hours.			
Insulation	10,000Mohm or 10Mohm× $\mu$ F	Rated Voltage 60~120 sec			
Resistance	Whichever is smaller				
Appearance	No abnormal exterior appearance	Microscope (×10)			
Withstanding	No dielectric breakdown or	250% of the rated voltage			
Voltage	mechanical breakdown				
Temperature	X5R				
Characteristics	(From -55℃ to 85℃, Capacitance change s	should be within ±15%)			
Adhesive Strength	No peeling shall be occur on the	500g·f, for 10±1 sec.			
of Termination	terminal electrode				
Bending Strength	Capacitance change : within ±12.5%	Bending to the limit (1 <sup>mm</sup> )			
		with 1.0mm/sec.			
Solderability	More than 75% of terminal surface	SnAg3.0Cu0.5 solder			
	is to be soldered newly	245±5°C, 3±0.3sec.			
		(preheating : 80~120°C for 10~30sec.)			
Resistance to	Capacitance change : within ±15%	Solder pot : 270±5°C, 10±1sec.			
Soldering Heat	Tan δ, IR : initial spec.				
Vibration Test	Capacitance change : initial spec.	Amplitude : 1.5mm			
	Tan δ, IR : initial spec.	From 10Hz to 55Hz (return : 1min.)			
		2hours × 3 direction (x, y, z)			
Moisture	Capacitance change : within ±12.5%	With rated voltage			
Resistance	Tan δ : 0.25 max	40±2°C, 90~95%RH, 500+12/-0hrs			
	IR : 500Mohm or 1Mohm × $\mu$ F				
	Whichever is smaller				
High Temperature	Capacitance change : within ±12.5%	With 100% of the rated voltage			
Resistance	Tan δ : 0.25 max	Max. operating temperature			
	IR : 1,000Mohm or 2Mohm × $\mu$ F	1,000+48/-0hrs			
	Whichever is smaller				
Temperature	Capacitance change: within ±15%	1 cycle condition			
Cycling	Tan δ, IR : initial spec.	Min. operating temperature → 25°C			
		→ Max. operating temperature → 25°C			
		5 cycle test			

X The reliability test condition can be replaced by the corresponding accelerated test condition.

#### D. Recommended Soldering method:

Reflow ( Reflow Peak Temperature : 260±5℃, 30sec. )



Product specifications included in the specifications are effective as of March 1, 2013.

Please be advised that they are standard product specifications for reference only.


We may change, modify or discontinue the product specifications without notice at any time.

So, you need to approve the product specifications before placing an order.

Should you have any question regarding the product specifications,

please contact our sales personnel or application engineers.

### Derating




This product ,which guarantees High Temperature Reliability Test with 100% of rated voltage at the maximum temperature, recommended to be used in the circuit with derat is recommended to be used in the circuit with derated voltage compared to the rated voltage of the capacitor for long lifetime.

Max.  $voltage(V_{Max})$  and DC  $voltage(V_{DC})$  applied to this product shown in the table below are recommended to be used under the following conditions for long lifetime, respectively.

[Recommendations for long lifetime]

- $\cdot V_{Max} \le$  (Derated Voltage on the left graph)
- $V_{DC} \le 70\% \times (Derated Voltage on the left graph)$

#### [Types of voltage applied to the capacitor]



## Disclaimer & Limitation of Use and Application

The products listed in this Specification sheet are **NOT** designed and manufactured for any use and applications set forth below.

Please note that any misuse of the products deviating from products specifications or information provided in this Spec sheet may cause serious property damages or personal injury.

We will **NOT** be liable for any damages resulting from any misuse of the products, specifically including using the products for high reliability applications as listed below.

If you have any questions regarding this 'Limitation of Use and Application', you should first contact our sales personnel or application engineers.

- ① Aerospace/Aviation equipment
- 2 Automotive or Transportation equipment (vehicles, trains, ships, etc)
- 3 Medical equipment
- 4 Military equipment
- ⑤ Disaster prevention/crime prevention equipment
- Power plant control equipment
- Atomic energy-related equipment
- Undersea equipment
- Traffic signal equipment
- Data-processing equipment
- ① Electric heating apparatus, burning equipment
- Safety equipment
- Any other applications with the same as or similar complexity or reliability to the applications

<sup>\*</sup> Temperature of MLCC : Surface temperature of MLCC in the circuit.