

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








CPI0805E4R7R-10


UNCONTROLLED DOCUMENT

PHYSICAL DIMENSIONS:




- B 1.25 [.049] ± 0.20[.008]
- $0.90 [.035] \pm 0.10[.004]$
- D 0.50 [.020] ± 0.20[.008]






Ls vs Frequency

Frequency (MHz)








(For wave soldering. add 0.763 [0.030] to this dimension)

ELECTRICAL CHARACTERISTICS:										
	L (μΗ) @ 1MHz ± 20%	DCR ($\frac{\Omega}{2}$) ± 25%	l (Max)							
Nom	4.7	0.30								
Min	3.8	0.225								
Max	5.6	0.375	500mA							

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. TAPED AND REELED per CURRENT EIA SPECIFICATIONS 7" REELS, 4000 PCS/REEL, PAPER TAPE.
- 2. TERMINATION FINISH IS 100% MATTE Sn OVER Ni.
- 3. COMPONENTS SHOULD BE ADEQUATELY PREHEATED BEFORE SOLDERING.
- 4. I (MAX.) IS BASED ON THE MAXIMUM SUSTAINED CURRENT APPLIED WHILE MAINTAINING A MAXIMUM TEMPERATURE RISE OF 40°C OVER AMBIENT.
- 5. Operation Temperature TEMP: -55°C~+125°C. (INCLUDING SELF-HEATING)

RECOMMENDED SOLDERING CONDITIONS





_										
		DIMENSIONS ARE IN mm [INCHE	This print is the property of Lai	rd						
					Tech, and is loaned in confidence subject to return upon request				-	7,
Γ					with the understanding that no	Laird				
					copies shall be made without the written consent of Laird Tech. A					
					rights to design or invention are					
Г					reserved.					
H					PROJECT/PART NUMBER:	F	REV	PART T	PE:	DRAWN BY:
⊢	-				ODIO905E4D7D 10		C	CO-	FIRE	l qu
L	С	CHANGE PLASTIC TAPE TO PAPER TAPE	04/17/14	ď	CPI0805E4R7R-10		•	CO-FIRE		40
	В	UPDATE LAIRD LOGO AND NOTES 5	08/05/13	ą	DATE: 03/01/11	SCAL	E: N	TS	SHEET:	1
	Α	ORIGINAL DRAFT	03/01/11	QU	, ,	TOOL		13		
	REV	DESCRIPTION	DATE	INT	CPI0805E4R7R-10-A	IOOL	7	_	1	of 1