

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Please read this notice before using the TAIYO YUDEN products.

## !\ REMINDERS

Product information in this catalog is as of October 2017. All of the contents specified herein are subject to change without notice due to technical improvements, etc. Therefore, please check for the latest information carefully before practical application or use of our products.

Please note that TAIYO YUDEN shall not be in any way responsible for any damages and defects in products or equipment incorporating our products, which are caused under the conditions other than those specified in this catalog or individual product specification sheets.

- Please contact TAIYO YUDEN for further details of product specifications as the individual product specification sheets are available.
- Please conduct validation and verification of our products in actual condition of mounting and operating environment before using our products.
- The products listed in this catalog are intended for use in general electronic equipment (e.g., AV equipment, OA equipment, home electric appliances, office equipment, information and communication equipment including, without limitation, mobile phone, and PC) and medical equipment classified as Class I or II by IMDRF. Please be sure to contact TAIYO YUDEN for further information before using the products for any equipment which may directly cause loss of human life or bodily injury (e.g., transportation equipment including, without limitation, automotive powertrain control system, train control system, and ship control system, traffic signal equipment, disaster prevention equipment, medical equipment classified as Class III by IMDRF, highly public information network equipment including, without limitation, telephone exchange, and base station).

Please do not incorporate our products into any equipment requiring high levels of safety and/or reliability (e.g., aerospace equipment, aviation equipment\*, medical equipment classified as Class IV by IMDRF, nuclear control equipment, undersea equipment, military equipment).

\*Note: There is a possibility that our products can be used only for aviation equipment that does not directly affect the safe operation of aircraft (e.g., in-flight entertainment, cabin light, electric seat, cooking equipment) if such use meets requirements specified separately by TAIYO YUDEN. Please be sure to contact TAIYO YUDEN for further information before using our products for such aviation equipment.

When our products are used even for high safety and/or reliability-required devices or circuits of general electronic equipment, it is strongly recommended to perform a thorough safety evaluation prior to use of our products and to install a protection circuit as necessary.

Please note that unless you obtain prior written consent of TAIYO YUDEN, TAIYO YUDEN shall not be in any way responsible for any damages incurred by you or third parties arising from use of the products listed in this catalog for any equipment requiring inquiry to TAIYO YUDEN or prohibited for use by TAIYO YUDEN as described above.

- Information contained in this catalog is intended to convey examples of typical performances and/or applications of our products and is not intended to make any warranty with respect to the intellectual property rights or any other related rights of TAIYO YUDEN or any third parties nor grant any license under such rights.
- Please note that the scope of warranty for our products is limited to the delivered our products themselves and TAIYO YUDEN shall not be in any way responsible for any damages resulting from a fault or defect in our products. Notwithstanding the foregoing, if there is a written agreement (e.g., supply and purchase agreement, quality assurance agreement) signed by TAIYO YUDEN and your company, TAIYO YUDEN will warrant our products in accordance with such agreement.
- The contents of this catalog are applicable to our products which are purchased from our sales offices or authorized distributors (hereinafter "TAIYO YUDEN's official sales channel"). Please note that the contents of this catalog are not applicable to our products purchased from any seller other than TAIYO YUDEN's official sales channel.
- Caution for Export

Some of our products listed in this catalog may require specific procedures for export according to "U.S. Export Administration Regulations", "Foreign Exchange and Foreign Trade Control Law" of Japan, and other applicable regulations. Should you have any questions on this matter, please contact our sales staff.


# LEADED FERRITE BEAD INDUCTORS(FB SERIES A TYPE / R TYPE)



WAVE

#### ■PARTS NUMBER

\*Operating Temp.: -25~+105°C (Including self-generated heat)



 $\Delta =$ Blank space

#### ①Series name

Code	Series name
FB	Ferrite bead

#### 2Shape

Code	Shape
Α	Axial lead
R	Radial lead

#### ③Dimensions of core(D)

Code	Dimensions of core(D)[mm]
03	φ 2.5
04	φ 3.5
05	5.0
06	6.0
07	7.5

#### 4 Material

- 4	O	
	Code	Material
HA		Refer to impedance curves
	VA	for material differences

#### (5)Nominal impedance

Code (example)	Nominal impedance[ $\Omega$ min.]
850	85
121	120

Excluding 03type

# 6Lead configuration

Code	Lead configurations[mm]			
AB	Straight lead (26mm lead space) / ammo			
BB	Straight lead (52mm lead space) / ammo			
KD	Formed lead (10mm pitch) / bulk			
KE	Formed lead (12.5mm pitch) / bulk			
KF	Formed lead / bulk (15.0mm pitch) / bulk			
NA	Lead (2.5mm pitch)/bulk (FBR)			
INA	Straight lead / bulk (FBA)			
NB	Formed lead (crimped) / bulk			
SA	Straight lead (FBR05 type) / ammo			
SB	Straight lead (FBR07 type) / ammo			
ТВ	Straight lead (FBR07 type) / ammo			
UB	Radial lead formed / ammo			
US	Formed lead (crimped) / bulk			
VB	Dual side lead formed (crimped) / ammo			
VS	Formed lead / bulk			

#### 7)Internal code

Tirrema code							
Code	Internal code						
-00	Standard						

#### ■STANDARD EXTERNAL DIMENSIONS / STANDARD QUANTITY



			Configu	rations		Dimensions		Standard Quantity (pcs)			
	Type	Taping		Bulk		D	1	Туре	Lead	Bulk	Taped
		Straight	Formed	Straight Formed				.,,,,,	Configuration		Ammo
7.0		AB,BB	VB UB	NA	KD,KE,KF				NA, KD, US	1000	-
	03HA450 □ -00	P	กกก้ก	147	F: 10, 12.5, 15(0.39, 0.492, 0.591)	2.5±0.2	4.5±0.3	FDAGG	KE, KF, VS	500	-
	03VA450 🗆 -00	W:26,52 (1.02, 2.05)			VS US	(0.098±0.008)	(0.177±0.012)	FBA03	AB, BB	1-	2000
FBA		P:5.0 (0.197)	P: 12.7(0.500)		F: 5.0(0.197)				UB, VB	12-1	3000
	04HA450□-00 04VA450□-00	AB,BB W W.26,52 (1,02,2,05)	NB NB	NA	F: 10, 12.5, 15(0.39, 0.492, 0.591)	3.5±0.2 (0.138±0.008)	4.5±0.3 (0.177±0.012)		NA, KD, US	1000	-
	04HA600 □ -00 04VA600 □ -00	P:5.0 (0.197)  AB,BB	P: 12.7(0.500) VB	NA	KD,KE,KF	3.5±0.2	6.0+0.5	FBA04	KE, KF, VS	500	7_
		W:26,52 (1.02, 2.05) P:5.0 (0.197)	ijΫ		F: 10, 12.5, 15(0.39, 0.492, 0.591)	10, 12.5, 15(0.39, 0.492, 0.591) (0.138+0.008)	(0.236 <sup>+0.020</sup> )		AB, BB	1-1	1000
		AB,BB	VB P	NA	KE,KF	3.5±0.2 (0.138±0.008)	9.0±0.5 (0.354±0.020)		11		
	04HA900 □ -00 04VA900 □ -00	W:26,52 (1.02, 2.05) P:5.0 (0.197)	P: 12.7(0.500)	-	F: 12.5, 15(0.492, 0.591)				UB, VB	i—1	3000

<sup>▶</sup> This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our product specification sheets. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/).

			Configu	Dimensions		Standard Quantity (pcs)					
Туре			Taping	Bulk		D		Туре	Lead	Bulk	Taped
		Straight	Formed	Straight Formed			_	Type	Configuration	Duik	Ammo
	05VA121 - 00		SA P P: 12.7(0.500)	-	NA .	5.0 max. (0.197 max.)	7.5 (0.295)	FBR05	NA	1000	
					F: 2.5(0.098)			TBNOS	SA	12.5	2000
	06HA850NA-00 06VA850NA-00	-	-	<u></u>	NA C	6.0±0.5 (0.236±0.020)	5.0 (0.197)	FBR06	NA	1000	<u>:</u> -
FBR	06HA121NA-00 06VA121NA-00				F: 2.5(0.098)		7.0 (0.276)				
	07HA850 □ -00 07VA850 □ -00		SB,TB  o o 1 H  P: 12.7(0.500)  H: SB 18 +2.0  TB 16 ±0.6	_	NB	7.5±0.5	5.5 (0.217)	FBR07	NB	1000	n
	07HA121□-00 07VA121□-00	_		_	F: 5.0 (0.197)	(0.295±0.020)	7.5 (0.295)		SB, TB	7_7	2000

Unit:mm(inch)

☐Please specify the lead configuration code.

Note: Lead diameter ( $\phi$ d) shall fall within a range of 0.65mm  $\pm$ 0.05mm, FBR07 types however, will have a lead diameter ( $\phi$ d) range of 0.6mm  $\pm$ 0.05mm.

#### ■PARTS NUMBER

## <u>FB</u>A

Ī	Parts number EHS	EHC	Nominal impedance [Ω] (min.)	· ·	suring frequency Hz]		current max.)	DC Resistance	Rated current
		ЕПО		Mat	Material		Material		$[M\Omega]$ (min.)
				HA	VA	HA	VA		
_	FBA03△450□-00	RoHS	35	50	100	7.0	7.0	0.01	1.0
	FBA04△450[]-00	RoHS	45	50	100	7.0	7.0	0.01	1.0
_	FBA04△600□-00	RoHS	60	50	100	7.0	7.0	0.01	1.0
	FBA04△900□-00	RoHS	90	50	100	7.0	7.0	0.01	1.0

#### FBR

Parts number	EHS	Nominal HS impedance [ Ω] (min.)	[M	suring frequency Hz] erial	[A](	current max.) erial	DC Resistance $[\Omega]$ (max.)	Rated current [ΜΩ] (min.)	
			HA	VA	HA	VA		[IM 32] (IIIIII.)	
FBR05VA121 -00	RoHS	120	-	100	-	7.0	0.01	1.0	
FBR06△850NA-00	RoHS	85	50	100	7.0	7.0	0.01	1.0	
FBR06△121NA-00	RoHS	120	50	100	7.0	7.0	0.01	1.0	
FBR07△850[]-00	RoHS	85	50	100	7.0	7.0	0.01	1.0	
FBR07△121[]-00	RoHS	120	50	100	7.0	7.0	0.01	1.0	

 $\ensuremath{\mathbb{X}}\Delta \mbox{Please}$  specify material codes (HA,VA) and [] lead configuration code.

<sup>▶</sup> This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our product specification sheets. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/).

# LEADED FERRITE BEAD INDUCTORS (FB SERIES A TYPE / R TYPE)

#### ■PACKAGING

#### 1)Minimum Quantity


Axial lead (FBA)					
		Standard quantity [pcs]			
Туре	Lead Configuration	D. II.	Taped		
		Duik	Ammo		
	NA, KD, US	1000	_		
FBA03	KE, KF, VS	500	_		
FDAUS	AB, BB	_	2000		
	UB, VB	Ad Configuration Bulk  KD, US 1000  KF, VS 500  BB	3000		
	NA, KD, US	1000	_		
FBA04	KE, KF, VS	500	_		
FDAU4	AB, BB	Bulk 1000 500 — — — 1000	1000		

#### Radial lead (FBR)

		Standard quantity [pcs]			
Туре	Lead Configuration	D. II.	Taped		
		Bulk	Ammo		
EDDOE	NA	1000	_		
FBR05	SA	-	2000		
FBR06	NA	1000	_		
EDD07	NB	1000	_		
FBR07	SB, TB	_	2000		

#### 2 Bulk dimensions


#### Axial lead (FBA)



VB, UB


Туре	Dimensions							
туре	ΦD	L1	L2	$\phi$ d	Q			
FBA03□450	2.5±0.2 (0.098±0.008)	4.5±0.3 (0.177±0.012)	6.5 max. (0.256 max.)					
FBA04□450	3.5±0.2 (0.138±0.008)	4.5±0.3 (0.177±0.012)			18 min.			
FBA04□600	3.5±0.2 (0.138±0.008)	6.0+0.5/-0 (0.236+0.020/-0)	8.5 max. (0.335 max.)	$(0.026 \pm 0.002)$	(0.709 min.)			
FBA04□900	3.5±0.2 (0.138±0.008)	9.0±0.5 (0.354±0.020)	11.0 max. (0.433 max.)					

3000




Type	Dimensions							
туре	φD	Α	а	F	$\phi$ d			
FBA03□450	2.5±0.2 (0.098±0.008)	4.5±0.3 (0.177±0.012)	9.0 max. (0.354 max.)	5.0±1.0	0.65±0.05			
FBA04□450	3.5±0.2 (0.138±0.008)	4.5±0.3 (0.177±0.012)	9.0 max. (0.354 max.)	(0.197±0.039)	(0.026±0.002)			
					Unit:mm(inch)			

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).



T	Land Complete	Dimensions							
Туре	Lead Symbol	$\phi$ D	F	L1	$\phi$ d	Q			
FBA03□450		2.5±0.2	10.0±1.0	4.5±0.3		7.0±2.0			
FBA03 🗆 430		$(0.098 \pm 0.008)$	$(0.394 \pm 0.039)$	(0.177±0.012)		$(0.276 \pm 0.079)$			
FBA04□450	KD	3.5±0.2	10.0±1.0	4.5±0.3	$0.65 \pm 0.05$	7.5±2.0			
1 DA04 🗆 430	I ND	$(0.138 \pm 0.008)$	$(0.394 \pm 0.039)$	(0.177±0.012)	$(0.026 \pm 0.020)$	$(0.295 \pm 0.079)$			
FBA04□600		3.5±0.2	10.0±1.0	6.0+0.5/-0		7.5±2.0			
1 BA04 🗆 000		$(0.138 \pm 0.008)$	$(0.394 \pm 0.039)$	(0.236+0.020/-0)		$(0.295 \pm 0.079)$			
FBA03□450		2.5±0.2	12.5±1.0	4.5±0.3		$7.0 \pm 2.0$			
FBA03 1430		$(0.098 \pm 0.008)$	$(0.492 \pm 0.039)$	(0.177±0.012)		$(0.276 \pm 0.079)$			
FBA04□450	KE	3.5±0.2	12.5±1.0	4.5±0.3		$7.5 \pm 2.0$			
1 DA04 🗆 430		$(0.138 \pm 0.008)$	$(0.492 \pm 0.039)$	(0.177±0.012)	$0.65 \pm 0.05$	$(0.295 \pm 0.079)$			
FBA04□600		3.5±0.2	12.5±1.0	6.0 + 0.5 / -0	$(0.026 \pm 0.020)$	$7.5 \pm 2.0$			
1 BA04 🗆 000		$(0.138 \pm 0.008)$	$(0.492 \pm 0.039)$	(0.236+0.020/-0)		$(0.295 \pm 0.079)$			
FBA04□900		3.5±0.2	12.5±1.0	9.0±0.5		$7.5 \pm 2.0$			
1 DA04 🗆 300		$(0.138 \pm 0.008)$	$(0.492 \pm 0.039)$	$(0.354 \pm 0.020)$		$(0.295 \pm 0.079)$			
FBA03□450		2.5±0.2	15.0±1.0	$4.5 \pm 0.3$		$7.0 \pm 2.0$			
1 DA03 🗆 430		$(0.098 \pm 0.008)$	$(0.591 \pm 0.039)$	(0.177±0.012)		$(0.276 \pm 0.079)$			
FBA04□450		3.5±0.2	15.0±1.0	$4.5 \pm 0.3$		$7.5 \pm 2.0$			
1 DA04 🗆 430	KF	$(0.138 \pm 0.008)$	$(0.591 \pm 0.039)$	(0.177±0.012)	$0.65 \pm 0.05$	$(0.295 \pm 0.079)$			
FBA04□600	NF NF	3.5±0.2	15.0±1.0	6.0+0.5/-0	$(0.026 \pm 0.020)$	7.5±2.0			
1 07/04 🗆 000	]	$(0.138 \pm 0.008)$	$(0.591 \pm 0.039)$	(0.236 + 0.020 / -0)		$(0.295 \pm 0.079)$			
EBANA TION		3.5±0.2	15.0±1.0	9.0±0.5		7.5±2.0			
FBA04□900		$(0.138 \pm 0.008)$	$(0.591 \pm 0.039)$	$(0.354 \pm 0.020)$		$(0.295 \pm 0.079)$			

Unit:mm(inch)




ie F d d	1max <u>%5±1 for</u> 9	100 type only			
T			Dimensions		
Туре	φD	Α	а	F	$\phi$ d
FBA03□450	2.5±0.2	4.5±0.3	12.5 max.	5.0±1.0	0.65±0.05
	(0.098±0.008)	(0.177±0.012)	(0.492 max.)	(0.197±0.039)	(0.026±0.002)
FBA04□450	3.5±0.2	4.5±0.3	12.5 max.	5.0±1.0	0.65±0.05
	(0.138±0.008)	(0.177±0.012)	(0.492 max.)	(0.197±0.039)	(0.026±0.002)
FBA04□600	3.5±0.2	6.0+0.5/-0	12.5 max.	5.0±1.0	0.65±0.05
	(0.138±0.008)	(0.236+0.020/-0)	(0.492 max.)	(0.197±0.039)	(0.026±0.002)
FBA04□900	3.5±0.2	9.0±0.5	16.0 max.	5.0±1.0	$0.65 \pm 0.05$
	(0.138±0.008)	(0.354±0.020)	(0.630 max.)	(0.197±0.039)	$(0.026 \pm 0.002)$

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

## Radial lead (FBR)


NA



Type		Dimensions									
Туре	D	L1	$\phi$ d	Q	W	F					
FBR05VA121	5.0 max.	9.0 max.	$0.65 \pm 0.05$	10.0 + 3/-5	2.5 max.	2.5±1.0					
FBRUSVATZT	(0.197 max.)	(0.354 max.)	$(0.026 \pm 0.002)$	(0.394+0.118/-0.197)	(0.098 max.)	(0.098±0.039)					
FBR06□850	6.0±0.5	7.0 max.	$0.65 \pm 0.05$	10.0 + 3/-5	$3.0 \pm 0.5$	2.5±1.0					
FBR00 1 600	$(0.236 \pm 0.020)$	(0.276 max.)	$(0.026 \pm 0.002)$	(0.394+0.118/-0.197)	$(0.118 \pm 0.020)$	$(0.098 \pm 0.039)$					
FBR06□121	6.0±0.5	9.0 max.	$0.65 \pm 0.05$	10.0+3/-5	$3.0 \pm 0.5$	2.5±1.0					
FBR00 LIZI	$(0.236 \pm 0.020)$	(0.354 max.)	$(0.026 \pm 0.002)$	(0.394+0.118/-0.197)	$(0.118\pm0.020)$	(0.098±0.039)					

Unit:mm(inch)






Type				Dimensions		
	D	L1	<b>ø</b> d	Q	W	F
FBR07□850	7.5±0.5	7.0 max.	0.6±0.05	5.0+1/-2	2.5 max.	5.0+1/-0.5
FBR07L1630	$(0.295\pm0.020)$	(0.276 max.)	$(0.024\pm0.002)$	(0.197 + 0.039 / -0.079)	(0.098 max.)	(0.197+0.039/-0.020)
FBR07□121	7.5±0.5	9.0 max.	0.6±0.05	5.0+1/-2	2.5 max.	5.0+1/-0.5
	(0.295±0.020)	(0.354 max.)	$(0.024\pm0.002)$	(0.197 + 0.039 / -0.079)	(0.098 max.)	(0.197+0.039/-0.020)

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).


#### AB (a: 26mm) (1.02inch lead space)



Type	Dimensions								
туре	$\phi$ D	L	а	b	L <sub>1</sub> -L <sub>2</sub>	$\phi$ d	pitch		
FBA03	2.5±0.2	4.5±0.3	26.0+1.5/-0	0.8max	1.0 max	$0.65 \pm 0.05$	10.0		
FDAUS	$(0.098 \pm 0.008)$	(0.177±0.012)	(1.02+0.059/-0)	(0.031max)	(0.039 max)	$(0.026\pm0.002)$	(0.394)		
FBA04□450		4.5±0.3	26.0+1.5/-0	0.8max	1.0 max	$0.65 \pm 0.05$	10.0		
FBA04 🗆 430		(0.177±0.012)	(1.02+0.059/-0)	(0.031max)	(0.039 max)	$(0.026 \pm 0.002)$	(0.394)		
FBA04□600	$3.5 \pm 0.2$	6.0+0.5/-0	26.0 + 1.5 / -0	0.8max	1.0 max	$0.65 \pm 0.05$	10.0		
FBA04 🗆 000	$(0.138 \pm 0.008)$	(0.236 + 0.020 / -0)	(1.02+0.059/-0)	(0.031max)	(0.039 max)	$(0.026 \pm 0.002)$	(0.394)		
FBA04□900		9.0±0.5	26.0+1.5/-0	0.8max	1.0 max	$0.65 \pm 0.05$	12.5		
FDAU4L1900		$(0.354 \pm 0.020)$	(1.02+0.059/-0)	(0.031max)	(0.039 max)	$(0.026 \pm 0.002)$	(0.492)		

Unit:mm(inch)






Туре	Dimensions									
туре	$\phi$ D	L a		b	L <sub>1</sub> -L <sub>2</sub>	$\phi$ d	pitch			
FBA03	2.5±0.2	4.5±0.3	52.0+2/-1	1.2 max	1.0 max	$0.65 \pm 0.05$	10.0			
FBA03	$(0.098 \pm 0.008)$	(0.177±0.012)	(2.05+0.079/-0.039)	(0.047 max)	(0.039 max)	$(0.026\pm0.002)$	(0.394)			
FBA04□450		4.5±0.3	52.0+2/-1	1.2max	1.0 max	$0.65 \pm 0.05$	10.0			
FBA04 1400		(0.177±0.012)	(2.05+0.079/-0.039)	(0.047max)	(0.039 max)	$(0.026 \pm 0.002)$	(0.394)			
FBA04□600	$3.5 \pm 0.2$	6.0 + 0.5 / -0	52.0+2/-1	1.2max	1.0 max	$0.65 \pm 0.05$	10.0			
FBA04 🗆 000	$(0.138 \pm 0.008)$	(0.236 + 0.020 / -0)	(2.05+0.079/-0.039)	(0.047 max)	(0.039 max)	$(0.026 \pm 0.002)$	(0.394)			
FBA04□900		9.0±0.5	52.0+2/-1	1.2max	1.0 max	$0.65 \pm 0.05$	12.5			
FDAU4 11 900		$(0.354 \pm 0.020)$	(2.05+0.079/-0.039)	(0.047 max)	(0.039 max)	$(0.026 \pm 0.002)$	(0.492)			

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

## SA(F: 2.5mm pitch) (0.098 inches)



Туре	Symbol	Dimensions	Symbol	Dimensions	Symbol	Dimensions
	Α	121: 9.0 max.	P <sub>2</sub>	6.35±1.3	Q	1.0 max.
		(0.354 max.)	-	(0.250±0.051)		(0.039 max.)
	т.	2.5 max.	F	2.5+1.0/-0.5	$\phi_{D_0}$	$4.0 \pm 0.3$
	'	(0.098 max.)	'	(0.098 + 0.039 / -0.020)	$\varphi_{D_0}$	$(0.157 \pm 0.012)$
	D	5.0 max.	Δh	$0.0 \pm 2.0$	$\phi$ d	$0.65 \pm 0.05$
	"	(0.197 max.)	Δ11	$(0.0 \pm 0.079)$		$(0.026 \pm 0.002)$
FBR05	Н	18.0+2.0/-0	w	18.0+1.0/-0.5	L	11.0 max.
FDRUS	П	(0.709 + 0.079 / -0)	l vv	(0.709 + 0.039 / -0.020)		(0.433 max.)
	Р	12.7±1.0	10/	12.5 min.		0.7±0.2
	Р	$(0.500 \pm 0.039)$	W <sub>0</sub>	(0.492 min.)	τ	$(0.028 \pm 0.008)$
	Б	12.7±0.3 <sup>※1</sup>	14/	9.0+0.75/-0.5		11-21(211)
P <sub>0</sub>		$(0.500 \pm 0.012)$	$W_1$	(0.354 + 0.030 / -0.020)		Unit: mm(inch)
	D	5.1±0.7	۱۸/	3.0 max. <sup>※2</sup>		

(0.118 max.)


 $W_2$ 

※1 Accumulated error for 20 pitches is ±2mm.

 $\frak{\%}2$  Bonding tape must not protrude from the base tape.

 $(0.201 \pm 0.028)$ 

#### SB/TB(F: 5mm pitch) (0.197 inches)



Type	Symbol	Dimensions	Symbol	Dimensions	Symbol	Dimensions
		121: 9.0 max. (0.354 max.)	P <sub>0</sub>	12.7±0.3 **1 (0.500±0.012)	W <sub>1</sub>	9.0+0.75/-0.5 (0.354+0.039/-0.020)
	Α	(0.354 max.) 850: 7.0 max.	_	3.85±0.8		(0.354+0.039/-0.020) 3.0 max. **2
		(0.276 max.)	P <sub>1</sub>	$(0.152 \pm 0.028)$	W <sub>2</sub>	(0.118 max.)
	Т	2.5 max. (0.098 max.)	P <sub>2</sub>	6.35±1.3 (0.250±0.051)	Q	1.0 max. (0.039 max.)
FBR07	D	$7.5\pm0.5$ (0.925 $\pm0.020$ )	F	5.0+1.0/-0.5 (0.197+0.039/-0.020)	$\phi$ D $_{0}$	$4.0 \pm 0.3$ (0.157 $\pm 0.012$ )
		SB: 18.0+2.0/-0 (0.709+0.079/-0)	Δh	0.0±2.0 (0.0±0.079)	<i>φ</i> d	0.6±0.05 (0.024±0.002)
Н	н	TB: 16.0±0.5 (0.630±0.020)	W	18.0+1.0/-0.5 (0.709+0.039/-0.020)	L	11.0 max. (0.433 max.)
	Р	12.7±1.0 (0.500±0.039)	W <sub>0</sub>	12.5 min. (0.492 min.)	t	0.7±0.2 (0.028±0.008)


Unit: mm(inch)

 $\frak{\%}1$  Accumulated error for 20 pitches is  $\pm 2$ mm.

 $\frak{\%}2$  Bonding tape must not protrude from the base tape.

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).






Туре	Symbol	Dimensions	Symbol	Dimensions	Symbol	Dimensions
	Α	4.5±0.3 (0.177±0.012)	P <sub>1</sub>	3.85±0.8 (0.152±0.032)	W <sub>2</sub>	3.0 max. <sup>※2</sup> (0.118 max.)
	A <sub>1</sub>	9.0 max. (0.354 max.)	P <sub>2</sub>	6.35±1.3 (0.250±0.051)	Q	1.0 max. (0.039 max.)
	ΦD	03: 2.5±0.2 (0.098±0.008)	F	5.0±1.0 (0.197±0.039)	$\phi$ D $_0$	4.0±0.3 (0.157±0.012)
FBA03□450 FBA04□450	φυ	04: 3.5±0.2 (0.138±0.008)	Δh	0.0±2.0 (0.0±0.079)	<i>ф</i> d	$0.65 \pm 0.05$ (0.026 \pm 0.002)
	Н	20.0+0.5/-1.0 (0.787+0.020/-0.039)	W	18.0+1.0/-0.5 (0.709+0.039/-0.020)	L	11.0 max. (0.433 max.)
Р	Р	12.7±1.0 (0.500±0.039)	Wo	12.5 min. (0.492 min.)	t	0.7±0.2 (0.028±0.008)
	P <sub>0</sub>	12.7±0.3 *1 (0.500±0.012)	W <sub>1</sub>	9.0 + 0.75 / -0.5 (0.354 + 0.030 / -0.020)		Unit: mm(inch)

※1 Accumulated error for 20 pitches is ±2mm.

 $\frak{\%}2$  Bonding tape must not protrude from the base tape.

#### ●VB 形状



Туре	Symbol	Dimensions	Symbol	Dimensions	Symbol	Dimensions
		450: 4.5±0.3 (0.177±0.012)	Р	12.7±1.0 (0.500±0.039)	$W_1$	9.0+0.75/-0.5 (0.354+0.030/-0.020)
	Α	600: 6.0+0.5/-0 (0.236+0.020/-0)	P <sub>0</sub>	12.7±0.3 <sup>※1</sup> (0.500±0.012)	W <sub>2</sub>	3.0 max. <sup>※2</sup> (0.118 max.)
		900: 9.0±0.5 (0.354±0.020)	P <sub>1</sub>	3.85±0.8 (0.152±0.032)	Q	1.0 max. (0.039 max.)
FBA03□450 FBA04□450	04 450 04 600 04 900	450: 12.5 max. 600: (0.492 max.)	P <sub>2</sub>	$6.35\pm1.3$ (0.250±0.051)	$\phi$ D $_{0}$	4.0±0.3 (0.157±0.012)
FBA04□600 FBA04□900		900: 16.0 max. (0.630 max.)	F	5.0±1.0 (0.197±0.039)	$\phi$ d	0.65±0.05 (0.026±0.002)
		03: 2.5±0.2 (0.098±0.008)	Δh	0.0±2.0 (0.0±0.079)	L	11.0 max. (0.433 max.)
	φυ	φD 04: 3.5±0.2 (0.138±0.008)	W	18.0 + 1.0 / -0.5 $(0.709 + 0.039 / -0.020)$	t	0.7±0.2 (0.028±0.008)
	$H_0$ 16.0±0.5 (0.650±0.020)		W <sub>0</sub>	12.5 min. (0.492 min. )		単位: mm(inch)

※1 Accumulated error for 20 pitches is ±2mm.

 $\frak{\%}2$  Bonding tape must not protrude from the base tape.

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

# AXIAL LEADED INDUCTORS(CAL Type), RADIAL LEADED INDUCTORS(LH Type), LEADED FERRITE BEAD INDUCTORS(FB Series A Type/R Type)

RELIABILI	ΙΤΥ	DATA
-----------	-----	------

1. Operating temper	ature Range			
	CAL45 Type			
Specified Value	LHLOOO	−25~+ 105°C		
	FBA/FBR			
	CAL45 Type			
Test Methods and Remarks	LHLOOO	Including self-generated heat		
rtomarto	FBA/FBR			
2. Storage temperat	ure Range			
	CAL45 Type			
Specified Value	LHLOOO	-40~+ 85°C (Except for taping condition)		
	FBA/FBR			
3. Rated current				
	CAL45 Type			
Specified Value	LHLOOO	Within the specified tolerance		
	FBA/FBR			
Test Methods and Remarks	CAL45 Type:  The maximum DC value having inductance within 10% and temperature increase within 40°C by the application of DC bias.  LHL□□□:  The maximum DC value having inductance decrease within 10% (LHLC08, LHLC10: within 30%) and temperature increase within t following specified temperature by the application of DC bias.  Reference temperature : 25°C (LHL08, LHL10)  : 40°C (LHLC08, LHLC10)  FBA/FBR:  No disconnection or appearance abnormality by continuous current application for 30 min. Change after the application shall within ±20% of the initial value.  This is not guaranteed for electrical characteristics during current application.			
4. Impedance				
	CAL45 Type			
Specified Value	LHLOOO			
	FBA/FBR	Within the specified tolerance		
Test Methods and Remarks	FBA/FBR:  Measuring equipment : Impedance and the suring frequency : Specified frequency	alyzer (HP4191A) or its equivalent uency		
5. Inductance				
	CAL45 Type	Within the specified tolerance		
Specified Value	LHLOOO	The specified colorance		
	FBA/FBR			
Test Methods and Remarks	Measuring frequency : Specified frequency LHL□□□ :  Measuring equipment : LCR meter (H	P4285A+HP42851A or its equivalent) P4263A) or its equivalent (at 1kHz)		
	measuring frequency . Specified frequency	uonoy		

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

6. Q						
	CAL45 Type					
Specified Value	LHL		Within the specified tolerance			
	FBA/FBR					
Test Methods and	Measuring equipment	: LCR meter (HF	P4285A+HP42851A or it	s equivalent)		
Remarks			P4263A) or its equivalent	(at 1kHz)		
	Measuring frequency	: Specified frequ	iency			
7. DC Resistance						
	CAL45 Type					
Specified Value	LHL		Within the specified tole	rance		
	FBA/FBR					
Test Methods and Remarks	Measuring equipment	: DC ohmmeter				
8. Self resonance fr	equency					
	CAL45 Type					
Specified Value			Within the specified tole	rance		
opcomou value	FBA/FBR		THE STATE OF			
Test Methods and	LHL					
Remarks	Measuring equipment	·(HP4191A 419	2A) its equivalent			
		. ,	, ,			
9. Temperature cha	rantoristia					
J. Temperature ona		r				
0 15 11/1	CAL45 Type		A 1 (1 140-11 1 1 70)			
Specified Value	LHL		$\Delta$ L/L : Within $\pm$ 7%			
	FBA/FBR					
	Change of maximum induct		•			
	Step	Temperature (°				
Test Methods and	1	20				
Remarks	<del></del>	imum operating ter	emperature			
	3 2	20 (Standard tempe	·			
	4 Max	kimum operating te	mperature			
	5	20				
10. Tensile strength	test					
	CAL45 Type					
Specified Value	LHL		No abnormality such as	cut lead, or looseness.		
	FBA/FBR		The abriding days as such saut, or reconnect.			
	CAL45 Type : Apply the sta	ated tensile force r	progressively in the direct	ion to draw terminal		
	force (N)	duration (s)	Togressively in the direct	to draw terminal.		
	10	10				
	LHL□□□ : Apply the sta	ted tensile force p	rogressively in the direct	on to draw terminal.	_	
Test Methods and	Nominal wire diamete		force (N)	duration (s)		
Remarks	0.3 < \$\psi d\$		5	20.15		
	0.5 < \psi dol		10	30±5		
	$0.8 < \phi d$		fixed and a tensile force of		he lead wire in the	al direction
		nent during 10+1		. Lo in the snam be applied to t	THE TOUGHT WITE MAIN	, an conon

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

11. Over current						
	CAL45 Type		No	emission of smoke no firin	g.	
Specified Value	LHLOOO			There shall be no scorch or short of wire. LHLC08, LHLC10 : There shall be no firing.		
	FBA/FBR					
Test Methods and Remarks	LHL CAL45 Type:  Measuring current: Rated current  Duration: 5 min.  Number of measuring: one time					
10 = 11.						
12. Terminal strengt			ı			
0 15 1371	CAL45 Type		١			
Specified Value			No	abnormality such as cut le	ad, or looseness.	
	FBA/FBR					
	initial position. This operate Number of bends : Two tires	tion is done over a		d of 2-3 sec. Then second	he body through the angle of 90 degrees and return it to the bend in the opposite direction shall be made.	
	Nominal wire diameter	Bending force	:	Mass reference		
	tensile 0.3< φ d≦0.5	2.5		weight 0.25		
	0.5 < \$\psi\$ d\section 0.8	5		0.50		
Test Methods and Remarks	LHL \_ +FBA/FBR: Suspend a weight of specified mass at the er initial position. This operation is done over a   Number of bends: Two times.				he body through the angle of 90 degrees and return it to the bend in the opposite direction shall be made.	
	Nominal wire diameter Bending force			Mass reference		
	tensile			weight		
	$ 0.3 < \phi d \le 0.5  0.5 < \phi d \le 0.8 $	2.5 5		0.25 0.5		
	0.8 < ¢d ≦ 1.2	10		1.0		
	<u> </u>			•	•	
13. Insulation resist	ance : between the terminal	s and body				
	CAL45 Type	•				
Specified Value	LHLOOO		100	M Ω min.		
opcomed value	FBA/FBR		100	W 3E 111111.		
Test Methods and Remarks		VDC sec.				
14. Insulation resist	ance : between terminals an	id core				
	CAL45 Type					
Specified Value	LHLOOO					
	FBA/FBR		1M	$\Omega$ min.		
Test Methods and Remarks	FBA/FBR: Applied voltage : 100 VDC Duration : 60±5 sec.					
15. Withstanding : b	etween the terminals and bo	ody				
	CAL45 Type					
Specified Value			No	abnormality such as insula	tion damage	
•	FBA/FBR				<del>-</del>	
Test Methods and Remarks	LHL : : According to JIS C5101- Metal global method	VDC	ı			

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

16. DC bias charact	eristic	
	CAL45 Type	ΔL/L: Within -10%
Specified Value	LHL000	
	FBA/FBR	
Test Methods and Remarks	CAL45 Type : Measure inductance with appli	cation of rated current using LCR meter to compare it with the initial value.
17. Body strength		
	CAL45 Type	No abnormality as damage.
Specified Value	LHL000	
	FBA/FBR	No abnormality such as cracks on body.
Test Methods and Remarks	CAL45 Type: Applied force :50N Duration : 10 sec. Speed : Shall attain to specified force in 2 sec. FBA: Applied force : 50±3N Duration : 30±1 sec.  Press Pressing jig  Specimen	

18. Resistance to vibration				
Specified Value	CAL45 Type		$\Delta$ L/L: Within $\pm 5\%$	
	LHLOOO		Appearance : No abnormality $\Delta L/L$ : Within $\pm 5\%$ Q change : Within $\pm 30\%$	
	FBA/FBR		Appearance : No abnormality Impedance change : Within ±20%	
Test Methods and Remarks	Frequency range : 10 to 55 to 10Hz  Amplitude : 1.5mm  Mounting method : Soldering onto pr  Recovery : At least 1hr of re  LHL		nted board. overy under the standard condition after the test, followed by the measurement within 2hrs. and Z directions total: 6hrs.	

1mm

1mm

19. Resistance to s	19. Resistance to shock					
	CAL45 Type		No significant abnormality in appearance			
Specified Value	LHL					
	FBA/FBR					
	CAL45 Type :					
Test Methods and	Drop test					
Remarks	Impact material : concrete or v		nyl tile			
I CIIIai NS	Height : 1m					
	Total number of drops	: 10 times				

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

20. Solderability			
Specified Value	CAL45 Type		At least 75% of terminal electrode is covered by new solder.
	LHL		At least 75% of terminal electrode is covered by new solder.
	FBA/FBR		At least 90% of terminal electrode is covered by new solder.
Test Methods and Remarks	CAL45 Type: Solder temperature Duration LHL□□□: Solder temperature Duration Immersion depth FBA/FBR: Solder temperature Duration Immersion depth	: 230±5°C : 2±0.5 sec. : 235±5°C : 2±0.5 sec. : Up to 1.5mm from : 230±5°C : 3±1 sec. : Up to 1.5mm from	

21. Resistance to s	oldering heat					
	CAL45 Type		ΔL/L : \	$\Delta$ L/L : Within $\pm$ 5%		
Specified Value	LHLOOO		No significant abnormality in appearance Inductance change: Within ±5% Q change: Within ±30%			
	FBA/FBR		_	icant abnormality in appearance ce change : Within ±20%		
Test Methods and Remarks	CAL45 Type: Solder temperature Duration Immersed conditions Recovery  LHL□□□: Solder bath method:  Manual soldering:	: 270±5°C : 5±0.5 sec. Or : Inserted into s : At least 1hr o 2hrs.  Solder temper Duration  Solder temper Duration  Caution Recovery	substrate v f recovery rature	with t=1.6mm under the standard condition after the test, followed by the measurement within $ : 260\pm5^{\circ}C $ $ : 10\pm1 \text{ sec.} $ $ : Up \text{ to } 1.5\text{mm from the bottom of case.} $ $ : 350\pm10^{\circ}C \text{ (At the tip of soldering iron)} $ $ : 5\pm1 \text{ sec.} $ $ : Up \text{ to } 1.5\text{mm from the bottom of case.} $ $ : \text{Up to } 1.5\text{mm from the bottom of case.} $ $ : \text{No excessive pressing shall be applied to terminals.} $ $ : \text{1 to 2hrs of recovery under the standard condition after the test.} $		
	Solder bath method: Condition 1:	Solder temper Duration Immersion der		: 260±5°C : 10±1 sec. : Up to 1.5mm from the terminal root.		
	Condition 2 :	Solder temper Duration Immersion dep Recovery	rature	: $350 \pm 5^{\circ}$ C : $3 \pm 1$ sec. : Up to 1.5mm from the terminal root. : 3hrs of recovery under the standard condition after the test.		

22. Resistance to s	22. Resistance to solvent					
	CAL45 Type		Please avoid the ultrasonic cleaning of this product.			
Specified Value	LHL					
	FBA/FBR		No significant abnormality in appearance Impedance change : Within ±20%			
Test Methods and Remarks	FBA/FBR: Solvent temperature Duration Solvent type Recovery	: 20~25°C : 30±5 sec. : Acetone : 3hrs of recovery	v under the standard condition after the test.			

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

#### 23. Thermal shock $\Delta L/L$ : Within $\pm 10\%$ CAL45 Type Appearance: No abnormality LHL 🗆 🗆 🗆 Inductance change: Within ±10% Specified Value Q change: Within ±30% Appearance: No abnormality FBA/FBR Impedance change : Within $\pm 20\%$ CAL45 Type: Conditions for 1cycle Temperature (°C) Duration (min.) Step -25+0/-3 $30\pm3$ 2 Room temperature Within 3 +85+2/-0 30±3 3 4 Within 3 Room temperature Number of cycles : 5 cycles Recovery : At least 1hr of recovery under the standard condition after the removal from test chamber, followed by the measurement within 2hrs. Test Methods and LHL TFBA/FBR: According to JIS C60068-2-14. Remarks Conditions for 1 cycle Duration (min.) Step Temperature (°C) 1 Minimum operating temperature $30\pm3$ 2 Within 3 Room temperature 3 30±3 Maximum operating temperature 4 Room temperature Within 3 : 10 cycles (LHL Number of cycles : 5 cycles (FBA/ FBR) Recovery : 1 to 2hrs of recovery under the standard condition after the removal from the test chamber. [LHL : 3hrs of recovery under the standard condition after the removal from the test chamber. (FBA/ FBR)

24. Damp heat	_		
	CAL45 Type		$\Delta$ L/L: Within $\pm 10\%$
Specified Value	LHL		
	FBA/FBR		Appearance: No abnormality Impedance change: Within ±20%
Test Methods and Remarks	CAL45 Type: Temperature Humidity Duration Recovery FBA/FBR: Temperature Humidity Duration Recovery	: 60±2°C : 90~95%RH : 1000 hrs	ry under the standard removal from test chamber, followed by the measurement within 2hrs.  r the standard condition after the removal from the test chamber.

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

25. Loading under d	amp heat			
Specified Value	CAL45 Type		$\Delta$ L/L: Within $\pm 10\%$	
	LHLOOO		Appearance : No abnormality	
			Inductance change : Within ±10%	
			Q change : Within ±30%	
	FBA/FBR			
Test Methods and Remarks	CAL45 Type:	Type:		
	Temperature	: 40±2°C		
	Humidity	: 90~95%RH		
	Duration : 1000 hrs		y under the standard removal from test chamber, followed by the measurement within 2hrs.	
	Applied current : Rated current Recovery : At least 1hr of recovery			
	LHL	. At least thir of recover	under the standard removal from test chamber, followed by the measurement within 2111s.	
	Temperature	: 40±2℃		
	Humidity : 90∼95%RH			
	Duration : 1000+48/-0 hrs			
	Applied current : Rated current			
	Recovery : 1 to 2hrs of recovery under the standard condition after the removal from the test chamber.			
26. Loading at high	temperature			
	CAL45 Type		ΔL/L: Within ±10%	
Specified Value	LHL			
	FBA/FBR			
	CAL45 Type :			
T . M .!	Temperature	: 85±2°C		
Test Methods and Remarks	Duration : 1000 hrs			
rtemarks	Applied current	: Rated current		
	Recovery	: At least 1hr of recover	y under the standard removal from test chamber, followed by the measurement within 2hrs.	
27. Low temperatur	e life test			
	CAL45 Type		ΔL/L: Within ±10%	
			Appearance : No abnormality	
Specified Value	LHL		Inductance change : Within ±10%	
			Q change : Within ±30%	
	FBA/FBR			
Test Methods and Remarks	CAL45 Type:			
	Temperature	: −25±2°C		
	Duration	: 1000 hrs		
	Recovery	: At least 1hr of recovery under the standard removal from test chamber, followed by the measurement within 2hrs.		
	LHL :	:-40±3°C		
	Temperature Duration	: 1000+48/−0 hrs		
	Recovery		under the standard condition after the removal from the test chamber.	
	,	,		
28. High temperatur	ro lifo tost			
Zo. High temperatur				
Specified Value	CAL45 Type			
	LHLOOO		Appearance : No abnormality	
			Inductance change: Within ±10% Q change: Within ±30%	
	FBA/FBR		& Grange . Maint 2007	
Test Methods and Remarks	LHL□□□ : Temperature	: 105±2°C		
	Duration : 1000 ± 48/-0 hrs			
			under the standard condition after the removal from the test chamber.	
	1	•		

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

# AXIAL LEADED INDUCTORS(CAL Type), RADIAL LEADED INDUCTORS(LH Type), LEADED FERRITE BEAD INDUCTORS(FB Series A Type/R Type)

#### **■**PRECAUTIONS

#### 1. Circuit Design ◆Operating environment 1. The products described in this specification are intended for use in general electronic equipment, office supply equipment, telecommunications systems, measuring equipment, and household equipment). They are not intended for use in mission-critical Precautions equipment or systems requiring special quality and high reliability (traffic systems, safety equipment, aerospace systems, nuclear control systems and medical equipment including life-support systems,) where product failure might result in loss of life, injury or damage. For such uses, contact TAIYO YUDEN Sales Department in advance. 2. PCB Design Precautions 1. Please design insertion pitches as matching to that of leads of the component on PCBs. Technical 1. When Inductors are mounted onto a PC board, hole dimensions on the board should match the lead pitch of the component, if not, it will considerations cause breakage of the terminals or cracking of terminal roots covered with resin as excess stress travels through the terminal legs. 3. Considerations for automatic placement Adjustment of mounting machine Precautions 1. Excessive impact load should not be imposed on the products when mounting onto the PC boards. 2. Mounting and soldering conditions should be checked beforehand. Technical ◆Adjustment of mounting machine 1. When installing products, care should be taken not to apply distortion stress as it may deform the products. considerations 4. Soldering 1. Please refer to the specifications in the catalog for a wave soldering. 2. Do not immerse the entire inductor in the flux during the soldering operation. Lead free soldering 1. When using products with lead free soldering, we request to use them after confirming adhesion, temperature of resistance to soldering heat, soldering etc sufficiently. Precautions ◆Recommended conditions for using a soldering iron: •Put the soldering iron on the land-pattern. Soldering iron's temperature – Below 350°C Duration - 3 seconds or less • The soldering iron should not directly touch the inductor. ◆Reflow soldering 1. As for reflow soldering, please contact our sales staff. ◆Lead free soldering 1. If products are used beyond the range of the recommended conditions, heat stresses may deform the products, and consequently Technical degrade the reliability of the products. considerations Recommended conditions for using a soldering iron. If products are used beyond the range of the recommended conditions, heat stresses may deform the products, and consequently degrade the reliability of the products. 5. Cleaning Cleaning conditions Precautions 1. CAL type, LH type Please do not do cleaning by a supersonic wave. Cleaning conditions Technical 1. CAL type, LH type, considerations If washing by supersonic waves, supersonic waves may deform products.

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

6. Handling	
Precautions	<ul> <li>✦Handling</li> <li>1. Keep the inductors away from all magnets and magnetic objects.</li> <li>✦Mechanical considerations</li> <li>1. Please do not give the inductors any excessive mechanical shocks.</li> <li>2. LH type  If inductors are dropped onto the floor or a hard surface they should not be used.</li> <li>✦Packing</li> <li>1. Please do not give the inductors any excessive mechanical shocks.  In loading, please pay attention to handling indication mentioned in a packing box (a loading direction / number of maximum loading / fragile item).</li> </ul>
Technical considerations	<ul> <li>✦Handling</li> <li>1. There is a case that a characteristic varies with magnetic influence.</li> <li>✦Mechanical considerations</li> <li>1. There is a case to be damaged by a mechanical shock.</li> <li>2. LH type  There is a case to be broken by a fall.</li> <li>✦Packing</li> <li>1. There is a case that a lead wire could be deformed by a fall or an excessive shock.</li> </ul>

7. Storage condi	tions
Precautions	◆Storage  1. To maintain the solderability of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the storage area should be controlled.  Recommended conditions  •Ambient temperature 0~40°C  •Humidity Below 70% RH  The ambient temperature must be kept below 30°C. Even under ideal storage conditions, solderability of products electrodes may decrease as time passes.  For this reason, inductors should be used within one year from the time of delivery.  In case of storage over 6 months, solderability shall be checked before actual usage.
Technical considerations	◆Storage 1. Under a high temperature and humidity environment, problems such as reduced solderability caused by oxidation of terminal electrodes and deterioration of taping/packaging materials may take place.