

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







DATA POWER TECHNOLOGY LIMITED

Product Specifications

File No: E-SPE-1106-01

Ver: 1.0 Page: 1/10

Date: 2015-11-06

Product Specifications

Type: Polymer Li-ion Rechargeable Battery

Model: DTP502535

Specification: 3.7V/400mAh

Prepared By/Date	Checked By/Date	Approved By/Date
Yang qin 2015/11/06		

00	19 COIIIE I	COITTITII	ation:				
					Sign/Dat	:e:	

Tel: +86-755 23460581 Fax: +86-755 23460503



DATA POWER TECHNOLOGY LIMITED

File.No:E-SPE-1106-01

Ver:1.0 Page: 2/10

Date: 2015-11-06

Product Specifications

Revise the history

Revision Num	Date	Revise the items	
1.0	2015-11-06	Publishes for the first time	

DATA POWER TECHNOLOGY LIMITED

File.No:E-SPE-1106-01

Ver:1.0 Page: 3/10

Date: 2015-11-06

Product Specifications

10	itents		
1	Scop	2	4
2	Produ	ict Type and Product Model	4
	2.1	Type	4
	2.2	Model	4
3	Basic	Product Characteristics	4
	3.1	Rated Capacity	4
	3.2	Minimum Capacity	4
	3.3	Nominal Voltage	4
	3.4	Charge Limited Voltage	4
	3.5	Discharge Cut-off Voltage	4
	3.6	End-of-charge Current	4
	3.7	Standard Charge.	4
	3.8	Standard Discharge	4
	3.9	Maximum Continuous Charge Current	4
	3.10	Maximum Continuous Discharge Current	4
	3.11	Operating And Storage Temperature Range	4
	3.12	Operating And Storage Humidity Range	4
	3.13	Weight	4
4		nal Dimension	4
5		de Appearance	5
6		Electrical Characteristics.	5
U	6.1	Open Circuit Voltage	5
	6.2	Internal Impedance	5
	6.3	Rated Capacity (0.2C ₅ A).	5
	6.4	1C ₅ A Capacity.	5
	6.5	Temperature Characteristics.	5
	6.6	Storage Characteristics.	5
	6.7	Cycle Life (20°C)	5
7		y Characteristics	5
,	7.1		5
	7.1 7.2	Overcharge Characteristics	
		Over-discharge Characteristics	6
	7.3	Short-circuit Characteristics	6
	7.4	Hot Oven Characteristics	6
0	7.5	Heavy Collision	6
8		bility Characteristics	6
	8.1	Static Humidity and Temperature Characteristics	6
	8.2	Vibration Characteristics	6
	8.3	Bump Characteristics	7
•	8.4	Free Drop Characteristics	7
9		nbling Request	7
	9.1	List of Parameter	7
	9.2	Parts list	7
	9.3	Application Circuit	7
	9.4	Maps	8
	9.5	External Dimension Drawing	9
10		antee Period of Quality	9
11		ers needing attention	9
12	State	ment	10

DATA POWER TECHNOLOGY LIMITED

File.No:E-SPE-1106-01

Ver:1.0 Page: 4/10

Date: 2015-11-06

Product Specifications

1. Scope

This specification shall be applied to the batteries from Data Power Technology Limited's product.

2. Product Type and Product Model

2.1 Type: Polymer Li-ion Recharged Battery


2.2 Model: DTP502535

3. Product Basic Characteristics

No	Item	Characteristics
3.1	Rated Capacity	400mAh
3.2	Minimum Capacity	400mAh
3.3	Nominal Voltage	3.70V
3.4	Charge Limited Voltage	4.20V
3.5	Discharge Cut-off Voltage	2.80V
3.6	End-of-charge Current	0.01C
3.7	Standard Charge	Charge with 0.2C(80mA) up to Limited Voltage, Charge with limited
3.7	Standard Charge	Voltage up to end-of-charge current.
3.8	Standard Discharge	Using 0.2C(80mA) constant current discharge to the Discharge Cut-off
5.0	Standard Discharge	Voltage.
3.9	Maximum Continuous Charge Current	1C (400mA)
3.10	Maximum Continuous Discharge Current	1C (400mA)
	Operating Temperature Penge	Charge $0 \sim 45^{\circ}$ C
3.11	Operating Temperature Range	Discharge −20 ~ 60 °C
	Storage Temperature Range	-20 ~ 60 ℃
3.12	Operating And Storage Humidity Range	65±20% RH
3.13	Weight	Less than 13g

4. Cell Dimension

Item	Dimension (mm)	
Т	Max 5.0	
W	Max 25.0	
L	Max 35.0	
L1	Max 31.0	
L2	Max 35.3	
L3	6.0±2.0	
М	12.0±2.0	
N	2.0±0.5	



DATA POWER TECHNOLOGY LIMITED

File.No:E-SPE-1106-01

Ver:1.0 Page: 5/10

Date: 2015-11-06

Product Specifications

5.Appearance

It shall be free from any defects such as remarkable scratches, breaks, cracks, discoloration, leakage, or middle deformation

6. Basic Electrical Characteristics

No.	Items	Criteria	Test Method
6.1	Open Circuit Voltage	3.75V~3.95V	Measure with voltmeter.
6.2	Internal Impedance	≤200mΩ	Measure cells using an alternate current impedance meter at 1kHz.
6.3	Rated Capacity (0.2C ₅ A)	≥400mAh	Discharged after the standard charged cells rest 10min at 23±2°C, Test can be discontinued when more than Rated capacity. Three cycles are permitted
6.4	1C ₅ A.discharge capacity	≥400mAh×90%	Discharged after the standard charged cells rest 10min at $23\pm2^{\circ}$ C , Test can be discontinued when more than 90%*rated capacity. Three cycles are permitted.
6.5	Temperature Characteristics	1. Appearance: No deformation、ruptures nor leakage。 2. Discharge Capacity: 55°C:≥85%×initial capacity; -10°C≥70%×initial capacity	Measured the 0.2C5A capacity at $23\pm2^{\circ}$ C as the initial capacity. Stored the rechargeable batteries for 16-20hrs at $-10\pm2^{\circ}$ C; 2h for $55\pm2^{\circ}$ C, and then 0.2C5A discharged at this temperature, Checked the batteries' appearance after rest for 2 hrs at room temperature.
6.6	Storage Characteristics	Retention Capacity: ≥85% ×initial capacity	Measured the $0.2C_5A$ capacity at $(20\pm5)^{\circ}C$ as the initial capacity. Stored the recharged cells for 6 days at $20\pm5^{\circ}C$ and then rest for 2 hrs at room temperature, $0.2C_5A$ discharged after checked the cells' appearance.
6.7	Cycle Life (20°C)	Capacity≥initial capacity× 80%	0.5C discharged after 0.5C ₅ A full charges at 20± 5°C.Carry out 300 cycles

Remark 1 Standard charge: $0.2C_5A$ charge up to charge limited voltage at $(20\pm5)^{\circ}C$. Charge with limited voltage up to end of current. It is the same to the next content

7. Safety Characteristics

No.	Items	Criteria	Test Method
7.1	_	Appearance: No rupture, fire,	When the battery is fully charged, go on loading for 8h with a twice rating voltage, 2.0C 5 A out put current, it starts the over charge protection function.

DATA POWER TECHNOLOGY LIMITED

File.No: E-SPE-1106-01

Ver:1.0 Page: 6/10

Date: 2015-11-06

Product Specifications

l	-		
	Over discharge	Appearance: No rupture,	The battery is discharged at 0.2C5A in the constant current till it
7.2	_	fire, smoke, nor leakage.	reaches over discharge protection voltage at (20±5) °C, connected
	Characteristics	ine, smoke, nor reakage.	with a 30Ω lead and discharged for 24h
			As the battery has completed charging, short circuit the positive
	Short-circuit	OCV ≥3.6V;	and negative contacts with 0.1Ω resistor for 1h for appearance
7.3	Characteristics	Appearance: No rupture,	check, then disconnect the resistor between the contacts, the
	Characteristics	fire, smoke, nor leakage.	battery shall be charged at 1.0C5A mA in the constant current for
			5S
			The battery is to be heated in a gravity convection
	Hot Oven	Annogrango: No	or circulating air oven after standard charged at
7.4		Appearance:.No explode.No fire.	23±2 °C, The temperature of the oven is to be raised at a rate of 5±2 °C
	Characteristics	explode. No life.	/min. The oven is to remain for 30 minutes at
			400±2°C before the test is discontinued.
7.5	Heavy	Appearance:.No	Putting the battery on the platform, using 10KG heavy hammer free
		explode.No fire.	drop from 1M height onto the fixed battery.

Remark 2 All safety characteristics are carried out by specialized personnel familiar with Li-ion knowledge or under instruction of our technical personnel after detailed consultation.

8. Reliability Characteristics

No.	Items	Criteria	Test Method
8.1	Static Humidity and Temperature Characteristics	Retention Capacity: ≥60%× initial capacity Appearance: No leakage, damage,smoke,ruputer.	Measured the 1C5A capacity at 23 ± 2 °C as the initial capacity. Stored the rechargeable batteries for 2 days at 40 ± 2 °C and 90%-95%RH, then rest for 2 hrs at room temperature. 0.2C5A discharged after checked the batteries appearance. Measured recoverable 1C5A discharge capacity with 3 cycles
8.2	Vibration Characteristics	OCV ≥3.6V; Appearance: No fire, leakage, explode, rupture	After fully charging, fixing the battery onto the vibration platform. with amplitude 0.38mm circularly scanning vibrating in the frequency of 10HZ-55HZ from three directions X \ Y \ Z for 30min respectively in its scanning frequency velocity 10CT/min.



DATA POWER TECHNOLOGY LIMITED

File.No:E-SPE-1106-01

Ver:1.0 Page: 7/10

Date: 2015-11-06

Drad	11104	Cnooi	figat	iona
Prou	uct	Speci	Heat	10115

			After vibration testing, use a clip or directly fix the battery
			on to the platform in the direction of X , Y , Z vertical
8.3	Bump	OCV ≥3.6V; Appearance: No fire, leakage,	complementary axis, then adjust its acceleration and
0.5	Characteristics	explode, rupture	pulse duration as below to have a bump test. Pulse peak
		explode, rupture	acceleration 100m/s2. Bumps per minute 40-80.Pulse
			duration 16ms. Bump times 1000±10.
			After bump testing, the battery shall be immediately
		Retention Capacity:	dropped from the height of 1000mm (minimum height)
8.4	8.4 Free Drop Characteristics	≥85% ×nominal capacity.	onto a 18mm \sim 20mm hard board on the cement floor.
0.4		Appearance: No fire, leakage,	Free drop one time respectively from X 、Y 、Z positive
		explode, rupture	and negative axis(six directions). After that, the battery is
			discharged at 1C5A to its final voltage.

9. Assembling Request

9.1 List of Parameter

Item	Symbol	Content	Criterion	
	V_{DET1}	Over charge detection voltage	4.200V±0.050V	
Over charge Protection	tV _{DET1}	Over charge detection delay time	80 ms	
	V_{REL1}	Over charge release voltage	4.100±0.050V	
	V_{DET2}	Over discharge detection voltage	2.4V±0.100V	
Over discharge protection	tV _{DET2}	Over discharge detection delay time	20ms	
	V_{REL2}	Over discharge release voltage	2.8V±0.100V	
	V _{DET3}	Over current detection voltage	0.150±0.030V	
Over current protection	I_{DP}	Over current detection current	2.5~4.5A	
	tV _{DET3}	Detection delay time	10ms	
		Release condition	Cut load	
C1		Detection condition	Exterior short circuit	
Short protection	T_{SHORT}	Detection delay time	≤5us	
		Release condition	Cut short circuit	
Interior resistance R _{DS} Max		Main loop electrify resistance	VC=3.6V; RDS≤60mΩ	

9.2 Parts list

NO.	Location	Part name	Specification	Pack type	Q' ty	Maker/Remark
1	U1	Battery protection IC	DW01+	SOT23-6	1	Fortune
2	U2	Silicon MOSFET	8205	SOT-6	1	MT
3	R1	Resistance	SMD $100 \Omega \pm 5\%$	0603	1	YAGEO
4	R2	Resistance	SMD 1K $\Omega \pm 5\%$	0603	1	YAGEO
5	C1	Capacitance	SMD 0.1 µ F	0603	1	TDK
6	PCB	Print circuit board	_		1	




DATA POWER TECHNOLOGY LIMITED

File.No: E-SPE-1106-01


Ver:1.0 Page: 8/10

Date: 2015-11-06

Product Specifications



9.4 Maps




DATA POWER TECHNOLOGY LIMITED

File.No: E-SPE-1106-01

Ver:1.0 Page: 9/10

Date: 2015-11-06

Product Specifications



10. Guarantee Period of Quality

Guarantee period of quality is 12 months after sold.

11. Matters needing attention

Strictly observes the following needing attention. Data Power will not be responsible for any accident occurred by handling outside of the precautions in this specification.

! Danger

- Strictly prohibits heat or throw cell into fire.
- Strictly prohibits throw and wet cell in liquid such as water, gasoline or drink etc.
- Strictly prohibits use leave cell close to fire or inside of a car where temperature may be above 60 °C. Also do not charge / discharge in such conditions.
- Strictly prohibits put batteries in your pockets or a bag together with metal objects such as necklaces. Hairpins, coins, or screws. Do not store or transportation batteries with such objects.
- Strictly prohibits short circuit the (+) and (-) terminals with other metals.

DATA POWER TECHNOLOGY LIMITED

File.No: E-SPE-1106-01

Ver:1.0

Page: 10/10

Date: 2015-11-06

Product Specifications

- Strictly prohibits welding a cell directly.
- Do not use a Cell with serious scar or deformation.
- Thoroughly read the user's manual before use, inaccurate handling of lithium ion rechargeable cell may cause leakage, heat, smoke, an explosion, or fire, capacity decreasing.

! Warning

- Strictly prohibits put cell into a microware oven, dryer, or high-pressure container.
- Strictly prohibits use cell with dry cells and other primary batteries, or new and old battery or batteries of a different package, type, or brand.
- Stop charging the Cell if charging is not completed within the specified time.
- Stop using the Cell if abnormal heat, odor, discoloration, deformation or abnormal condition is detected during use, charge, or storage.
- Keep away from fire immediately when leakage or foul odor is detected.
- If liquid leaks onto your skin or clothes, wash well with fresh water immediately.
- If liquid leaking from the Cell gets into your eyes, do not rub your eyes. Wash them well with clean edible oil and go to see a doctor immediately.

! Caution

- Before using the Cell, be sure to read the user's manual and cautions on handling thoroughly.
- Charging with specific charger according to product specification. Charge with CC/CV method. Strictly
 prohibits revered charging. Connect cell reverse will not charge the cel. At the same time, it will reduce the
 charge-discharge characteristics and safety characteristics, this will lead to product heat and leakage.
- Store batteries out of reach of children so that they are not accidentally swallowed.
- If younger children use the Cell, their guardians should explain the proper handling.
- Before using the Cell, be sure to read the user's manual and cautions on handling thoroughly.
- Batteries have life cycles. If the time that the Cell powers equipment becomes much shorter than usual, the Cell life is at an end. Replace the Cell with a new same one.
- When not using Cell for an extended period, remove it from the equipment and store in a place with low humidity and low temperature.
- While the Cell pack is charged, used and stored, keep it away from objects or materials with static electric charges
- If the terminals of the Cell become dirty, wipe with a dry clothe before using the Cell.
- Storage the cells in storage temperature range as the specifications, Afer full discharged, we suggest that charging to 3.9~4.0V with no using for a long time.
- Do not exceed these ranges of the following temperature ranges.

Charge temperature range : $0 \,^{\circ}\text{C}$ to $45 \,^{\circ}\text{C}$; Discharge temperature range : $-20 \,^{\circ}\text{C}$ to $60 \,^{\circ}\text{C}$.(When using equipment)

11. Statement

If our specifications material, product process or product control system has changed, the information will be transmitted to consumer by way of written with quality and reliability data.