

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









# APPROVAL SHEET

RFBPF Series – 1608(0603)- RoHS Compliance

MULTILAYER CERAMIC BAND PASS FILTER

**Halogens Free Product** 

2.4 GHz ISM Band Working Frequency

P/N: RFBPF1608070A3T

\*Contents in this sheet are subject to change without prior notice.


#### **FEATURES**

- 1. Miniature footprint: 1.6 X 0.8 X 0.7 mm<sup>3</sup>
- 2. Low Profile Thickness
- 3. Low Insertion loss
- 4. High Rejection Rate
- 5. High attenuation on 2<sup>nd</sup> harmonic suppressed
- 6. LTCC process

# **APPLICATIONS**

- 1. 2.4GHz ISM band RF applications
- 2. Bluetooth, Wireless LAN 802.11b/g, HomeRF

# CONSTRUCTION



PIN	Connection			
1	Input port			
2	GND			
3	Output port			
4	GND			

# **DIMENSIONS**


Figure	Symbol	Dimension (mm)
	L	1.60 ± 0.15
	W	0.80 ± 0.15
	Т	0.70 ± 0.10
A B	А	0.45 ± 0.15
	В	0.70 ± 0.15
	С	0.20 ± 0.15
	D	0.20 ± 0.15
	E	0.25 ± 0.15
	F	0.30 ± 0.15



#### **ELECTRICAL CHARACTERISTICS**

RFBPF1608070A3T	Specification	
Frequency range	2450 ± 50 MHz	
Insertion Loss	1.80 dB max. at 25 ℃ 2.10 dB max. at – 40 ~ + 85 ℃	
VSWR	2.0 max	
Impedance	50 Ω	
	27 dB @ 800 – 900 MHz	
Attenuation (min.)	25 dB @ 4800-5000 MHz	
	30 dB @ 7200-7500 MHz	
Operation Temperature Range	-40°C ~ +85°C	
Typical Electrical Chart		
30.00 20.00 10.00 0.000 -10.00 -20.00 -30.00 -40.00 -50.00  1 Start 500 MHz   Ch1 Tr1 S21	Ref 0.000dB [F2] Ref 0.000dB [F2]  GHz -42.027 dB  A  4  IFBW 10 kHz  Stop 8 GHz Cor    0 GHz -1.5645 dB 0 GHz -1.4752 dB 0 GHz -1.4866 dB 0 GHz -1.4866 dB 0 GHz -18.886 dB 0 GHz -42.027 dB 0 GHz -19.201 dB 0 GHz -19.201 dB 0 GHz -17.912 dB 0 GHz -0.7000 dB 0 GHz -0.7000 dB 0 GHz -0.7909 dB 0 GHz -0.9979 dB 0 GHz -0.9979 dB 0 GHz -17.532 dB	

# **SOLDER LAND PATTERN**



Line width to de designed to match 50  $\,\Omega$  characteristic impedance, depending on PCB material and thickness. D1 and D2 are the grounding through holes.



# **RELIABILITY TEST**

Test item	Test condition / Test method	Specification
Solderability JIS C 0050-4.6	*Solder bath temperature : 235 ± 5°C	At least 95% of a surface of each terminal
JESD22-B102D	*Immersion time : 2 ± 0.5 sec	electrode must be covered by fresh solder.
	*Solder : Sn3Ag0.5Cu for lead-free	
Leaching (Resistance to dissolution of metallization) IEC 60068-2-58	*Solder bath temperature : $260 \pm 5^{\circ}\text{C}$ *Leaching immersion time : $30 \pm 0.5 \text{ sec}$ *Solder : SN63A	Loss of metallization on the edges of each electrode shall not exceed 25%.
Resistance to soldering heat JIS C 0050-5.4	*Preheating temperature: 120~150°C,  1 minute.  *Solder temperature: 270±5°C  *Immersion time: 10±1 sec  *Solder: Sn3Ag0.5Cu for lead-free  Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage.  Samples shall satisfy electrical specification after test.  Loss of metallization on the edges of each electrode shall not exceed 25%.
Drop Test JIS C 0044	*Height: 75 cm  *Test Surface: Rigid surface of concrete or steel.  *Times: 6 surfaces for each units; 2 times for each side.	No mechanical damage.  Samples shall satisfy electrical specification after test.
Adhesive Strength of Termination JIS C 0051- 7.4.3	*Pressurizing force :  5N(≤0603) ; 10N(>0603)  *Test time : 10±1 sec	No remarkable damage or removal of the termination.
Bending test JIS C 0051- 7.4.1	The middle part of substrate shall be pressurized by means of the pressurizing rod at a rate of about 1 mm/s per second until the deflection becomes 1mm/s and then pressure shall be maintained for 5±1 sec.  Measurement to be made after keeping at room temperature for 24±2 hours	No mechanical damage.  Samples shall satisfy electrical specification after test.

Approvai sneet		2 Viasin reciniology corporation
Temperature cycle JIS C 0025	<ol> <li>30±3 minutes at -40°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>30±3 minutes at +85°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>Total 100 continuous cycles</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> </ol>	No mechanical damage.  Samples shall satisfy electrical specification after test.
Vibration JIS C 0040	*Frequency: 10Hz~55Hz~10Hz(1min)  *Total amplitude: 1.5mm  *Test times: 6hrs.(Two hrs each in three mutually perpendicular directions)	No mechanical damage.  Samples shall satisfy electrical specification after test.
High temperature JIS C 0021	*Temperature: 85°C±2°C  *Test duration: 1000+24/-0 hours  Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage.  Samples shall satisfy electrical specification after test.
Humidity (steady conditions) JIS C 0022	*Humidity: 90% to 95% R.H.  *Temperature: 40±2°C  *Time: 1000+24/-0 hrs.  Measurement to be made after keeping at room temperature for 24±2 hrs  % 500hrs measuring the first data then 1000hrs data	No mechanical damage.  Samples shall satisfy electrical specification after test.
Low temperature JIS C 0020	*Temperature : -40°C±2°C  *Test duration : 1000+24/-0 hours  Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage.  Samples shall satisfy electrical specification after test.

# **SOLDERING CONDITION**

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,




Fig 2. Infrared soldering profile


# **ORDERING CODE**

RF	BPF	160807	0	Α	3	Т
Walsin	<b>Product Code</b>	Dimension code	Unit of	Application	Specification	Packing
RG: RF	BPF:	Per 2 digits of	dimension	A: 2.4GHZ ISM	Code from 0 ~ 9	T : Reeled
/Pb free	Band Pass Filter	Length, Width,	0 : 0.1 mm	Band	dependent on	
device		Thickness :	1 : 1.0 mm		different electrical	
		e.g. :			specification	
		160807 =				
		Length 16,				
		Width 08,				
		Thickness07				

Minimum Ordering Quantity: 4000 pcs per reel.


# **PACKAGING**

Paper Tape specifications (unit :mm)



Index	Ao	Во	ΦD	Т	W
Dimension (mm)	$0.975 \pm 0.05$	$1.76 \pm 0.05$	1.55 + 0.05	$0.75 \pm 0.03$	$8.0 \pm 0.10$
Index	E	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	$3.50\pm0.05$	4.00 ± 0.10	$4.00 \pm 0.10$	$2.00 \pm 0.05$

#### **Reel dimensions**



Index	Α	В	С
Dimension (mm)	Ф178.0	Ф60.0	Ф13.0

Taping Quantity: 4000 pieces per 7" reel

#### **CAUTION OF HANDLING**

#### **Limitation of Applications**

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

#### Storage condition

- Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
  - Products should be storage in the warehouse on the following conditions.

■ Temperature : -10 to +40°C

Humidity: 30 to 70% relative humidity

- Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
- Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
- Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
- Products should be storage under the airtight packaged condition.