

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Superior high Flux for High Current System

Acrich MJT 5050

SAW0LH0A (Cool, Neutral)





Product Brief

Description

- This White Colored surface-mount LED comes in standard package dimension. Package Size: 5.0x5.0x0.65mm
- The MJT series of LEDs are designed for AC & DC(High Voltage) operation and high flux output applications.
- It incorporates state of the art SMD design and low thermal resistant material.
- The MJT is ideal light sources for general illumination applications and custom designed solutions.

Features and Benefits

- Super high Flux output and high Luminance
- · Designed for high voltage operation
- SMT solderable
- Lead Free product
- RoHS compliant

Key Applications

- General lighting
- Architectural lighting
- LED Bulbs
- Decorative / Pathway lighting

Table 1. Product Selection Table

Doub November	сст				
Part Number	Color	Min.	Тур.	Max.	
CAMOLLIOA	Cool White	4700K	5600K	7000K	
SAW0LH0A	Neutral White	3700K	4200K	4700K	



Table of Contents

Index

- Product Brief
- Table of Contents
- Performance Characteristics
- Color Bin Structure
- Packaging Information
- Product Nomenclature (Labeling Information)
- Reflow Soldering Characteristics
- Recommended Solder Pad
- Handling of Silicone Resin for LEDs
- Precaution For Use
- Company Information



Performance Characteristics

Table 2. Characteristics, I_F=20mA, T_i=25°C

Parameter	Cumbal	Value			Unit
Parameter	Symbol	Min.	Тур.	Max.	Offic
Luminous Flux ^[1]	$\Phi_{v}^{[2]}$	154	180	-	lm
Correlated Color Temperature[3]	CCT	3700	5000	7000	K
CRI ^[4]	Ra	70	-	-	-
Forward Voltage	V_{F}	60	63	68	V
Power Dissipation	P_d	-	1.26	-	W
Viewing Angle	2Θ1/2	-	120	-	deg.
Thermal resistance (J to S)	Rθ _{j-s}	-	6.0	-	K/W
ESD Sensitivity(HBM)	-	5k	-	-	V

Table 3. Electro – Optical Characteristics, T_i=25^oC

I _F [mA]	V _F [V]	Power [W]	Φ _v [lm]	lm/W
10	60.3	0.60	92.2	153.7
20 (Typ.)	63.8	1.28	175.2	136.9
30	66.7	2.00	250.7	125.4
40	69.3	2.77	319.7	115.4
50	71.6	3.58	383.2	107.0
60	73.6	4.42	442.6	100.1

Table 4. Absolute Maximum Ratings


Parameter	Symbol	Value	Unit
Forward Current	l _F	60	mA
Power Dissipation	P_{D}	4.5	W
Junction Temperature	T _j	125	ōС
Operating Temperature	T_{opr}	-30 ~ + 100	ōС
Storage Temperature	T_{stg}	-40 ~ + 100	ōС


Notes:

- (1) Seoul Semiconductor maintains a tolerance of $\pm 7\%$ on flux and power measurements.
- (2) $\Phi_{\text{V}}\!$ is the total luminous flux output as measured with an integrating sphere.
- (3) Correlated Color Temperature is derived from the CIE 1931 Chromaticity diagram. Color coordinate : ± 0.01 , CCT $\pm 5\%$ tolerance.
- (4) Tolerance is ± 2.0 on CRI measurements.
- Calculated performance values are for reference only.
- · All measurements were made under the standardized environment of Seoul Semiconductor.



Relative Spectral Distribution







Forward Current Characteristics

Fig 3. Forward Voltage vs. Forward Current , $\rm T_{j}{=}25\,^{\circ}\!\!C$






Fig 4. Forward Current vs. Relative Luminous Flux, T_i =25 $^{\circ}$ C



Forward Current Characteristics

Fig 5. Forward Current vs. CIE X, Y Shift , T_i =25 $^{\circ}$ C



Junction Temperature Characteristics

Fig 6. Relative Light Output vs. Junction Temperature , I_F=20mA






Fig 7. Relative Forward Voltage vs. Junction Temperature , I_F=20mA




Junction Temperature Characteristics

Fig 8. Junction Temp. vs. CIE X, Y Shift, I_F=20mA



Ambient Temperature Characteristics

Fig 9. Maximum Forward Current vs. Ambient Temperature, T_i(max.)=125 ℃, I_F=60mA



Color Bin Structure

Bin Code description

1. Luminous Flux Bins

- Luminous flux bin structure for cool white

· Example

BIN CODE : W2COA

Bin Code	Luminous Flux [lm]
W1	154.0~177.0
W2	177.0~200.0
X1	200.0~230.0

Available ranks

Not yet available ranks

2. Cool White CIE

Cool white product tested and binned by x,y coordinates and CCT

· Example
BIN CODE : W2<u>C0</u>A


Color bin


3. Voltage Bins

Bin Code	Voltage [V]
Α	60.0 - 63.0
В	63.0 – 65.0
С	65.0 – 68.0

Color Bin Structure

Binning structure graphical representation






ļ.	40	А	.1	A	2
CIE X	CIE Y	CIE X	CIE Y	CIE X	CIE Y
0.3028	0.3304	0.3115	0.3393	0.3041	0.3240
0.3041	0.3240	0.3126	0.3324	0.3055	0.3177
0.3126	0.3324	0.3210	0.3408	0.3136	0.3256
0.3115	0.3393	0.3205	0.3481	0.3126	0.3324
F	/3	А	.4	A	5
CIE X	CIE Y	CIE X	CIE Y	CIE X	CIE Y
0.3126	0.3324	0.3055	0.3177	0.3136	0.3256
0.3136	0.3256	0.3068	0.3113	0.3146	0.3187
0.3216	0.3334	0.3146	0.3187	0.3221	0.3261
0.3210	0.3408	0.3136	0.3256	0.3216	0.3334
E	30	В	1	В	2
CIE X	CIE Y	CIE X	CIE Y	CIE X	CIE Y
0.3207	0.3462	0.3292	0.3539	0.3212	0.3389
0.3212	0.3389	0.3293	0.3461	0.3217	0.3316
0.3293	0.3461	0.3373	0.3534	0.3293	0.3384
0.3292	0.3539	0.3376	0.3616	0.3293	0.3461
-	30	_		l .	
	33	В	•	В	
CIE X	CIE Y	CIE X	CIE Y	CIE X	CIE Y
CIE X 0.3293	CIE Y 0.3461	CIE X 0.3217	CIE Y 0.3316	CIE X 0.3293	CIE Y 0.3384
CIE X 0.3293 0.3293	CIE Y 0.3461 0.3384	CIE X 0.3217 0.3222	CIE Y 0.3316 0.3243	CIE X 0.3293 0.3294	CIE Y 0.3384 0.3306
CIE X 0.3293 0.3293 0.3369	CIE Y 0.3461 0.3384 0.3451	CIE X 0.3217 0.3222 0.3294	CIE Y 0.3316 0.3243 0.3306	CIE X 0.3293 0.3294 0.3366	CIE Y 0.3384 0.3306 0.3369
CIE X 0.3293 0.3293 0.3369 0.3373	CIE Y 0.3461 0.3384 0.3451 0.3534	CIE X 0.3217 0.3222 0.3294 0.3293	CIE Y 0.3316 0.3243 0.3306 0.3384	CIE X 0.3293 0.3294 0.3366 0.3369	CIE Y 0.3384 0.3306 0.3369 0.3451
CIE X 0.3293 0.3293 0.3369 0.3373	CIE Y 0.3461 0.3384 0.3451 0.3534	CIE X 0.3217 0.3222 0.3294 0.3293	CIE Y 0.3316 0.3243 0.3306 0.3384	CIE X 0.3293 0.3294 0.3366 0.3369	CIE Y 0.3384 0.3306 0.3369 0.3451
CIE X 0.3293 0.3293 0.3369 0.3373	CIE Y 0.3461 0.3384 0.3451 0.3534	CIE X 0.3217 0.3222 0.3294 0.3293	CIE Y 0.3316 0.3243 0.3306 0.3384	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376	CIE Y 0.3461 0.3384 0.3451 0.3534 CO CIE Y 0.3616	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463	CIE Y 0.3316 0.3243 0.3306 0.3384 11 CIE Y 0.3687	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373	CIE Y 0.3461 0.3384 0.3451 0.3534 CO CIE Y 0.3616 0.3534	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456	CIE Y 0.3316 0.3243 0.3306 0.3384 11 CIE Y 0.3687 0.3601	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373 0.3456	CIE Y 0.3461 0.3384 0.3451 0.3534 CO CIE Y 0.3616 0.3534 0.3601	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456 0.3539	CIE Y 0.3316 0.3243 0.3306 0.3384 1 CIE Y 0.3687 0.3601 0.3669	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369 0.3448	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451 0.3514
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373 0.3456 0.3463	CIE Y 0.3461 0.3384 0.3451 0.3534 CO CIE Y 0.3616 0.3534 0.3601 0.3687	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456 0.3539 0.3552	CIE Y 0.3316 0.3243 0.3306 0.3384 CIE Y 0.3687 0.3601 0.3669 0.376	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369 0.3448 0.3456	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451 0.3514 0.3601
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373 0.3456 0.3463	CIE Y 0.3461 0.3384 0.3451 0.3534 CO CIE Y 0.3616 0.3534 0.3601 0.3687	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456 0.3539 0.3552	CIE Y 0.3316 0.3243 0.3306 0.3384 0.3687 0.3687 0.3601 0.3669 0.376	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369 0.3448 0.3456	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451 0.3514 0.3601
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373 0.3456 0.3463 CIE X	CIE Y 0.3461 0.3384 0.3451 0.3534 CO CIE Y 0.3616 0.3534 0.3601 0.3687	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456 0.3539 0.3552 CIE X	CIE Y 0.3316 0.3243 0.3306 0.3384 CIE Y 0.3687 0.3601 0.3669 0.376	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369 0.3448 0.3456 CIE X	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451 0.3514 0.3601 5 CIE Y
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373 0.3456 0.3463 CIE X 0.3456	CIE Y 0.3461 0.3384 0.3451 0.3534 00 CIE Y 0.3616 0.3534 0.3601 0.3687	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456 0.3539 0.3552 CIE X 0.3369	CIE Y 0.3316 0.3243 0.3306 0.3384 CIE Y 0.3687 0.3601 0.3669 0.376 CIE Y 0.3451	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369 0.3448 0.3456 CIE X 0.3448	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451 0.3514 0.3601 5 CIE Y 0.3514
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373 0.3456 0.3463 CIE X 0.3456 0.3448	CIE Y 0.3461 0.3384 0.3451 0.3534 00 CIE Y 0.3616 0.3534 0.3601 0.3687 C3 CIE Y 0.3601 0.3514	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456 0.3539 0.3552 CIE X 0.3369 0.3366	CIE Y 0.3316 0.3243 0.3306 0.3384 CIE Y 0.3687 0.3601 0.3669 0.376 CIE Y 0.3451 0.3369	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369 0.3448 0.3456 CIE X 0.3448	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451 0.3514 0.3601 5 CIE Y 0.3514 0.3428
CIE X 0.3293 0.3293 0.3369 0.3373 CIE X 0.3376 0.3373 0.3456 0.3463 CIE X 0.3456	CIE Y 0.3461 0.3384 0.3451 0.3534 00 CIE Y 0.3616 0.3534 0.3601 0.3687	CIE X 0.3217 0.3222 0.3294 0.3293 CIE X 0.3463 0.3456 0.3539 0.3552 CIE X 0.3369	CIE Y 0.3316 0.3243 0.3306 0.3384 CIE Y 0.3687 0.3601 0.3669 0.376 CIE Y 0.3451	CIE X 0.3293 0.3294 0.3366 0.3369 CIE X 0.3373 0.3369 0.3448 0.3456 CIE X 0.3448	CIE Y 0.3384 0.3306 0.3369 0.3451 2 CIE Y 0.3534 0.3451 0.3514 0.3601 5 CIE Y 0.3514




Color Bin Structure

Binning structure graphical representation




D0		D1	D2	
CIE X CI	EY CIEX	CIE Y	CIE X	CIE Y
0.3548 0.3	3736 0.3641	0.3804	0.3536	0.3646
0.3536 0.3	0.3625	0.3711	0.3523	0.3555
0.3625 0.3	3711 0.3714	0.3775	0.3608	0.3616
0.3641 0.3	8804 0.3736	0.3874	0.3625	0.3711
D3		D4	D5	
CIE X CI	E Y CIE X	CIE Y	CIE X	CIE Y
0.3625 0.3	3711 0.3523	0.3555	0.3608	0.3616
0.3608 0.3	616 0.3511	0.3465	0.3590	0.3521
0.3692 0.3	677 0.3590	0.3521	0.3670	0.3578
0.3714 0.3	3775 0.3608	0.3616	0.3692	0.3677
E0		E1	E2	
CIE X CI	E Y CIE X	CIE Y	CIE X	CIE Y
0.3736 0.3	0.3869	0.3958	0.3714	0.3775
0.3714 0.3	3775 0.3842	0.3855	0.3692	0.3677
0.3842 0.3	8855 0.3970	0.3935	0.3813	0.3751
0.3869 0.3	958 0.4006	0.4044	0.3842	0.3855
E3		E4	E5	
CIE X CI	E Y CIE X	CIE Y	CIE X	CIE Y
0.3842 0.3	0.3692	0.3677	0.3813	0.3751
0.3813 0.3	3751 0.3670	0.3578	0.3783	0.3646
0.3934 0.3	8825 0.3783	0.3646	0.3898	0.3716
0.3970 0.3	935 0.3813	0.3751	0.3934	0.3825

Mechanical Dimensions




< Inner Circuit Diagram>





Notes:

- (1) All dimensions are in millimeters.
- (2) Scale: none
- (3) Undefined tolerance is ± 0.1 mm
- (4) The appearance and specifications of the product may be changed for improvement without notice.

Emitter Tape & Reel Packaging







Notes:

- (1) Quantity: 7 inch reel type (1,000 pcs / Reel)
- (2) Cumulative Tolerance : Cumulative Tolerance/10 pitches to be $\pm 0.2 mm$
- (3) Adhesion Strength of Cover Tape : Adhesion strength to be 0.1-0.7N when the cover tape is turned off from the carrier tape at the angle of 10° to the carrier tape
- (4) Package: P/N, Manufacturing data Code No. and quantity to be indicated on a damp proof Package.

Emitter Tape & Reel Packaging

Reel **Aluminum Bag** * Label Humidity Indicator **Outer Box** (C -- --* Label SECUL SEMICONDUCTOR


Product Nomenclature

Part Number Form : $X_1X_2X_3X_4X_5X_6X_7X_8 - X_9X_{10}X_{11}X_{12}X_{13}$

Part Number Code	Description	Part Number	Value
X ₁	Company	S	SSC
X ₂	Package series	Α	
X ₃	Color	W	- White
X ₄	Coloi	0	write
X ₅	Series number	L	L series
X ₆	Voltage	Н	
X ₇	PCB type	0	Emitter
X ₈	Revision No.	Α	Rev0
X ₉ X ₁₀	Luminous flux	-	-
X ₁₁ X ₁₂	Color bin	-	-
X ₁₃	Voltage	-	-

	LF	Color bin		Voltage
W1	154.0~177.0	A0~A5	Α	60.0 ~ 63.0
		B0~B5		
W2	177.0~200.0	C0~C5	В	63.0 ~ 65.0
X1	200.0~230.0	D0~D5	С	65.0 ~ 68.0
	200.0 200.0	E0~E5		

Recommended Solder Pad



Notes:

- (1) All dimensions are in millimeters.
- (2) Scale: none
- (3) This drawing without tolerances are for reference only
- (4) Undefined tolerance is $\pm 0.1 \text{mm}$

Reflow Soldering Characteristics




Table 5.

Profile Feature	Sn-Pb Eutectic Assembly	Pb-Free Assembly
Average ramp-up rate (T _{smax} to T _p)	3° C/second max.	3° C/second max.
	100 °C 150 °C 60-120 seconds	150 °C 200 °C 60-180 seconds
Time maintained above: - Temperature (T _L) - Time (t _L)	183 °C 60-150 seconds	217 °C 60-150 seconds
Peak Temperature (T _p)	215℃	260℃
Time(t _p) within 5°C of actual Peak Temperature	10-30 seconds	20-40 seconds
Ramp-down Rate	6 °C/second max.	6 °C/second max.
Time 25°C to Peak Temperature	6 minutes max.	8 minutes max.

Caution

- (1) Reflow soldering is recommended not to be done more than two times. In the case of more than 24 hours passed soldering after first, LEDs will be damaged.
- (2) Repairs should not be done after the LEDs have been soldered. When repair is unavoidable, suitable tools must be used.
- (3) Die slug is to be soldered.
- (4) When soldering, do not put stress on the LEDs during heating.
- (5) After soldering, do not warp the circuit board.

Handling of Silicone Resin for LEDs

(1) During processing, mechanical stress on the surface should be minimized as much as possible. Sharp objects of all types should not be used to pierce the sealing compound.





- (2) In general, LEDs should only be handled from the side. By the way, this also applies to LEDs without a silicone sealant, since the surface can also become scratched.
- (3) When populating boards in SMT production, there are basically no restrictions regarding the form of the pick and place nozzle, except that mechanical pressure on the surface of the resin must be prevented. This is assured by choosing a pick and place nozzle which is larger than the LED's reflector area.
- (4) Silicone differs from materials conventionally used for the manufacturing of LEDs. These conditions must be considered during the handling of such devices. Compared to standard encapsulants, silicone is generally softer, and the surface is more likely to attract dust. As mentioned previously, the increased sensitivity to dust requires special care during processing. In cases where a minimal level of dirt and dust particles cannot be guaranteed, a suitable cleaning solution must be applied to the surface after the soldering of components.
- (5) SSC suggests using isopropyl alcohol for cleaning. In case other solvents are used, it must be assured that these solvents do not dissolve the package or resin. Ultrasonic cleaning is not recommended. Ultrasonic cleaning may cause damage to the LED.
- (6) Please do not mold this product into another resin (epoxy, urethane, etc) and do not handle this product with acid or sulfur material in sealed space.
- (7) Avoid leaving fingerprints on silicone resin parts.

Precaution for Use

(1) Storage

To avoid the moisture penetration, we recommend store in a dry box with a desiccant . The recommended storage temperature range is 5° to 30° and a maximum humidity of RH50%.

(2) Use Precaution after Opening the Packaging

Use proper SMD techniques when the LED is to be soldered dipped as separation of the lens may affect the light output efficiency.

Pay attention to the following:

- a. Recommend conditions after opening the package
 - Sealing / Temperature : 5 ~ 40 °C Humidity : less than RH30%
- b. If the package has been opened more than 4 week(MSL_2a) or the color of the desiccant changes, components should be dried for 10-12hr at 60 ± 5 °C
- (3) Do not apply mechanical force or excess vibration during the cooling process to normal temperature after soldering.
- (4) Do not rapidly cool device after soldering.
- (5) Components should not be mounted on warped (non coplanar) portion of PCB.
- (6) Radioactive exposure is not considered for the products listed here in.
- (7) Gallium arsenide is used in some of the products listed in this publication. These products are dangerous if they are burned or shredded in the process of disposal. It is also dangerous to drink the liquid or inhale the gas generated by such products when chemically disposed of.
- (8) This device should not be used in any type of fluid such as water, oil, organic solvent and etc. When washing is required, IPA (Isopropyl Alcohol) should be used.
- (9) When the LEDs are in operation the maximum current should be decided after measuring the package temperature.
- (10) LEDs must be stored properly to maintain the device. If the LEDs are stored for 3 months or more after being shipped from Seoul Semiconductor. A sealed container with a nitrogen atmosphere should be used for storage.
- (11) The appearance and specifications of the product may be modified for improvement without notice.
- (12) Long time exposure of sunlight or occasional UV exposure will cause lens discoloration.

Precaution for Use

- (13) VOCs (Volatile organic compounds) emitted from materials used in the construction of fixtures can penetrate silicone encapsulants of LEDs and discolor when exposed to heat and photonic energy. The result can be a significant loss of light output from the fixture. Knowledge of the properties of the materials selected to be used in the construction of fixtures can help prevent these issues.
- (14) The slug is electrically isolated.
- (15) Attaching LEDs, do not use adhesives that outgas organic vapor.
- (16) The driving circuit must be designed to allow forward voltage only when it is ON or OFF. If the reverse voltage is applied to LED, migration can be generated resulting in LED damage.
- (17) LEDs are sensitive to Electro-Static Discharge (ESD) and Electrical Over Stress (EOS). Below is a list of suggestions that Seoul Semiconductor purposes to minimize these effects.
- a. ESD (Electro Static Discharge)

Electrostatic discharge (ESD) is the defined as the release of static electricity when two objects come into contact. While most ESD events are considered harmless, it can be an expensive problem in many industrial environments during production and storage. The damage from ESD to an LEDs may cause the product to demonstrate unusual characteristics such as:

- Increase in reverse leakage current lowered turn-on voltage
- Abnormal emissions from the LED at low current

The following recommendations are suggested to help minimize the potential for an ESD event. One or more recommended work area suggestions:

- lonizing fan setup
- ESD table/shelf mat made of conductive materials
- ESD safe storage containers

One or more personnel suggestion options:

- Antistatic wrist-strap
- Antistatic material shoes
- Antistatic clothes

Environmental controls:

- Humidity control (ESD gets worse in a dry environment)

Precaution for Use

b. EOS (Electrical Over Stress)

Electrical Over-Stress (EOS) is defined as damage that may occur when an electronic device is subjected to a current or voltage that is beyond the maximum specification limits of the device. The effects from an EOS event can be noticed through product performance like:

- Changes to the performance of the LED package
 (If the damage is around the bond pad area and since the package is completely encapsulated the package may turn on but flicker show severe performance degradation.)
- Changes to the light output of the luminaire from component failure
- Components on the board not operating at determined drive power

Failure of performance from entire fixture due to changes in circuit voltage and current across total circuit causing trickle down failures. It is impossible to predict the failure mode of every LED exposed to electrical overstress as the failure modes have been investigated to vary, but there are some common signs that will indicate an EOS event has occurred:

- Damaged may be noticed to the bond wires (appearing similar to a blown fuse)
- Damage to the bond pads located on the emission surface of the LED package (shadowing can be noticed around the bond pads while viewing through a microscope)
- Anomalies noticed in the encapsulation and phosphor around the bond wires.
- This damage usually appears due to the thermal stress produced during the EOS event.
- c. To help minimize the damage from an EOS event Seoul Semiconductor recommends utilizing:
 - A surge protection circuit
 - An appropriately rated over voltage protection device
 - A current limiting device

Company Information

Published by

Seoul Semiconductor © 2013 All Rights Reserved.

Company Information

Seoul Semiconductor (SeoulSemicon.com) manufacturers and packages a wide selection of light emitting diodes (LEDs) for the automotive, general illumination/lighting, appliance, signage and back lighting markets. The company is the world's fifth largest LED supplier, holding more than 10,000 patents globally, while offering a wide range of LED technology and production capacity in areas such as "nPola", deep UV LEDs, "Acrich", the world's first commercially produced AC LED, and "Acrich MJT - Multi-Junction Technology" a proprietary family of high-voltage LEDs. The company's broad product portfolio includes a wide array of package and device choices such as Acrich, high-brightness LEDs, mid-power LEDs, side-view LEDs, through-hole type LED lamps, custom displays, and sensors. The company is vertically integrated from epitaxial growth and chip manufacture in it's fully owned subsidiary, Seoul Viosys, through packaged LEDs and LED modules in three Seoul Semiconductor manufacturing facilities. Seoul Viosys also manufactures a wide range of unique deep-UV wavelength devices.

Legal Disclaimer

Information in this document is provided in connection with Seoul Semiconductor products. With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Seoul Semiconductor hereby disclaims any and all warranties and liabilities of any kind, including without limitation, warranties of non-infringement of intellectual property rights of any third party. The appearance and specifications of the product can be changed to improve the quality and/or performance without notice.