



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832



Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






VERSION "A"

70004-0003-0024



SECTION B-B



SECTION A-A

NOTES:

1. MATERIAL:G.F. POLYESTER, COLOR: BLACK, 94V-0.
2. CIRCUIT SIZES LISTED ON CHART (SEE SHEET 3).
3. FIVE CIRCUIT SHOWN WITH LATCH.
4. USED WITH #70400 SERIES CONNECTORS (OPTION D).
5. PACKAGE PER PK-70004-100.

REMOVE VERSION "B" EC NO: UCP2008-1088 DRWN:BSMART 2007/12/05 CHKD:JMORGAN 2007/12/07 APPR:SMILLER 2007/12/07	DESCRIPTION K	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY DATE		TITLE SALES-INTERIM CLIP SINGLE ROW		
			4 PLACES	± ---	± ---	WJF	05/15/1986			
			3 PLACES	± ---	± .010	CHECKED BY DATE				
			2 PLACES	± 0.25	± .014	MG 05/15/1986				
			1 PLACE	± 0.36	± ---	APPROVED BY DATE				
			ANGULAR ±1/2°		RL 05/15/1986		 MOLEX INCORPORATED			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-70004-0003-0057		SHEET NO. 1 OF 2	
	REV				SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	13	12	11	10	9	8	7	6	5	4	3	2	1		
J	VERSION "A"														J
	WITH LATCH														
I	EDP NO.	ENG NO.	DIM A	DIM B	DIM C	CKT. SIZE								I	
	015-04-5042	70004-0003	(10.41) .410	(7.62) .300	(0.25) .010	4									
	015-04-5052	70004-0004	(12.95) .510	(10.16) .400	(0.33) .013	5									
H	015-04-5062	70004-0005	(15.49) .610	(12.70) .500	(0.38) .015	6								H	
	015-04-5072	70004-0006	(18.03) .710	(15.24) .600	(0.46) .018	7									
	015-04-5082	70004-0007	(20.57) .810	(17.78) .700	(0.51) .020	8									
	015-04-5092	70004-0008	(23.11) .910	(20.32) .800	(0.58) .023	9									
G	015-04-5102	70004-0009	(25.65) 1.010	(22.86) .900	(0.64) .025	10								G	
	015-04-5112	70004-0010	(28.19) 1.110	(25.40) 1.000	(0.71) .028	11									
	015-04-5122	70004-0011	(30.73) 1.210	(27.94) 1.100	(0.76) .030	12									
F	015-04-5132	70004-0012	(33.27) 1.310	(30.48) 1.200	(0.84) .033	13								F	
	015-04-5142	70004-0013	(35.81) 1.410	(33.02) 1.300	(0.89) .035	14									
	015-04-5152	70004-0014	(38.35) 1.510	(35.56) 1.400	(0.96) .038	15									
	015-04-5162	70004-0015	(40.89) 1.610	(38.10) 1.500	(1.02) .040	16									
E	015-04-5172	70004-0016	(43.43) 1.710	(40.64) 1.600	(1.09) .043	17								E	
	015-04-5182	70004-0017	(45.97) 1.810	(43.18) 1.700	(1.14) .045	18									
	015-04-5192	70004-0018	(48.51) 1.910	(45.72) 1.800	(1.22) .048	19									
D	015-04-5202	70004-0019	(51.05) 2.010	(48.26) 1.900	(1.27) .050	20								D	
	015-04-5212	70004-0020	(53.59) 2.110	(50.80) 2.000	(1.35) .053	21									
	015-04-5222	70004-0021	(56.13) 2.210	(53.34) 2.100	(1.40) .055	22									
	015-04-5232	70004-0022	(58.67) 2.310	(55.88) 2.200	(1.47) .058	23									
C	015-04-5242	70004-0023	(61.21) 2.410	(58.42) 2.300	(1.52) .060	24								C	
	015-04-5252	70004-0024	(63.73) 2.510	(60.96) 2.400	(1.60) .063	25									
B															B
A															A