



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com



Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





**NOTES:**

- 1) CONNECTOR MATERIALS:  
HOUSING, INSERT-MOLDED STICKS, AND RIGHT ANGLE BRACKET ARE MADE OF GLASS FILLED LCP, UL 94V-0, COLOR IS BLACK. TERMINALS ARE .013/(0.33) THICK BERYLLIUM COPPER; TERMINAL PLATING IS 30 MICROINCHES/(0.76 MICRO METERS) MINIMUM GOLD IN CONTACT AREA, AND 100 MICROINCHES/(2.54 MICROMETERS) MINIMUM TIN ON P.C. TAILS, OVER NICKEL UNDER PLATE OVERALL.
- 2) FRONT SHELL:  
DRAW QUALITY STEEL, .016/(0.4) THICK;  
PLATING: 150-250 MICROINCHES/(3.81-6.35 MICROMETERS) BRIGHT NICKEL OVER 50 MICROINCHES/(1.27 MICROMETERS) MAXIMUM COPPER OVERALL.
- 3) THREADED INSERT (2 PLACES):  
BRASS, M3 X 0.5 (METRIC) INTERNAL THREAD.
- 4) ALL DIMENSIONS ARE SHOWN FOR REFERENCE ONLY UNLESS SPECIFIED OTHERWISE.
- 5) THIS CONNECTOR CONFORMS TO PRODUCT SPECIFICATION PS-70660.
- 6) PART COMPLIES WITH CLASS B OF COSMETIC SPECIFICATION PS-45499-002





051-26-0003	70660-0002	.135 (3.43)
051-26-0000	70660-0001	.092 (2.34)
PART NUMBER	ENGINEERING NUMBER	DIM. 'A'

<b>MODIFY TOLERANCE</b> EC NO: UCP2009-2682 DRWING:MORGAN 2009/05/13 CHKD:SDANNELLEY 2009/05/14 APPR:SMILLER 2009/05/14	QUALITY SYMBOLS
	▼=0 ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)															
<table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± .010</td> <td>± .0004</td> </tr> <tr> <td>3 PLACES</td> <td>± .015</td> <td>± .0006</td> </tr> <tr> <td>2 PLACES</td> <td>± .025</td> <td>± .0010</td> </tr> <tr> <td>1 PLACE</td> <td>± .050</td> <td>± .0020</td> </tr> </table>		mm	INCH	4 PLACES	± .010	± .0004	3 PLACES	± .015	± .0006	2 PLACES	± .025	± .0010	1 PLACE	± .050	± .0020
	mm	INCH													
4 PLACES	± .010	± .0004													
3 PLACES	± .015	± .0006													
2 PLACES	± .025	± .0010													
1 PLACE	± .050	± .0020													
ANGULAR ±1/2°															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS															

DIMENSION STYLE <b>IN/MM</b>	
DRAWN BY GLT	DATE 1991/09/30
CHECKED BY CAB	DATE 1991/09/30
APPROVED BY CAB	DATE 1991/09/30
MATERIAL NO. <b>SEE TABLE</b>	
SIZE C	

SCALE <b>INCH</b>	DESIGN UNITS <b>INCH</b>	THIRD ANGLE PROJECTION
TITLE <b>LFH, .075 PITCH, 96 CIRCUIT, RIGHT ANGLE I/O RECEPTACLE CONNECTOR</b>		
<b>molex MOLEX INCORPORATED</b>		SHEET NO. <b>1 OF 2</b>
DOCUMENT NO. <b>SDA-70660-0001</b>		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		



<b>SEE SHEET 1</b> EC NO: UCP2009-2682 DRW: DMORGAN 2009/05/13 CHKD: SDANNELLEY 2009/05/14 APPR: SMILLER 2009/05/14 REV H	QUALITY SYMBOLS $\nabla=0$ $\nabla=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± .003</td> <td>± .001</td> </tr> <tr> <td>3 PLACES</td> <td>± .003</td> <td>± .003</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.08</td> <td>± .003</td> </tr> <tr> <td>1 PLACE</td> <td>± .003</td> <td>± .003</td> </tr> </table>		mm	INCH	4 PLACES	± .003	± .001	3 PLACES	± .003	± .003	2 PLACES	± 0.08	± .003	1 PLACE	± .003	± .003	DIMENSION STYLE <b>IN/MM</b> DRAWN BY DATE GLT 1991/09/30 CHECKED BY DATE CAB 1991/09/30 APPROVED BY DATE CAB 1991/09/30	SCALE <b>4:1</b> DESIGN UNITS <b>INCH</b> THIRD ANGLE PROJECTION	<b>LFH, .075 PITCH, 96 CIRCUIT, RIGHT ANGLE I/O RECEPTACLE CONNECTOR</b> <b>MOLEX INCORPORATED</b> MATERIAL NO. SDA-70660-0001 DOCUMENT NO.	SHEET NO. <b>2 OF 2</b>
		mm	INCH																		
	4 PLACES	± .003	± .001																		
3 PLACES	± .003	± .003																			
2 PLACES	± 0.08	± .003																			
1 PLACE	± .003	± .003																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		<b>SEE SHEET #1</b>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		