



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





SCREWDRIVER,FLAT-CAB 1/4X8"

Heavy Duty Cabinet Tip - Round Shank 1/4 x 8 Flat Blade Screwdriver

Cat No: 0153-27C

UPC No: 783310546511

Description

- Narrow cabinet tip for limited access applications
- Handle marked for easy identification of screwdriver size, type and length
- Precision-machined tips for accurate fastener contact
- Strong, durable black phosphate tips prevent chipping of plating
- Soft, cushioned grip for extra comfort and torque
- Exceeds ASME/ANSI specifications
- Lifetime limited warranty
- Note: This is not an insulated tool

Specifications

- Finish : Black Phosphate Plated Tip
- Handle Type : Soft, Cushioned Grip
- Overall Length : 12-11/32 IN (31.400 CM)
- Shank Length : 8.000 IN
- Shank Shape : Round
- Standard : ASME/ANSI
- Tip Size : 1/4 IN
- Tip Type : Cabinet
- Type : Heavy Duty, Flat Blade
- Weight : 0.350 LB (0.160 KG)