

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









This document was generated on 03/08/2013

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 19027-0071
Status: Active

**Description:** ATP Perishable Tool Kit used in ATP Presses that Process Product on Tape

**Documents:** 

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series <u>T0307</u>

Comments Conductor Anvil (Lower) 19027-0072, Conductor Punch

(Upper) 19027-0073

Function Crimp Geographic Area Global

Level of Automation Semi-Automatic

More Detailed Tech Information <a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>

Product Name N/A

Survey <a href="https://www.molex.com//review/apptool\_survey.html">www.molex.com//review/apptool\_survey.html</a>

Tool Type Tool Kit UPC 800753041066

**Material Info** 


Old Part Number ATP-BB-175

**Reference - Drawing Numbers** 

Application Tooling Documents ATS-190270071, ATS-TOOLING-ID-ATP,

TM-640160065, TM-640160065CN, TM-640160065DE,

TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN



**EU RoHS** 

**China RoHS** 

Compliance Status
Not Reviewed
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

T0307Series

**Use With** 

ATP-301 press, ATP-101 press, ATP-101W press, ATP-101WDI, ATP-101HD

Application Tooling| FAQDescriptionProduct #Krimptite™ Quick0190220009

Disconnect, Male, for 18-22 (0.80-0.35mm²) Wire, Mylar Tape, Tab 4.75

x 0.51mm

Krimptite™ Steel 0190740010

Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 6 (M3.5), Mylar Tape Carrier

Krimptite™ Steel 0190740012

Star Ring Tongue Terminal for 18-22 AWG Wire, Stud

Size 8 (M4), Mylar **Tape Carrier** Krimptite™ Steel 0190740014 Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier Krimptite™ Quick 0190160036 Disconnect, Female, for 14-16 (2.00-1.30mm<sup>2</sup>) Wire, Mylar Tape, Tab 2.79 x 0.51mm Krimptite™ Quick 0190160038 Disconnect, Female, for 14-16 (2.00-1.30mm<sup>2</sup>) Wire, Mylar Tape, Tab 2.79 x 0.81mm Krimptite™ Quick 0190160041 Disconnect, Female, for 14-16 (2.00-1.30mm<sup>2</sup>) Wire, Mylar Tape, Tab 4.75 x 0.81mm Krimptite™ Quick 0190160042 Disconnect. Female, for 14-16 (2.00-1.30mm<sup>2</sup>) Wire, Mylar Tape, Tab 4.75 x 0.51mm Krimptite™ Star Ring 0190740002 Tongue Terminal for 18-22 AWG Wire, Stud Size 6 (M3.5), Mylar Tape Carrier Krimptite™ Star Ring 0190740006 Tongue Terminal for 18-22 AWG Wire, Stud Size 8 (M4), Mylar Tape Carrier Krimptite™ Star Ring 0190740008 Tongue Terminal for 18-22 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier Krimptite<sup>™</sup> Quick 0190160043 Disconnect. Female, for 14-16

(2.00-1.30mm<sup>2</sup>) Wire, Mylar Tape, Tab 6.35

x 0.81mm