imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



L									ŗ
	NO. A DWG.	200 SERIES					1		1
	-	INSULKRIME			APPRD. BY:		ŧ	+	•
			11.3.8H	BY: GZ	CHKD, BY:		ANG.	DEC.	FRAC
•	INCONFORATIO	RING IONGUE	10-25-84	. BY: 1/6			SPECIFIED	UNLESS OTHERWISE	UNLESS
	T nolex		DATE	: NTS	CE SCALE:	REFERENCE	RANCES	DIMENSIONAL TOLERANCES	DIME
;					24.66	7.87	69.8	iu iu	ר גיט דער גיט
		04X,06X,08X,10X			126,	.310	.342	0	נ נ
					23.52	7.24	7.92	· · ·	-/27-A
•		04X,06X,08X,10X			.926	,285	.312	2 7 -	ם ג
:		10X,14X,56X			28.24	9.86	.46/ 11.86	225 -	B - 2
						4	3		
		02X,04X,06X,08X			<u>.835</u> 21.21	,209 5.31	<u>,250</u> 6.35	23-	B-223-
		10X, 14X,56X,38X			<u>1.311</u> 33.30	.554	.534 13.56	- 18	B-218-
•		AVAILABLE			"Г" МАХ.	"C"	°₩~ ±.010	PART NUMBER	х р
	INC JIEC. 1.0-2.5 MM			≤ ; 	ALL DIMENSIONS= MM	MENSIO	ALL DI		
	WIDE CIZE: 16-14 AWG	E		μ γ				= .390	8£
	INSULATION DIAMETER	-		, # 18689	LISTING	°CSA″		=.328	56
	MWID = MAXIMUM WIRE			UL LISTING E32244	ISTING			= <u>265</u>	
		(F				198 198	
		.455 (I)						146	00
							•		04
	STUD W		MWID	4.45		·	(-,005)	$\frac{STUU}{O2} = \frac{O94}{O94}$	
				176) }
			2.06 MIN.		.0003 W	DED P	N: MOL	<pre>PLATING: ELECTRO-TIN (.0003 MIN.</pre>	
) •		TKN0	STOCK	OPPER (MAT'L: COPPER (STOCK TKN031)	Θ
-		FILE NO.		1001	•			NOTES:	1
									•