



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [19288-0048](#)

Status: **Active**

Description: Crimp Dies for MTA-100 Tape Applicator used in 3BF Press, MTA-105 Tape Applicator used in TM-2000™ Press, and ATP-301 Air Crimping Press for Mylar Tape Mounted Terminals

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0307
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	ETC™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Tool Kit
UPC	800753109124


Material Info

Old Part Number ATP-AA-575

Reference - Drawing Numbers

Application Tooling Documents

ATS-192880048, ATS-TOOLING-ID-ATP, TM-192280498, TM-192280498SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN



EU RoHS

China RoHS

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T0307Series](#)

Use With

MTA-100 Tape Applicator [192480072](#), MTA-105 Tape Applicator [192480050](#), Molex ATP-301 Air Crimping Press [192280030](#)

Application Tooling Description

FAQ Product #

Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 6.35 x 0.81mm	0190190013
Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Mylar Tape, Tab 4.75 x 0.51mm	0190190011
Avikrimp™ Quick Disconnect,	0190190003

Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 2.79
x 0.51mm
Quixon Quick 0192740003
Disconnect,
InsulKrimp™ Style,
Female, Partially
Insulated Red, 18-22
AWG, Mylar Tap
Quixon Quick 0192750003
Disconnect,
Avikrimp™ Style,
Female, Partially
Insulated Red, 18-22
AWG, Mylar Tap
InsulKrimp™ 0190170004
Quick Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 2.79
x 0.51mm
InsulKrimp™ 0190170006
Quick Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 2.79
x 0.81mm
Avikrimp™ Quick 0190190005
Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 2.79
x 0.81mm
InsulKrimp™ 0190170003
Quick Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 5.21
x 0.51mm
InsulKrimp™ 0190170009
Quick Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 4.75
x 0.81mm
InsulKrimp™ 0190170012
Quick Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 4.75
x 0.51mm
InsulKrimp™ 0190170017
Quick Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 6.35
x 0.81mm
Avikrimp™ Quick 0190190009
Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Mylar Tape, Tab 4.75
x 0.81mm

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION