



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




NOTES:

1. MATERIALS OF CONSTRUCTION:
 BODY, RETAINER RING, SHELL, TOP HAT & HEX NUT = BRASS, NICKEL PLATED (.000100 MIN THICK)
 INSULATORS (2) = PTFE MIL-P-19468
 FEMALE CONTACT - BERYLLIUM COPPER, GOLD PLATE (.000030 MIN THICK)
 MALE CONTACT - BRASS, GOLD PLATE (.000030 MIN THICK)
 GASKET = SILICONE RUBBER, COLOR RED
 SPRING = SK5, NICKEL PLATE (.000200 MIN THICK)
 WASHER = BRASS, NICKEL PLATE (.000100 MIN THICK)
2. ELECTRICAL:
 A. FREQUENCY RANGE: DC - 1.0 GHz
 B. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS
 C. VOLTAGE RATING: 350 V PEAK
 D. INSULATION RESISTANCE: 5000 MEGOHM
 E. INTERNAL CONTACT(S) RESISTANCE: 2.5 MILLIOHMS
 F. OUTER CONTACT(S) RESISTANCE: 1.5 MILLIOHMS
3. MECHANICAL:
 A. LONGITUDINAL: 5 LB. MAX
 B. TORQUE: 3.5 IN-LB. MAX
4. PACKAGING:
 A. QUANTITY: SINGLE PACK
 B. MARKING: BAG TO BE MARKED
 "AMPHENOL, 31-6116, AND DATE CODE"
5. CONTACT PIN TO SOLDER


THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE FOR MFG	8/13/03	44585	CPM
B	NOTE 2B WAS 4.0 GHz	3/18/04	44861	CPM
C	SYNCH THE DRAWING WITH DANBURY	07-Jun-12	49108	SH



SCALE 2.000



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL	DRAWN R. MAO	DATE 31-May-12	TITLE BNC FOUR-CONTACTS CLAMP PLUG	Amphenol RF www.amphenolrf.com
	NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	REFERENCE EAR# 1068 GEN# ASSYMI_BNCQUAD AGILENT# 1251-3452	ENGINEER O. BARTHELMES		
FINISH	APPROVED S. HSIEH	DATE 31-May-12	SCALE: 3.0:1.0 SHEET 2 OF 2	ITEM NO. 241141AAAAINCOF	PART NO. 31-6116
		CAD FILE	DWG SIZE B	REV C	