



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




NOTES:

1. MATERIAL AND FINISH:
BODY & HOUSING - BRASS, NICKEL PLATING
CONTACT - PHOSPHOR BRONZE, GOLD PLATING
INSULATORS (2) - PTFE, NATURAL
SOLDER NUT - BRASS, GOLD PLATING
2. ELECTRICAL:
A. IMPEDANCE:50 OHM
B. FREQUENCY RANGE: DC - 11 GHz
C. DIELECTRIC WITHSTANDING VOLTAGE:1500 VRMS. MIN.
3. MECHANICAL:
A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: -65°C TO +165°C
C. SOLDER NUT TORQUE: 15 IN LBS
4. CONTACT PIN TO SOLDER
OR CRIMPED CONTACT PIN
HEX CRIMP SIZE .068" MAX
5. ASTERISK (*) INDICATES CABLE ENTRY DIMENSIONS


THIRD ANGLE PROJ.

REVISIONS


REV	DESCRIPTION	DATE	ECO	APPR
--	RELEASE TO MFG.	-----	-----	-----
B	SYNCH WITH RF, ADD COD	14-Mar-13	49495	SL



RECOMMENDED
CABLE STRIPPING DIM'S



SCALE 1.000



CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
<0.5mm ± 0.05mm 0.5 - 6mm ± 0.1mm 6 - 30mm ± 0.2mm 30 - 120mm ± 0.3mm ANGLES ± 1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implicatioin or otherwise in any manner licensing, granting rights to permitting such holder or any other sperson to manufacture, use or sell any product, process or design, patented or otherwsie, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL

-

DRAWN

S.LI

DATE

14-Mar-13

ENGINEER

NANCY

DATE

03-06-03'

REFERENCE

AND

CONFIGURATION LEVEL:

FINISH

APPROVED

S.HSIEH

DATE

15-May-13

CAD FILE

I:\TNC\T6581A1-N/3GT3G-.141-50

TITLE

TNC PANEL DIRECT
SOLDER JACK FOR
.141 SEMI RIGID CABLE

SCALE: 4.0:1.0

SHEET 2 OF 2

DWG SIZE

B

REV

B

Amphenol RF

Danbury CT USA, Tainan, Taiwan, Shenzhen, China
www.amphenolrf.com

DRAWING NO. T6581A1-N/3GT3G-.141-50

ITEM NO. 026581AAA42NF5F

PART NO. 31-6180