



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




NOTES: VALID UNLESS OTHERWISE SPECIFIED







1. GENERAL:
 - a. APPLICATION SPECIFICATION SEE: AS-34796-001
 - b. PRODUCT SPECIFICATION SEE: PS-34976-001
 - c. PACKAGING SPECIFICATION PER MOLEX DRAWING: PK-31301-695
 - d. PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: PS-40000-5015
 - e. DATA MUST BE SUBMITTED UNDER THE MOLEX PART NUMBER TO IMS (COMPANY ID=13255)
 - f. FLAMMABILITY REQUIREMENT: PER ISO3795 OR GM3191
 1. BURN RATE 100 mm/MIN MAXIMUM
 2. MATERIAL MUST BE SELF EXTINGUISHING
 - g. VISUAL DEFECTS SHALL MEET COSMETIC STANDARD PS-45499-002 (Class B)
 - h. PACKAGING: IN THE EVENT THAT THE PART IS FOUND DAMAGED DURING TRANSPORT, REFER TO MOLEX SPECIFICATION PS-31301-865, AVAILABLE AT WWW.MOLEX.COM <HTTP://WWW.MOLEX.COM>
2. DESIGN - MATERIALS:
 - a. MATERIAL: UNFILLED PBT
3. DESIGN - GEOMETRY:
 - a. THIS IS A 100% CAD GENERATED PART. THE CAD MATHEMATICAL DATA IS THE MASTER FOR THIS PART. FOR DIMENSIONAL OR ANY INFORMATION NOT SHOWN ON THIS DRAWING, ANALYZE THE CAD MODEL.
 - b. GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994
 - c. GENERAL TOLERANCES:
 - LINEAR: PLEASE SEE BELOW
 - ANGULAR: ±3°
 - d. EDGES AND UNDIMENSIONED DETAILS PER ISO13715
 - e. CORNERS SHOWN AS SHARP TO BE R 0.2 MAX
 - f. LETTERING SHALL BE 0.1 MAX RAISED IN 0.15 MAX RECESS PAD AND NOT PROTRUDE THE SURFACE. THIS INCLUDES RECYCLING CODE, PLANT AND CAVITY ID, VENDOR ID, CIRCUIT ID, AND PART SERIES NUMBER.

MX150 BLADE TERMINALS

PART NUMBER		MATERIAL	WIRE GAGE		PLATING
DIRECTION B (RIGHT PAYOFF)	DIRECTION D (LEFT PAYOFF)		METRIC (mm#)	SAE (AWG#)	
33000-0002	33000-1002	COPPER ALLOY	1.0 - 0.75	16/18/20	TIN
33000-0003	33000-1003	COPPER ALLOY	0.50-0.35	22	TIN
33000-0004	33000-1004	COPPER ALLOY	0.35 - 0.50	M3 (ISO)	TIN

* NOBLE PLATING TERMINAL AND YAZAKI TERMINAL NOT LIST AT THE TABLE

LAST BALLOON ON DRAWING:

 DELETED BALLOONS:




MX150 RECEPTACLE ASSEMBLIES

MATERIAL NUMBER BULK PACKAGING		CIRCUIT	POL	COLOR	MATING RECEPTACLE BULK PACKAGING
/w GM CLIP	/w FORD CLIP				
34797-0201	34797-0205	2	A	BLACK	34796-0201
34797-0202	34797-0206	2	B	NATURE	34796-0202
34797-0203	34797-0207	2	C	GRAY	34796-0203
34797-0204	34797-0208	2	D	DARK GRAY	34796-0204
34797-0301	34797-0305	3	A	BLACK	34796-0301
34797-0302	34797-0306	3	B	NATURE	34796-0302
34797-0303	34797-0307	3	C	GRAY	34796-0303
34797-0304	34797-0308	3	D	DARK GRAY	34796-0304
34797-0401	34797-0405	4	A	BLACK	34796-0401
34797-0402	34797-0406	4	B	NATURE	34796-0402
34797-0403	34797-0407	4	C	GRAY	34796-0403
34797-0404	34797-0408	4	D	DARK GRAY	34796-0404


INITIAL RELEASE EC NO. GCA2013-0054 DRAWN BY: XBTANG CHKD: JLOHMAN APPR: PBERG DATE: 2012/02/17	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH		DIMENSION STYLE MM ONLY	SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± ---	DRAWN BY: XBTANG DATE: 2011/01/07	CHECKED BY: JLOHMAN DATE: 2011/01/11	MX150 ONE ROW UNSEAL MALE CONNECTOR				
		ANGULAR ± 3°	APPROVED BY: SMARCEAU DATE: 2011/06/27	MOLEX INCORPORATED					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLE DOCUMENT NO. SD-34797-001	SHEET NO. 1 OF 3					

2 WAY MALE CONNECTOR

WITH GM CLIP SLOT




WITH FORD CLIP SLOT




3 WAY MALE CONNECTOR

WITH GM CLIP SLOT




WITH FORD CLIP SLOT




4 WAY MALE CONNECTOR


WITH GM CLIP SLOT




WITH FORD CLIP SLOT




HINGE OPEN
2 CIRCUIT MALE CONNECTOR SHOWN
(AS SHIPPED)




HINGE CLOSED
2 CIRCUIT MALE CONNECTOR SHOWN
(AS ASSEMBLED)



WITH GM CLIP
2 CIRCUIT MALE CONNECTOR SHOWN
(AS ASSEMBLED)



WITH FORD CLIP
2 CIRCUIT MALE CONNECTOR SHOWN
(AS ASSEMBLED)



INITIAL RELEASE
EC NO. GCA2013-0054
DRAWN BY: DRWNS/BTANG
CHKD: CHYD
APPR: PRERG
REV: 2012/10/31

QUALITY SYMBOLS
▽=0
▽=0
▽=0




GENERAL TOLERANCES (UNLESS SPECIFIED)	
mm	INCH
4 PLACES ± .03	± .0012
3 PLACES ± .04	± .0016
2 PLACES ± 0.13	± .0051
1 PLACE ± 0.25	± .0100
ANGULAR ± 3°	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
XBTANG	2011/01/07
CHECKED BY	DATE
JLOHMAN	2011/01/11
APPROVED BY	DATE
SMARCEAU	2011/06/27



SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
2:1	METRIC	
TITLE		
MX150 ONE ROW UNSEAL MALE CONNECTOR		
MATERIAL NO.		
SEE TABLE		
DOCUMENT NO.		
SD-34797-001		
SHEET NO.		2 OF 3

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION






2 CKT BLADE CONNECTOR SHOWN.
3, 4 CKT RECEPTACLE HAS SIMILAR
CIRCUIT ID LOCATION.




2 CKT BLADE CONNECTOR SHOWN.
3, 4 CKT RECEPTACLE HAS SIMILAR
CIRCUIT ID LOCATION.

DATE CODE



3 WAY



4 WAY

INITIAL RELEASE EC NO. GCA2013-0054 DRAWN: XBTANG CHKD: APPR: PRERG DESCRIPTION: 2012/02/31	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- ANGULAR ± 3°		DIMENSION STYLE MM ONLY DRAWN BY: XBTANG DATE: 2011/01/07 CHECKED BY: JLOHMAN DATE: 2011/01/11 APPROVED BY: SMARCEAU DATE: 2011/06/27		SCALE: 4:1 DESIGN UNITS: METRIC THIRD ANGLE PROJECTION	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO. SEE TABLE DOCUMENT NO. SD-34797-001		MOLEX INCORPORATED SHEET NO. 3 OF 3	
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
	MOLEX INCORPORATED							