



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




PRODUCT ID LABEL
(1) PER REEL

SEE DETAIL 1

CARTON

SHIPPER ID LABEL
(1-2)/CARTON AS REQUIRED


PALLET 0313016630
635 mm X 635 mm
(26" X 26")
(SEE NOTE 6)



NOTE 6


DETAIL 1
SCALE 1:1.33

PAYOFF DIRECTION D



PLACE PRODUCT ID LABEL ON THIS SIDE TO INDICATE
THE PREFERRED PACKAGING ORIENTATION

PAYOFF DIRECTION B



NOTES:

1. NUMBER OF TERMINALS PER REEL: SEE TABLE (SHEET 2)
2. STANDARD PACK QUANTITY (SPQ): SEE TABLE (SHEET 2)
3. NUMBER OF REELS PER CARTON: SEE TABLE (SHEET 2)
4. SPLICING: NO BREAKS, MAXIMUM 1 WELD PER REEL
5. TO MINIMIZE STRESS ON TERMINALS, REELS SHOULD ALWAYS BE SHIPPED ON PALLETS WITH THE REELS LAYING FLAT AS SHOWN.
6. PLACE CARTONS ON PALLET WITH ARROWS POINTING UP PER DETAIL 1
7. FOR INTERNAL COPY SEE: PK-31301-053

SPO CORRECTION EC NO: UAU2015-0955 DRAWN: PHELPS 2014/12/19 CHKD: JNORTHRO APPR: JNORTHRO 2015/01/26	REV	DESCRIPTION
	4	

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm
4 PLACES ±	---
3 PLACES ±	---
2 PLACES ±	---
1 PLACE ±	---
ANGULAR ± 1 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE MM ONLY	
DRAWN BY	DATE
PPHELPS	2012/10/24
CHECKED BY	DATE
APPROVED BY	DATE
JNORTHRO	2012/11/26
MATERIAL NO.	
SIZE	
SEE TABLE	

SCALE 1:10	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
TITLE CTX PACKAGING SPEC GEN. MKRT. PRODUCT CUSTOMER COPY		
 MOLEX INCORPORATED		
DOCUMENT NO. SD-31301-053		SHEET NO. 1 OF 2
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

PACKAGING DATA											
PRODUCT DESCRIPTION	CTX 64				CTX 150			CTX 280 SEALED			
PRODUCT P/N SERIES	0348030*** 0348031*** 0348032***		0348033*** 0348035***		034805****			034808****			
GRIP CODE	S	L	S	L	S	M	L	VS	S	M	L
PART WT (Kg/1000)	.1552	.1642	.126	.126	.3070	.3270	.3470	.6596	.6886	.7106	.7332
STAND PACK QTY (SPQ)	60000	60000	60000	60000	35000	30000	25000	10000	10000	10000	10000
QTY/REEL	10000	10000	10000	10000	7000	6000	5000	2000	2000	2000	2000
REELS/SHIPPER CARTON	6	6	6	6	5	5	5	5	5	5	5
CARTONS/PALLET (MAX)	5	5	5	5	5	5	5	5	5	5	5
FILLED CARTON WT (Kg)	14.83	15.37	TBD	TBD	15.64	14.70	13.57	11.5	11.8	12.0	12.2
FLANGE DIAMETER (MM)	610	610	610	610	610	610	610	610	610	610	610

CUSTOMER COPY

SPQ CORRECTION

EC NO: UAU2015-0955

DRWN:PPHELPS

CHKD:

4

2014/12/19

JNORTHRO

2015/01/26

DESCRIPTION

REV

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ± 1 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY	DATE
PPHELPS	2012/10/24
CHECKED BY	DATE

APPROVED BY	DATE
JNORTHRO	2012/11/26

MATERIAL NO.	SIZE
SEE TABLE	C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE

1:15

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

CTX PACKAGING SPEC

GEN. MRKT. PRODUCT

CUSTOMER COPY

MOLEX

MOLEX INCORPORATED

DOCUMENT NO.

SD-31301-053

SHEET NO.

2 OF 2

F


E

D


C

B





A



INSULATION GRIP





CONDUCTOR GRIP



PART NUMBERS		GRIP CODE	WIRE GAUGE			PLATING	DIM A +0,20	DIM B +0,30	DIM ØC +0,10	DIM ØD +0,20
D-WIND (LEFT PAYOFF)	B-WIND (RIGHT PAYOFF)		ISO mm ²	JASO mm ²	SAE gauge					
34803-0211	34803-0213	S	0.22-0.35	0.3	22	TIN	1.80	2.40	0.90	1.36
34803-0212	34803-0214	L	0.50-0.75	0.50-0.85	20	(Sn)	2.15	2.50	1.20	1.72

ISO VIEWS
NOT TO SCALE



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL: COPPER ALLOY
2. PLATING MARK: TIN (Sn) - NO MARK
3. PACKAGING PER SD-31301-053
4. CRIMPING PER AS-502306-001
5. PROBING AT ANY LOCATION ON THE TERMINAL BEAM IS NOT PERMITTED

ENTER DESCRIPTION EC NO: UAU2013-0899 DRWN:DHENANI 2012/12/11 CHKD: 2012/12/12 APPR:BMOSER		DESCRIPTION	QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			▽=0 C=0		mm	INCH	DRAWN BY	DATE	TITLE CTX64 FEMALE TERMINAL				
				4 PLACES	± ---	± ---	K.FERGUSON	1-15-10					
				3 PLACES	± 0.08	± ---	CHECKED BY	DATE	MOLEX INCORPORATED				
				2 PLACES	± 0.08	± ---	D.HEMNANI	1-15-10					
1 PLACE	± 0.08	± ---	APPROVED BY	DATE	MATERIAL NO. SEE TABLE								
ANGULAR ± 1 °		B.MOSER	1-15-10	DOCUMENT NO. SD-34803-001						SHEET NO. 1 OF 1			
A3		REV					SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION