

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Order No.         0457400000           Part designation         Q 10 SAK10           Version         Cross-connector / link for modular terminal, Preassembled cross-connection, No. of poles: 10           EAN         4008190016166           Qty.         20 pc(s).           Additional technical data         Explosion-tested version "Ex e"           Installation advice         Direct mounting           Rating data         Rated voltage           Rated current         24 A           Approvals         Approvals institutes           Classifications         eClass 4.1           eClass 5.0         27-14-11-99           eClass 5.0         27-14-11-40           eClass 5.1         27-14-11-40		
Version  Cross-connector / link for modular terminal, Preassembled cross-connection, No. of poles: 10  EAN 4008190016166 Qty. 20 pc(s).  Additional technical data  Explosion-tested version "Ex e" No Installation advice Direct mounting  Rating data Rated voltage 0 V Rated current 24 A  Approvals  Approvals  Approvals institutes  Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40	Order No.	0457400000
assembled cross-connection, No. of poles: 10  EAN 4008190016166  Qty. 20 pc(s).  Additional technical data  Explosion-tested version "Ex e" No Installation advice Direct mounting  Rating data Rated voltage 0 V Rated current 24 A  Approvals Approvals institutes n.a.  Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40	Part designation	Q 10 SAK10
Additional technical data  Explosion-tested version "Ex e" No Installation advice Direct mounting  Rating data Rated voltage 0 V Rated current 24 A  Approvals Approvals institutes   Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40	Version	
Additional technical data  Explosion-tested version "Ex e" No Installation advice Direct mounting  Rating data Rated voltage 0 V Rated current 24 A  Approvals Approvals institutes n.a.  Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40	EAN	4008190016166
Explosion-tested version "Ex e" Installation advice  Direct mounting  Rating data Rated voltage Rated current  Approvals Approvals Approvals institutes  Classifications eClass 4.1 eClass 5.0  Policy mounting  No Direct mounting  O V  Rated current  24 A  27-14-11-99 27-14-11-99 27-14-11-40	Qty.	20 pc(s).
Installation advice  Direct mounting  Rating data Rated voltage	Additional technical data	
Rating data Rated voltage 0 V Rated current 24 A  Approvals Approvals institutes   Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40	Explosion-tested version "Ex e"	No
Rated voltage       0 V         Rated current       24 A         Approvals       Approvals institutes         Classifications       EClass 4.1         eClass 5.0       27-14-11-99         eClass 5.0       27-14-11-40	Installation advice	Direct mounting
Rated voltage       0 V         Rated current       24 A         Approvals       Approvals institutes         Classifications       EClass 4.1         eClass 5.0       27-14-11-99         eClass 5.0       27-14-11-40		
Rated current  Approvals Approvals institutes  Classifications eClass 4.1 eClass 5.0  24 A  D.ā.  24 A  D.ā.		
Approvals Approvals institutes  Classifications eClass 4.1 eClass 5.0  27-14-11-99 27-14-11-40	Rated voltage	0 V
Approvals institutes  Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40	Rated current	24 A
Approvals institutes  Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40		
Classifications eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40		
Classifications         eClass 4.1       27-14-11-99         eClass 5.0       27-14-11-40	Approvals institutes	n.a.
eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40		
eClass 4.1 27-14-11-99 eClass 5.0 27-14-11-40	Classifications	
eClass 5.0 27-14-11-40		27 14 11 00
27-14-11-40		
	CO1033 J. 1	21-14-11-40

## Similar products

0457800000	Q 10 SAK16	Cross-connector / link for modular terminal, Pre-assembled cross-
	0 / 0 0 / / 0 =	connection, No. of poles: 10
0368700000	Q 10 SAK2.5	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 10
0368800000	Q 10 SAK4	Cross-connector / link for modular terminal, Pre-assembled cross-
		connection, No. of poles: 10
0457000000	Q 10 SAK6N	Cross-connector / link for modular terminal, Pre-assembled cross-
		connection, No. of poles: 10
0368100000	Q 10 SAKD2.5N	Cross-connector / link for modular terminal, Pre-assembled cross-
		connection, No. of poles: 10
0457100000	Q 2 SAK10	Cross-connector / link for modular terminal, Pre-assembled cross-
		connection, No. of poles: 2
0457500000	Q 2 SAK16	Cross-connector / link for modular terminal, Pre-assembled cross-
		connection, No. of poles: 2
0337000000	Q 2 SAK2.5	Cross-connector / link for modular terminal, Pre-assembled cross-
		connection, No. of poles: 2
0336700000	Q 2 SAK4	Cross-connector / link for modular terminal, Pre-assembled cross-
		connection, No. of poles: 2
0456700000	Q 2 SAK6N	Cross-connector / link for modular terminal, Pre-assembled cross-
2.22.0000	<u> </u>	connection, No. of poles: 2
0367800000	Q 2 SAKD2.5N	Cross-connector / link for modular terminal, Pre-assembled cross-
3337300000	Q 2 0/11/D2.014	connection, No. of poles: 2
		connection, No. or poles. 2



0457200000	Q 3 SAK10	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3
0457600000	Q 3 SAK16	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3
0337100000	Q 3 SAK2.5	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3
0336800000	Q 3 SAK4	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3
0456800000	Q 3 SAK6N	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3
0367900000	Q 3 SAKD2.5N	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3
0457300000	Q 4 SAK10	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4
0457700000	Q 4 SAK16	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4
0337200000	Q 4 SAK2.5	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4
0336900000	Q 4 SAK4	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4
0456900000	Q 4 SAK6N	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4
0368000000	Q 4 SAKD2.5N	Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4

