imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



| 51 | 51 | 51 | 51 | 51 |
|----|----|----|----|----|
| 52 | 52 | 52 | 52 | 5 |
| 53 | 53 | 53 | 53 | 53 |
| 54 | 54 | 54 | 54 | 5 |
| 55 | 55 | 55 | 55 | 5 |
| 56 | 56 | 56 | 56 | 5 |
| 57 | 57 | 57 | 57 | 5 |
| 58 | 58 | 58 | 58 | 50 |
| 59 | 59 | 59 | 59 | 58 |
| 60 | 60 | 60 | 60 | 61 |

General ordering data

Order No. Part designation Version

EAN Qty.

Cadmium

Can be labelled with thermal transfer Can be printed with plotter Can be written with dot-matrix printer Can be written with laser printer Colour of printing Function Halogen Length Material Material colour Material colour according to resistance Max. temperature, continuous Min. temperature, continuous Orientation of print Pin can be written (STI) Pitch PrintJet Printed characters Printing method Silicone Speed marking laser Type of printing UL 94 flammability class Width

0460660051 DEK 5 FSZ 51-60 Connector markers, L x W: 5 x 5 mm, Polyamide, white 4008190138226 500 pc(s).

| | no |
|------------|-------------------|
| r printers | No |
| | No |
| r | No |
| | No |
| | black |
| | Connector markers |
| | no |
| | 5 mm |
| | Polyamide |
| | white |
| ce code | 9 |
| | 100 °C |
| | -40 °C |
| | vertical |
| | No |
| | 5 mm |
| | No |
| | Numbers |
| | MC Laser |
| | no |
| | No |
| | Standard |
| | V2 |
| | 5 mm |



| ETIM 2.0 | EC000761 |
|------------|-------------|
| ETIM 3.0 | EC000761 |
| eClass 4.1 | 24-19-02-19 |
| eClass 5.0 | 27-14-11-37 |
| eClass 5.1 | 27-14-11-37 |

Similar products

| 0460660001 | DEK 5 FSZ 1-10 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
|------------|------------------|--|
| 0460660011 | DEK 5 FSZ 11-20 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
| 0460660021 | DEK 5 FSZ 21-30 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
| 0460660031 | DEK 5 FSZ 31-40 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
| 0460660041 | DEK 5 FSZ 41-50 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
| 0460660061 | DEK 5 FSZ 61-70 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
| 0460660071 | DEK 5 FSZ 71-80 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
| 0460660081 | DEK 5 FSZ 81-90 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |
| 0460660091 | DEK 5 FSZ 91-100 | Connector markers, L x W: 5 x 5 mm, Polyamide, white |

