

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Technical Data Sheet		Rosenberger		
RPC-SL	Torque Wrench	04W021-000		



All dimensions are in mm; tolerances according to ISO 2768 m-H

#### **Documents**

Application note

AN001 "Calibration Services"

#### Material and plating

Tooling parts Spanner

Material Plating

Stainless steel Nickel, 2.5-5 µm

#### Mechanical data

Torque setting Width across flats

2.00 Nm  $\pm$  0.10 Nm (force applied in the middle of handle) 18 mm

Rosenberger Hochfrequenztechnik GmbH & Co. KG P.O.Box 1260 D-84526 Tittmoning Germany www.rosenberger.de

Tel. : +49 8684 18-0 Email : info@rosenberger.de Page

1/2

# RF\_35/09.14/6.2

## Technical Data Sheet Rosenberger

RPC-SL Torque Wrench 04W021-000

#### **Declaration of calibration options**

#### **Factory Calibration**

Standard delivery for this torque wrench includes a Factory Calibration. The Calibration Certificate issued reports individual mechanical calibration results, traceable to national / international standards.

#### **Accredited Calibration**

Not available.

For further, more detailed information see application note AN001 on the Rosenberger homepage.

#### **Calibration interval**

Recommendation

12 months

#### **Packing**

Standard Weight 1 pce in box 154.5 g/pce

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.

Draft	Date	Approved	Date	Rev.	Engineering change number	Name	Date
Herbert Babinger	11/03/05	Martin Moder	27/04/16	f00	14-1492	M.Ruf	27/04/16

Rosenberger Hochfrequenztechnik GmbH & Co. KG P.O.Box 1260 D-84526 Tittmoning Germany www.rosenberger.de

Tel. : +49 8684 18-0 Email : info@rosenberger.de Page 2/2