



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**General ordering data**

Order No.	0567300000
Part designation	PZ 3
Version	Crimping tool for wire-end ferrules, Crimping range: 0.5 - 6 mm ² , Square crimp
EAN	4008190052423
Qty.	1 pc(s).

Technical data

Length	200 mm
Weight	426 g

Description of contact

Type of contact	Wire-end ferrules with/without plastic collars
Cross-section, min.	0.5 mm ²
Cross-section, max.	6 mm ²

Tool data, crimping

Crimping type/profile	Square crimp
Wire-end ferrules cross-section, min	0.5 mm ²
Wire-end ferrules cross-section, max.	6 mm ²

Approvals

Approvals institutes

Classifications

ETIM 2.0	EC000168
ETIM 3.0	EC000168
eClass 4.1	21-04-03-01
eClass 5.0	21-04-03-01
eClass 5.1	21-04-03-01

Similar products

Order No.	Part designation	Version
9005990000	PZ 1.5	Crimping tool for wire-end ferrules, Crimping range: 0.14 - 1.5 mm ² , Trapezoidal crimp
9012500000	PZ 4	Crimping tool for wire-end ferrules, Crimping range: 0.5 - 4 mm ² , Trapezoidal crimp
9011460000	PZ 6/5	Crimping tool for wire-end ferrules, Crimping range: 0.25 - 6 mm ² , Trapezoidal indentation crimp
9013650000	PZ 6 HEX	Crimping tool for wire-end ferrules, Crimping range: 0.14 - 6 mm ² , Hexagonal crimping
9014350000	PZ 6 Roto	Crimping tool for wire-end ferrules, Crimping range: 0.14 - 6 mm ² , Trapezoidal crimp
9012600000	PZ 16	Crimping tool for wire-end ferrules, Crimping range: 6 - 16 mm ² , Indent crimping
9013600000	PZ ZH 16	Crimping tool for wire-end ferrules, Crimping range: 6 - 16 mm ² , Indent crimping
9006450000	PZ 50	Crimping tool for wire-end ferrules, Crimping range: 25 - 50 mm ² , Indent crimping