



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62100-7800](#)
Status: **Active**
Description: Removal Tool for Vertical Signal Modules

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	EXTreme Ten60Power™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	883906317973

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-621007800
-------------------------------	---------------



EU RoHS	China RoHS
----------------	-------------------

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T3002Series](#)

Use With

Ten60™ Vertical Signal Modules, [46534](#) and [46724](#) Series. Ten60™ Vertical Receptacle Assemblies, [46562](#) Series

Application Tooling	FAQ
Description	Product #

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 6 Power Circuits	0465621003
--	------------

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal	0465621011
---	------------

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal	0465621011
---	------------

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal

Circuits, 4 Power
Circuits
2.54mm, 5.50mm, 0465621020
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits
2.54mm, 5.50mm 0465621073
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 27 Signal
Circuits, 10 Power
Circuits
2.54mm, 5.50mm, 0465621084
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 3 AC
Power Circuits, 4 DC
Power Circuits, 24
Signal Circuits
2.54mm, 5.50mm 0465623001
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 4 Power
Circuits
2.54mm, 5.50mm 0465623002
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 4 Power
Circuits
2.54mm, 5.50mm 0465623003
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 4 Power
Circuits
2.54mm, 5.50mm 0465623004
Pitch EXTreme
Ten60Power™
Vertical Receptacle
with Top Guide
Receivers, 24 Signal
Circuits, 4 Power
Circuits
2.54mm, 5.50mm 0465623005
Pitch EXTreme
Ten60Power™
Vertical Receptacle

Assembly with Guide
Receivers, 24 Signal
Circuits, 6 Power
Circuits
2.54mm, 5.50mm 0465623006
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 6 Power
Circuits
2.54mm, 5.50mm 0465623007
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 6 Power
Circuits
2.54mm, 5.50mm 0465623008
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Top
Guide Receivers,
24 Signal Circuits, 6
Power Circuits
2.54mm, 5.50mm, 0465623010
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits
2.54mm, 5.50mm, 0465623011
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits
2.54mm, 5.50mm, 0465623012
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
with Top Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits
2.54mm, 5.50mm, 0465623013
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
with Top Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits

2.54mm, 5.50mm	0465621094
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 14 Power	
Circuits	
2.54mm, 5.50mm	0465621106
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 45 Signal	
Circuits, 18 Power	
Circuits	
2.54mm, 5.50mm	0465621117
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 6 Power	
Circuits	
2.54mm, 5.50mm	0465621119
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 2 Power	
Circuits	
7.500mm Pitch	0465629102
EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly , 2 Power	
Circuits	
2.00mm Pitch	0465621001
EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 10 Signal	
Circuits, 2 Power	
Circuits	
2.54mm, 5.50mm	0465621035
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 3 DC	
Power Circuits, 33	
Signal Circuits, 9 DC	
Power Circuits, 9 DC	
Power Circuits	
2.54mm, 5.50mm	0465621208
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 8 Power	
Circuits	

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION