



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62201-8679](#)
Status: **Active**
Description: Backplane Press-In Tool for 4-Pair by 6-Column Assemblies

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Impact™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	884982578401

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622018679, TM-622018799




image - Reference only

EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T3002Series](#)

Use With

76155 Impact™ Backplane Signal Module Assembly, 4-Pair by 6 Column Assemblies

Application Tooling

FAQ

Description	Product #
Impact™ 100 Ohm 4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	0761551304
Impact™ 100 Ohm 4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided,	0761551307

Open Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551308
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 6
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551316
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551317
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551318
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551323
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551324
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm

Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551325
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551326
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551327
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551328
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551336
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 6
Columns, 72 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551337
4 Pair Vertical
Backplane Header,

1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551338
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 6
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761553304
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761553307
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761555304
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761555307
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761557307
4 Pair Vertical

Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall, 6
Columns, 72 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761557308
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall, 6
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION