

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 62201-8801
Status: Active

Description: Impact™ 85 Ohm Backplane Press-In Tool for 3-Pair by 8-Column Assemblies

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series T3002

Comments See Tooling Specification (PDF) Above

Function Insertion
Geographic Area Global
Level of Automation Manual

More Detailed Tech Information applicationtooling@molex.com

Product Name Impact™


Survey www.molex.com//review/apptool_survey.html

Tool Type Handtool UPC 884982555099

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622018801, TM-622018799



EU RoHS ELV and RoHS Compliant REACH SVHC Not Reviewed Low-Halogen Status Not Reviewed

mation on product

China RoHS

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

T3002Series

Use With

170522 , 170525 Impact™ 85 Ohm Backplane Assembly 3-Pair by 8 Column Assemblies

Application Tooling | FAQ **Description** Product # Impact[™] 85 Ohm 1705251807 Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch. Unquided. Open Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact™ 85 Ohm 1705251827 Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm

Pitch, Unguided, Dual Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact™ 85 Ohm 1705251828 Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Dual Endwalls, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact™ 85 Ohm 1705251837 Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Right Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact™ 85 Ohm 1705253807 Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact™ 85 Ohm 1705253817 Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Keying Orientation A, Lead Free Impact™ 85 Ohm 1705255817 Plus 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Right Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Key Orientation A, Lead-Free

Impact™ 85 Ohm 1705257807
Plus 3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide with
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION