



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62202-3000](#)
Status: **Active**
Description: Daughter Card Signal Module Removal Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Removal
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800756898322

Physical

Net Weight 603.000/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622023000](#), [TM-622018699](#), [TM-622022099](#)




image - Reference only

EU RoHS	China RoHS
Compliance Status	
Not Reviewed	
REACH SVHC	
Not Reviewed	
Low-Halogen Status	
Not Reviewed	

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[T3002Series](#)

Use With
 N/A

Application Tooling Description	FAQ Product #
1.85mm by 3.70mm Pitch, GbX I-Trac™ Right Angle Receptacle Module, Right Guide 7 Row, 4 Columns, Polarization Key A, 56 Circuits, Lead-Free	0760205104
1.85mm by 3.70mm Pitch, GbX I-Trac™ Right Angle Receptacle Module, Unguided, 11 Rows, 5 Columns, 110 Circuits	0757100005

1.85mm by 3.70mm 0757100008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Unguided, 11 Rows,
8 Columns, 176
Circuits

1.85mm by 3.70mm 0757100010
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Unguided, 11 Rows,
10 Columns, 220
Circuits

1.85mm by 3.70mm 0757102005
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
5 Columns, 110
Circuits

1.85mm by 3.70mm 0757102010
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
10 Columns, 220
Circuits

1.85mm by 3.70mm 0757104005
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 5 Columns,
110 Circuits

1.85mm by 3.70mm 0757104006
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 6 Columns,
132 Circuits

1.85mm by 3.70mm 0757104008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 8 Columns,
176 Circuits

1.85mm by 3.70mm 0757104010
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 10 Columns,
220 Circuits

1.85mm by 3.70mm 0757104106
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 6 Columns,
132 Circuits,
Polarization Key A

1.85mm by 3.70mm 0760203004
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide 7 Row, 4
Columns, 56 Circuits,
Lead-Free

1.85mm by 3.70mm 0760203006
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide 7 Row, 6
Columns, 84 Circuits,
Lead-Free

1.85mm by 3.70mm 0760203010
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide 7 Row,
10 Columns, 140
Circuits, Lead-Free

1.85mm by 3.70mm 0760203210
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide 7 Row,
10 Columns, 140
Circuits, Polarization
Key B, Lead-Free

1.85mm by 3.70mm 0760203310
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide 7 Row,
10 Columns, 140
Circuits, Polarization
Key C, Lead-Free

1.85mm by 3.70mm 0760205004
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide 7 Row, 4
Columns, 56 Circuits,
Lead-Free

1.85mm by 3.70mm 0760205006
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide 7 Row, 6
Columns, 84 Circuits,
Lead-Free

1.85mm by 3.70mm 0760205010
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide 7 Row,
10 Columns, 140
Circuits, Lead-Free

1.85mm by 3.70mm 0760205106
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide 7
Row, 10 Columns,
Polarization Key A,

84Circuits, Lead-Free
1.85mm by 3.70mm 0760205206
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide 7
Row, 10 Columns,
Polarization Key B,
84 Circuits, Lead-
Free
1.85mm by 3.70mm 0760400008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Unguided, 15 Rows,
8 Columns, 240
Circuits
1.85mm by 3.70mm 0760402008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 15 Rows,
8 Columns, 240
Circuits
1.85mm by 3.70mm 0760404008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 15
Rows, 8 Columns,
240 Circuits
1.85mm by 3.70mm 0757105206
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 6 Columns,
132 Circuits,
Polarization Key B
1.85mm by 3.70mm 0757105106
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 6 Columns,
132 Circuits,
Polarization Key A
1.85mm by 3.70mm 0757105155
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 5 Columns,
1110 Circuits,
Polarization Key A,
with ESD Clip
1.85mm by 3.70mm 0757103155
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
5 Columns, 110
Circuits, Lead-Free,

Polarization Key A,
with ESD Clip
1.85mm by 3.70mm 0757103056
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide with
ESD clip, 11 Rows,
6 Columns, 132
Circuits, Lead-Free
1.85mm by 3.70mm 0757105156
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 6 Columns,
132 Circuits,
Polarization Key A,
with ESD Clip
1.85mm by 3.70mm 0757105008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 8 Columns,
176 Circuits
1.85mm by 3.70mm 0757103008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
8 Columns, 176
Circuits, Lead-Free
1.85mm by 3.70mm 0757101008
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Unguided, 11 Rows,
8 Columns, 176
Circuits
1.85mm by 3.70mm 0757103108
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
8 Columns, 176
Circuits, Lead-Free,
Polarization Key A
1.85mm by 3.70mm 0757105010
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 10 Columns,
220 Circuits
1.85mm by 3.70mm 0757103010
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
10 Columns, 220
Circuits, Lead-Free
1.85mm by 3.70mm 0757101010
Pitch, GbX I-
Trac™ Right Angle

Receptacle Module,
Unguided, 11 Rows,
10 Columns, 220
Circuits
1.85mm by 3.70mm 0757105005
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 5 Columns,
110 Circuits
1.85mm by 3.70mm 0757103005
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
5 Columns, 110
Circuits, Lead-Free
1.85mm by 3.70mm 0757101005
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Unguided, 11 Rows,
5 Columns, 110
Circuits
1.85mm by 3.70mm 0757103050
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide with
ESD Clip, 11 Rows,
10 Columns, 220
Circuits, Lead-Free
1.85mm by 3.70mm 0757103208
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
8 Columns, 176
Circuits, Lead-Free,
Polarization Key B
1.85mm by 3.70mm 0757103110
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
10 Columns, 220
Circuits, Lead-Free,
Polarization Key A
1.85mm by 3.70mm 0757103308
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
8 Columns, 176
Circuits, Lead-Free,
Polarization Key C
1.85mm by 3.70mm 0757103210
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
10 Columns, 220
Circuits, Lead-Free,
Polarization Key B

1.85mm by 3.70mm 0757105006
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Right Guide, 11
Rows, 6 Columns,
132 Circuits

1.85mm by 3.70mm 0757103006
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide, 11 Rows,
6 Columns, 132
Circuits, Lead-Free

1.85mm by 3.70mm 0757101006
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Unguided, 11 Rows,
6 Columns, 132
Circuits

1.85mm by 3.70mm 0757102056
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide with
ESD clip, 11 Rows,
6 Columns, 132
Circuits

1.85mm by 3.70mm 0760202006
Pitch, GbX I-
Trac™ Right Angle
Receptacle Module,
Left Guide 7 Row, 6
Columns, 84 Circuits

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION