

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









This document was generated on 10/04/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 62202-3080 Status: **Active**

Right Angle Male (RAM) Module Removal Tool **Description:**

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

T3002 Series **Function** Removal Geographic Area Global Level of Automation Manual

More Detailed Tech Information applicationtooling@molex.com

Product Name N/A


Survey www.molex.com//review/apptool_survey.html

Tool Type Handtool **UPC** 884982299610

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622023080, TM-622018699, TM-622022099



EU RoHS

China RoHS

Compliance Status Not Reviewed REACH SVHC Not Reviewed Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series

T3002Series

Application Tooling | FAQ Description Product #

1.85mm by 3.70mm 0759102633

Right Angle Header Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns,

Pitch, GbX I-Trac™

220 Circuits, Mating Pin Length 4.70mm,

Tin/Lead

1.85mm by 3.70mm 0759103623

Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin

Length 4.70mm

1.85mm by 3.70mm 0759103633

Pitch, GbX I-Trac™

Right Angle Header Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759104623 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Inverted, Right Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm, Tin/ Lead 1.85mm by 3.70mm 0759105123 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759105623 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar. Left Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759105633 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Open Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0760110605 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 3.80mm & 4.70mm 1.85mm by 3.70mm 0760111603 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0760111605 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided,

Open Ends, 7 Rows,

6 Columns, 84 Circuits, Staggered Mating Pin Length 3.80mm & 4.70mm 1.85mm by 3.70mm 0760111633 Pitch, GbX I-Trac™ Right Angle Header Module, Unquided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0760111635 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 3.80mm & 4.70mm 1.85mm by 3.70mm 0760112625 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 3.80mm & 4.70mm 1.85mm by 3.70mm 0760113123 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0760113623 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760113635 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-Free 1.85mm by 3.70mm 0760114625 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar,

Left Open, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 3.80mm & 4.70mm 1.85mm by 3.70mm 0760115123 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760115625 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 3.80mm & 4.70mm 1.85mm by 3.70mm 0760119135 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Inverted. Left Wall, 7 Rows, 10 Columns, 140 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-Free 1.85mm by 3.70mm 0759101103 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759101503 Pitch, GbX I-Trac™ Right Angle Header Module, Unquided, Open Ends, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759101533 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided Dual Wall, 11 Rows, 5 Columns, 110 Circuits, Mating PinLength 4.70mm 1.85mm by 3.70mm 0759101603 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided,

Open Ends, 11

Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759101605 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 11 Rows, 6 Columns, 120 Circuits, Staggered Mating Pin Length 3.80mm & 4.70mm 1.85mm by 3.70mm 0759101633 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Dual End Walls, 11 Rows, 6 Columns, 120 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759103123 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759103133 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Inverted Right Wall, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759103523 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759105133 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Inverted, Right Wall, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759105523 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 11 Rows, 5 Columns, 110

Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759107123 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Endwall, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759107633 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759109123 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Endwall, 11 Rows, 10 Columns, 220 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0759109623 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Endwall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm 1.85mm by 3.70mm 0760111103 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760111133 Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Dual End Walls, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760113125 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 7 Rows, 10 Columns, 140 Circuits, Staggered Mating Pins 3.80mm & 4.70mm

1.85mm by 3.70mm 0760113133 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760113633 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760115133 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 7 Rows, 10 Columns, 140 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760115623 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760115633 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 7 Rows, 6 Columns, 84 Circuits, Mating Pin Length 4.70mm, Lead-Free 1.85mm by 3.70mm 0760117625 Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Closed, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-Free 1.85mm by 3.70mm 0760118135 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Inverted. Left Wall, 7 Rows, 10 Columns, 140

Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm 1.85mm by 3.70mm 0760118625 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Inverted. Left Wall, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm 1.85mm by 3.70mm 0760119625 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Wall, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-Free 1.85mm by 3.70mm 0760119635 Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Inverted, Left Wall, 7 Rows, 6 Columns, 84 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-Free

This document was generated on 10/04/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION