



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62202-4300](#)
Status: **Active**
Description: Impact Daughter Card Extraction Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Impact™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	884982113855

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622024300, TM-622018799



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
 Not Reviewed
Low-Halogen Status
 Not Reviewed



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[T3002Series](#)

Use With
 Impact™ Daughtercard Signal Module, Standard and Orthogonal Configurations for: . 2 Pair [76460](#) . 3 Pair [76170](#) , [76860](#) . 4 Pair [76160](#) , [76850](#) . 5 Pair [76060](#) , [76990](#) . 6 pair [76150](#) , [76290](#)

Application Tooling Description	FAQ Product #
Impact™ 100 Ohm 3 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Right Guided, 16 Columns, 144 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free	0761705016
Impact™ 100 Ohm 6 Pair Right Angle Daughtercard	0761503024

Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761605016
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761605038
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Right Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603038
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761601038
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761501016
6 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 16
Columns, 288
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761705026
3 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
144 Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761605026
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603026
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0762905022
Ohm 6 Pair Right
Angle Orthogonal
Daughtercard, Right
Guided, 12 Columns,
216 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761601026
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 16
Columns, 192
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603010
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761505026
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0762903022
Ohm 6 Pair Right

Angle Orthogonal
Daughtercard, Left
Guided, 12 Columns,
216 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761605020
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0768505038
Ohm 4 Pair Right
Angle Orthogonal
Daughtercard, Right
Guide, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0768601036
Ohm 3 Pair Right
Angle Orthogonal
Daughtercard, Right
Guide, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 85 Ohm 1705301020
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705301038
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705303020
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Left Guide, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705303026
Plus 3 Pair Right
Angle Daughtercard,

1.90 by 1.35mm
Pitch, Left Guide,
16 Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705303038
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Left Guide, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705303126
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Left Guide,
16 Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation A,
Lead Free
Impact™ 85 Ohm 1705305020
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Right Guide,
10 Columns, 90
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705305026
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Right Guide,
16 Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1704801020
Plus 5 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Unguided,
10 Columns, 150
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1704801022
Plus 5 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Unguided,
12 Columns, 180
Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact™ 100 Ohm 0761501010
6 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 10
Columns, 180
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761501014
6 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 14
Columns, 252
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761501020
6 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 10
Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761501024
6 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 14
Columns, 252
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761501026
6 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 16
Columns, 288
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761503010
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole

Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761503014
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761503016
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761503020
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761503026
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761503120
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarization Key A,
Lead-Free
Impact™ 100 Ohm 0761503626
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarization Key F,
Lead-Free

Impact™ 100 Ohm 0761505010
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761505014
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761505016
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761505020
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761505024
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761505110
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.46mm,
Polarization Key A,
Lead-Free

Impact™ 100 Ohm 0761505120
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by

1.35mm Pitch, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarization Key A,
Lead-Free
Impact™ 100 Ohm 0761505126
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarization Key A,
Lead-Free
Impact™ 100 Ohm 0761505326
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarization Key C,
Lead-Free
Impact™ 100 Ohm 0761503116
6 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free, Keying
Orientation A

This document was generated on 04/12/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION