



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





**Insertion
Tool**

**Application Tooling
Specification Sheet**



Order No. 63812-0900

FEATURES

- This Insertion Tool is designed for the insertion of CTX280 Seal Plugs into a CMX connector.

SCOPE

Products: CTX280 Seal Plug for CMX Modules.

Seal Plug Order No.	Female Module Order No					
98492-1091	198009-1001	198009-1002	198009-1003	198009-1004	198009-1011	198009-1013
	198009-1021	198009-1023	198009-1031	198009-1033	198009-1041	198009-1043
	198009-1051	198009-1053	198009-1061	198009-1063	198009-1071	198009-1073
	198009-2001	198009-2002	198009-2003	198009-2004	198009-2011	

OPERATION:

1. The seal plug has a specific direction in which it is inserted into the CMX Module See Figure 1.





Figure 1

2. Gently push the seal plug with the insertion tool into the desired cavity of the CMX Module.
3. The seal plug should be inserted approximately 14.7mm from the opening in the module. See Figure 2.



4. Molex does not offer repair parts for Insertion Tools due to the inexpensive nature of these tools.

CAUTION: Molex specifications are valid only when used with Molex terminals, modules, and tooling.

Contact Information

For more information on Molex application tooling please contact Molex at 1-800-786-6539.

Visit our Web site at <http://www.molex.com>