



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





**Insertion Tool**

**Application Tooling Specification Sheet**



**Order No. 63812-1300**

**FEATURES**

- This Insertion Tool is designed for the insertion of CTX150 Seal Plugs into a CMX 70 or 120 or EURO6 Way connector.

**SCOPE**

**Products:** CTX150 Seal Plug for CMX 70 or 120 or EURO6 Way Receptacle Connectors.

Seal Plug Order No.	Connector Series No.	Connector Order No					
		98492-1088 (Yellow)	34853	34853-0111	34853-0112	34853-0113	34853-0114
34853-0121	34853-0122			34853-0123	34853-0124	34853-0125	34853-0126
34854	34854-0111		34854-0112	34854-0113	34854-0114	34854-0115	34854-0116
	34854-0121		34854-0122	34854-0123	34854-0124	34854-0125	34854-0126

**OPERATION:**

1. The Seal Plug has a specific direction in which it is inserted into the CMX Module See Figure 1.





Figure 1

2. Gently push the seal plug with the insertion tool into the desired cavity of the CMX Module.
3. The seal plug should be inserted approximately 10.5 +/- 1mm from the opening in the module. See Figure 2.



4. Molex does not offer repair parts for Insertion Tools due to the inexpensive nature of these tools.

**CAUTION:** Molex specifications are valid only when used with Molex terminals, modules, and tooling.

### Contact Information

For more information on Molex application tooling please contact Molex at 1-800-786-6539.

<http://www.molex.com>