



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [64005-0200](#)
Status: **Active**
Description: Crimp Head for the AT-200™ Pneumatic Hand Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0102
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Air Tool
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	756054561331

Material Info


Old Part Number AT-1991

Reference - Drawing Numbers

Application Tooling Documents

ATS-640050200, TM-192790001, TM-192790001SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN
 640050199

Sales Drawing



EU RoHS	China RoHS
Compliance Status	
Not Reviewed	
REACH SVHC	
Not Reviewed	
Low-Halogen Status	
Not Reviewed	

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[T0102Series](#)

Use With
 Molex AT-200™ Hand-Held Pneumatic Tool
[19279-0001](#)

Application Tooling Description	FAQ Product #
InsulKrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.81mm	0190170008
Avikrimp™ Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Box, Tab 6.35 x 0.81mm	0190020044
Avikrimp™ Quick Disconnect for 10-12 AWG Wire, Male, 6.35 x 0.81mm Tab	0190250005

Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.51mm	0190190001
Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.51mm	0190190006
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.51mm	0190190022
Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 6.35 x 0.81mm	0190190012
Avikrimp™ Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Box, Tab 6.35 x 0.81mm	0190190037
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 4.75 x 0.51mm	0190190027
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 5.21 x 0.81mm	0190190035
InsulKrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.51mm	0190170023
Quixon Quick Disconnect, InsulKrimp™ Style, Female, Partially Insulated Red, 18-22 AWG, Loose	0192740002
Quixon Quick Disconnect, InsulKrimp™ Style, Female, Partially Insulated Blue, 14-16 AWG, Loose	0192740005
Quixon Quick Disconnect, Avikrimp™ Style, Female, Partially	0192750002

Insulated Red, 18-22 AWG, Loose Quixon Quick	0192750005
Disconnect, Avikrimp™ Style, Female, Partially Insulated Blue, 14-16 AWG, Loose Quixon Quick	0192770008
Disconnect, Avikrimp™ Style, Female, Fully Insulated Yellow, 10-12 AWG, Loose InsulKrimp™	0190170001
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.51mm InsulKrimp™	0190170005
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp™ Quick	0190190004
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp™ Fully	0196060005
Insulated Quick Disconnect, Female, for 10-12 AWG Wire, Box InsulKrimp™	0190170031
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 4.75 x 0.51mm InsulKrimp™	0190170032
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 4.75 x 0.81mm InsulKrimp™	0190170037
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 6.35 x 0.81mm Avikrimp™ Quick	0190190008
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.81mm Avikrimp™ Quick	0190190028
Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire,	

Box, Tab 4.75 x 0.81mm InsulKrimp™	0190170007
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.51mm InsulKrimp™	0190170014
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 6.35 x 0.81mm InsulKrimp™	0190170018
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp™	0190170028
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.81mm InsulKrimp™	0190170043
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp™	0190170044
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 5.21 x 0.81mm InsulKrimp™	0190170047
Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Box, Tab 6.35 x 0.81mm Avikrimp™ Quick	0190190014
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 5.21 x 0.51mm Avikrimp™ Quick	0190190015
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 5.21 x 0.81mm Avikrimp™ Quick	0190190025
Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp™ Quick	0190190034
Disconnect, Female, for 14-16	

(2.00-1.30mm²) Wire,
Box, Tab 5.21 x
0.51mm

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION