



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [69127-5045](#)
Status: **Active**
Description: Assembly of De-Tape Unit for PB14 Part Number 069127-1001

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	69127
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PB14
Survey	www.molex.com//review/apptool_survey.html
Tool Type	IDT Bench-Top Terminator
UPC	800754354356

Material Info

Reference - Drawing Numbers

Application Tooling Documents	TM-691275045
Sales Drawing	691270115, 691270115PL, 691275045, 691275045PL, 691275055, 691275055PL, 691275057, 691275057PL



EU RoHS

China RoHS

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[69127Series](#)

Use With

[69127-1001](#)

Application Tooling Description

FAQ Product #

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option D	0903270354
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Tin (Sn) Plated, Reeling Option B	0903270360
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT	0903270362

Receptacle, 8
Circuits, White, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270372
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903270386
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 20
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270390
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 26
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903273376
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 16
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273368
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273372
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273374
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Gold
(Au) Plated, Reeling
Option D
1.27mm Pitch 0903273380
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 18
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273384
Picoflex® PF-50,

Low Profile, IDT Receptacle, 20 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903273388
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903270388
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270352
Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270356
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270358
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin (Sn) Plated, Reeling Option D 1.27mm Pitch	0903270364
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270366
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D 1.27mm Pitch	0903270368
Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270370
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 14 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270374
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 16 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	0903270376
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 16 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270378
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	0903270380
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270382
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	0903270384
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Gold (Au) Plated, Reeling Option B	0903273352
1.27mm Pitch Picoflex® PF-50,	0903273354

Low Profile, IDT Receptacle, 4 Circuits, White, Gold (Au) Plated, Reeling Option D 1.27mm Pitch	0903273356
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903273358
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Gold (Au) Plated, Reeling Option D 1.27mm Pitch	0903273360
Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903273362
Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Gold (Au) Plated, Reeling Option D 1.27mm Pitch	0903273364
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Gold (Au) Plated, Reeling Option B	

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION