



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



MATERIALS AND FINISHES

BODY: ZINC  
PLATED: NICKEL

CENTER CONTACT: PHOSPOR BRONZE  
PLATED: GOLD

OUTER CONTACT: BeCu  
PLATED: NICKEL

CRIMP TUBE: BRASS  
PLATED: NICKEL




OUTER CASING: NYLON  
KEYING: SEE TABLE  
COLOR: SEE TABLE

INSULATOR: TEFLON




CABLE: RG174, 188, & 316

RETENTION SPECIFICATION:

THE SHROUD WILL WITHSTAND A  
LONGITUDINAL FORCE OF 24.73 POUNDS (110N)



RG174, 187, 188, AND 316



PART # SEE SHEET 2


PS-89675-331	PRODUCT SPECIFICATION
DIN 72594-1	INTERFACE SPECIFICATION
SPECIFICATION	DESCRIPTION

ADDED DIM. PER RF15-E055	EC NO: URF2016-0677	2016/04/08
DRWN: LIN	CHKD:	2016/04/20
APPR: YCHENG	DESCRIPTION	
REV: B4		


QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)
▽=0	mm INCH
▽=0	4 PLACES ± --- ± ---
	3 PLACES ± --- ± ---
	2 PLACES ± --- ± ---
	1 PLACE ± --- ± ---
	ANGULAR ± 2 °
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	SCALE
MM/IN	DESIGN UNITS METRIC
DRAWN BY	DATE
SSS	2001/03/07
CHECKED BY	DATE
TEF	2001/03/07
APPROVED BY	DATE
GMH	2001/03/07
MATERIAL NO.	DOCUMENT NO.
SEE SHT 2	SD-73415-291
SIZE	SHEET NO.
C	1 OF 3


THIRD ANGLE PROJECTION	TITLE
	SMB PLUG, FAKRA RG174,188,316 CABLE SMB-JC
Molex	MOLEX INCORPORATED
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




CODE - A




CODE - B




CODE - C




CODE - D




CODE - E




CODE - F




CODE - G




CODE - H




CODE - I




CODE - K




CODE - Z



CODE - L




CODE - M




CODE - N

N	PASTEL GREEN	73415-2923
M	PASTEL ORANGE	73415-2922
L	CARMINE RED	73415-2921
Z	WATER BLUE	73415-2920
K	CURRY YELLOW	73415-2919
I	BEIGE	73415-2918
H	VIOLET	73415-2917
G	GRAY	73415-2916
F	BROWN	73415-2915
E	GREEN	73415-2914
D	BORDEAUXVIOLET	73415-2913
C	BLUE	73415-2912
B	CREAM WHITE	73415-2911
A	BLACK	73415-2910
KEYING CODE	COLOR	PART NO.


SEE SHEET 1 EC NO: URF2016-0677 DRWNLIN 2016/04/08 CHKD: APPR: YCHENG 2016/04/20 B4	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± .---</td> <td>± .---</td> </tr> <tr> <td>3 PLACES</td> <td>± .---</td> <td>± .---</td> </tr> <tr> <td>2 PLACES</td> <td>± .---</td> <td>± .---</td> </tr> <tr> <td>1 PLACE</td> <td>± .---</td> <td>± .---</td> </tr> </table> ANGULAR ± 2 °		mm	INCH	4 PLACES	± .---	± .---	3 PLACES	± .---	± .---	2 PLACES	± .---	± .---	1 PLACE	± .---	± .---	DIMENSION STYLE MM/IN DRAWN BY DATE SSS 2001/03/07 CHECKED BY DATE TEF 2001/03/07 APPROVED BY DATE GMH 2001/03/07	SCALE DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE SMB PLUG, FAKRA RG174,188,316 CABLE SMB-JC	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-73415-291	SHEET NO. 2 OF 3
		mm	INCH																				
	4 PLACES	± .---	± .---																				
	3 PLACES	± .---	± .---																				
2 PLACES	± .---	± .---																					
1 PLACE	± .---	± .---																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		MOLEX MOLEX INCORPORATED																			




P/N 73415-291\*



54 SET PER TRAY  
TRAY P/N 89707-0220



648 SET PER INNER  
CARTON BOX  
P/N 96707-0001



1296 SET PER OUTER  
CARTON BOX  
P/N 96708-0005

SEE SHEET 1 EC NO: URF2016-0677 DRWNLIN 2016/04/08 CHKD: APPR: YCHENG 2016/04/20	QUALITY SYMBOLS = 0 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM/IN</b>	SCALE	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	2 PLACES ± --- ± ---	1 PLACE ± --- ± ---	DRAWN BY SSS	DATE 2001/03/07	TITLE <b>SMB PLUG, FAKRA          RG174,188,316 CABLE          SMB-JC</b>	
		ANGULAR ± 2 °				CHECKED BY TEF	DATE 2001/03/07	<b>MOLEX INCORPORATED</b>	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				APPROVED BY GMH	DATE 2001/03/07	DOCUMENT NO. <b>SD-73415-291</b>	SHEET NO. <b>3 OF 3</b>
B4	REV	MATERIAL NO. -----		SIZE 	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				