

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0113

General Information

Part Number: 76650-0113

Manufacturer: Molex / Waldom

Title: Micro-Latch Connector Kit

Description: Friction Lock Right Angle Header and Receptacle

Product Family: Micro-Latch™

Certificates: (Molex Parts within this kit) - EU and China RoHS Compliant, UL and CSA

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Configuration: Wire-to-Board **Pitch:** 2.00mm (.079")

Connector Type: Receptacle and Header

Mounting

Orientation: Right Angle

Circuit Sizes: 2, 3, 4, 6 and 8

Current Rating: (0.5 - 2) Amps depending on AWG

Voltage: 125 Volts
Wire size: 30-24 AWG

Product Highlights

Micro-Latch connectors provide a reliable connection interface for industry standard 2.00mm (.079") wire-to-board applications. The kit includes female crimp terminals, receptacle housings and semi-shrouded right angle headers. The connector applies a friction lock mechanism where the noses on the receptacle housings slide into the header wall openings. This ensures a durable mating and protection of the electrical circuits.

Features and Benefits

- · Uses popular terminals
- Friction lock for good mating retention
- Polarizing features ensures proper mating orientation
- Surface Mount Component vertical header is reflow process capable

Applications

- Data Communication Equipment
- Printers/Faxes
- PC's and Monitors
- Automotive
- Home Entertainment



Datasheet for 76650-0113

Bill of Materials for Part No. 76650-0113				
Molex Part No.	Country of Origin	Description	Quantity in Kit	
50212-8100	Japan	Micro-Latch™ Female Crimp Terminals 30-24 AWG	100	
51065-0200	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Receptacles, 2 Circuits	10	
51065-0300	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Receptacles, 3 Circuits	10	
51065-0400	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Receptacles, 4 Circuits	10	
51065-0600	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Receptacles, 6 Circuits	10	
51065-0800	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Receptacles, 8 Circuits	10	
53254-0270	Malaysia		10	
53254-0370	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Right Angle Headers 3 Circuits	10	
53254-0470	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Right Angle Headers 4 Circuits	10	
53254-0670	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Right Angle Headers 6 Circuits	10	
53254-0870	Malaysia	2.00mm (.079") Pitch Micro-Latch™ Right Angle Headers 8 Circuits	10	

Recommended Molex Tool(s) for Part No. 76650-0113*

Country

Molex Part No.	of Origin	Description
63819-0500 *	Sweden	Hand Crimp Tool
57105-6000 *	USA	Extraction Tool

^{*}Tools not included in kit. Tools ordered separately.