



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Datasheet for 76650-0115

### General Information

<b>Part Number:</b>	76650-0115
<b>Manufacturer:</b>	Molex / Waldom
<b>Title:</b>	Mini-Lock Connector Kit
<b>Description:</b>	Fully Shrouded Positive Lock Vertical Header and Receptacle
<b>Product Family:</b>	Mini-Lock™
<b>Certificates:</b>	(Molex parts within this kit) EU and China RoHS Compliant, UL and CSA
<b>Country of Origin:</b>	Kit assembled in U.S.A.

### Specifications

#### Design

<b>Configuration:</b>	Wire-to-Board
<b>Pitch:</b>	2.50mm (.098")
<b>Connector Type:</b>	Receptacle and Header

#### Mounting

<b>Orientation:</b>	Vertical
<b>Circuit Sizes:</b>	2, 3, 4, 5 and 6
<b>Current Rating:</b>	3 Amps
<b>Voltage:</b>	250 Volts
<b>Wire size:</b>	28-22 AWG

### Product Highlights

Mini-Lock is a versatile wire-to-board system from Molex for a broad range of 2.50mm (.098" ) pitch industry standard applications. The kit includes vertical headers. Mini-Lock is fully shrouded to protect contacts, and includes high guide walls to facilitate mating.

#### Features and Benefits

- Four point contact design for good electrical reliability
- Thumb-latch locking feature for easy mating and unmating
- High guide walls to facilitate mating
- Fully shrouded headers to protect pins
- Pull tabs to assist in unmating

#### Applications

- White goods
- Vending machines
- Automotive
- PDAs
- TVs

**Datasheet for 76650-0115**

**Bill of Materials for Part No. 76650-0115**

<b>Molex Part No.</b>	<b>Country of Origin</b>	<b>Description</b>	<b>Quantity in Kit</b>
50351-8100-C	Japan	Mini-Lock™ Female Crimp Terminal 28-22 AWG	100
51103-0200	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 2 Circuits	5
51103-0300	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 3 Circuits	5
51103-0400	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 4 Circuits	5
51103-0500	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 5 Circuits	5
51103-0600	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 6 Circuits	5
53375-0210	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 2 Circuits	5
53375-0310	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 3 Circuits	5
53375-0410	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 4 Circuits	5
53375-0510	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 5 Circuits	5
53375-0610	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 6 Circuits	5

**Recommended Molex Tool(s) for Part No. 76650-0115\***

<b>Molex Part No.</b>	<b>Country of Origin</b>	<b>Description</b>
63811-8100 *	Sweden	Hand Crimp Tool
57309-6000 *	Japan	Extraction Tool - Global and Japan

\*Tool(s) not included in kit. Tool(s) ordered separately.