

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Cable marker carrier - KME - 0807083

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Cable marker carrier, white, unlabeled, mounting type: Assembly with cable binders, cable diameter: > 5 mm, lettering field size: 20 mm x 8 mm

Why buy this product

The polyamide conductor and cable marker can be used as a universal marking label for conductor and cable bundles indoors

☑ Can be labeled with a marker pen, by hand or using a label



Key Commercial Data

| Packing unit | 50 STK |
|--------------|-----------------|
| GTIN | 4 017918 160197 |
| GTIN | 4017918160197 |

Technical data

Dimensions

| Length (b) | 20 mm |
|------------|-------|
| Width (a) | 9 mm |

Ambient conditions

| Ambient temperature (operation) | -40 °C 100 °C |
|---------------------------------|---------------|
| | |

General

| Color | white |
|--|--------------------------------|
| Туре | Mounting set |
| Components | free from silicone and halogen |
| Flammability rating according to UL 94 | V2 |
| Material | PA |
| Marking mounting type | Assembly with cable binders |

Standards and Regulations



Cable marker carrier - KME - 0807083

Technical data

Standards and Regulations

| Flammability rating according to UL 94 | V2 |
|--|----|
|--|----|

Phoenix Contact 2018 @ - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com