Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

Terminal strip marker carrier - KLM 4 - 0811970

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Terminal strip marker carrier, height-adjustable, for end brackets CLIPFIX 15, CLIPFIX 35 and CLIPFIX 35-5, can be labeled with BMK...20 x 8 labels, or directly with the M-PEN or X-PEN

Product Features

- The KLM range has been specifically developed for CLIPFIX end brackets

- The KLM 4 has a centered lettering field and, when mounted on the CLIPFIX 35, can also be mounted between multi-level terminal blocks

- The precise engagement mechanism enables infinite adjustment of the labeling area height

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
Weight per Piece (excluding packing)	0.6 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Dimensions

Length (b)	22 mm
Width (a)	9.3 mm
Height	27 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C

General

Color	gray
Components	Halogen-free
Flammability rating according to UL 94	V2
Material	PA
Marking mounting type	Plug in

Standards and Regulations

Terminal strip marker carrier - KLM 4 - 0811970

Technical data

Standards and Regulations

Flammability rating according to UL 94	V2

Classifications

eCl@ss

eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 8.0	27141137
eCl@ss 9.0	27141137

ETIM

ETIM 4.0	EC002498
ETIM 5.0	EC000761