imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Extract from the online catalog

UC-WMC 7,5 (23X8)

Order No.: 0818179



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0818179

UniCard sheets, markers for later labeling of conductors with a diameter from 5.0 to 7.5 mm,can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER, color: White

Commercial data

GTIN (EAN)	4 046356 133548
sales group	B115
Pack	5 pcs.
Customs tariff	39269097
Catalog page information	Page 538 (CL-2009)

Product notes

WEEE/RoHS-compliant since: 06/25/2007



http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Color	white
Inflammability class acc. to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-40 °C 120 °C

Components	6	free from silicone and halogen
Material		PA
Number of individual labels		6
Number of in	ndividual labels per row	2
Accessorie	S	
Item	Designation	Description
General		
5146095	P1 UC-MAG 3	Magazine, for CMS-P1-PLOTTER, for accommodating UC-WMC 7.5

Address

PHOENIX CONTACT Deutschland GmbH Flachsmarktstr. 8 32825 Blomberg,Germany Phone +49 5235 3 12000 Fax +49 5235 3 41200 http://www.phoenixcontact.de



© 2011 Phoenix Contact Technical modifications reserved;