

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









## Cable marker label - KML 25X12 WH CUS - 0824435

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)

Cable marker label, Can be ordered: Sheet, transparent/white, Labeled according to customer specifications, Mounting type: Adhesive, Cable diameter: ≤6.5 mm, Lettering field: 25.4 x 12.7 mm



The illustration shows version KML 12x9

#### **Product Features**

- ☑ Labeling service: Phoenix Contact can custom-label all cable marker labels according to your requirements
- ✓ Labeling can be performed with standard laser printers



## Key commercial data

Packing unit	1 pc
Custom tariff number	39199000
Country of origin	Germany

### Technical data

### **Dimensions**

Width (a)	25 mm

### Ambient conditions

Ambient temperature (operation)	-40 °C 100 °C
---------------------------------	---------------

#### General

Color	transparent/white
Base element material	Polyester
Components	Silicone-free
Material	Polyester



## Cable marker label - KML 25X12 WH CUS - 0824435

## Technical data

### General

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
The resistance	5.14 2.14 5.16 16 1 (4.52 5.11 1)

## Classifications

## eCl@ss

eCl@ss 4.0	24190218
eCl@ss 4.1	24190218
eCl@ss 5.0	27141137
eCl@ss 5.1	27141137
eCl@ss 6.0	27400401
eCl@ss 7.0	27400401
eCl@ss 8.0	27400401

### **ETIM**

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC001530
ETIM 5.0	EC001530

## **UNSPSC**

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com