



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



CARRIER-EMP 22 (27X15)


Order No.: 0827447

The figure shows a version of the article

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0827447>

Marker carrier for snap-in plastic labels

Commercial data

| | |
|--------------------------|---|
| GTIN (EAN) |  4 046356 446556 |
| sales group | B138 |
| Pack | 50 pcs. |
| Customs tariff | 39269097 |
| Catalog page information | Page 82 (NTK-2010) |

Product notes

WEEE/RoHS-compliant since:
08/26/2008

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

| | |
|------------------------------------|---------|
| Length (b) | 47 mm |
| Height | 3.2 mm |
| Width (a) | 29.5 mm |
| Color | black |
| Inflammability class acc. to UL 94 | V2 |

| | |
|---------------------------------|--------------------------------|
| Ambient temperature (operation) | -40 °C ... 105 °C |
| Components | free from silicone and halogen |
| Material | PA |
| Diameter | 22.00 mm |

Accessories

| Item | Designation | Description |
|------|-------------|-------------|
|------|-------------|-------------|

Marking

| Item | Designation | Description |
|---------|-------------------|--|
| 0825439 | UC-EMP (27X15) | UniCard sheet, plastic labels, can be labeled with BLUEMARK and CMS-P1-PLOTTER |
| 0825441 | UC-EMP (27X15) SR | UniCard sheet, plastic labels, can be labeled with BLUEMARK and CMS-P1-PLOTTER |
| 0825440 | UC-EMP (27X15) YE | UniCard sheet, plastic labels, can be labeled with BLUEMARK and CMS-P1-PLOTTER |

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;