



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Cable tie - WT-HP HF 3,6X140 - 0830982

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable binders for quick and secure bundling, standard version

### Why buy this product

- The WT-HF V0... cable binders are specially designed for applications subject to particularly high flammability requirements:
- Self-extinguishing according to UL94 V0
- Easy to use thanks to optimum cable binder shapes
- Special head shape for high tensile forces

### Key Commercial Data

Packing unit	1 STK
Minimum order quantity	100 STK
Weight per Piece (excluding packing)	0.8 g
Custom tariff number	39269097
Country of origin	Italy

### Technical data

#### Dimensions

Length (b)	140 mm
Width (a)	3.6 mm
Cable diameter	2 mm ... 35 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
---------------------------------	------------------

#### General

Color	transparent
Type	Internal teeth
Components	free from silicone and halogen
Flammability rating according to UL 94	V0
Material	PA 6.6

## Cable tie - WT-HP HF 3,6X140 - 0830982

### Technical data

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

### Classifications

#### eCl@ss

eCl@ss 4.0	27140702
eCl@ss 4.1	27140702
eCl@ss 5.0	27140702
eCl@ss 5.1	27140702
eCl@ss 6.0	27140702
eCl@ss 7.0	27140702
eCl@ss 8.0	27140702
eCl@ss 9.0	27140702

#### ETIM

ETIM 4.0	EC000046
ETIM 5.0	EC000046

### Accessories

#### Accessories

##### Marker carrier cable

Cable marker carrier - KMK HP (25X6) - 0830720



Cable marker carrier, transparent, Mounting type: Assembly with cable binders, Cable diameter:  $\geq 6$  mm, Lettering field: 25 mm x 6 mm

Cable marker carrier - KMK HP (29X8) - 0830721



Cable marker carrier, transparent, Mounting type: Assembly with cable binders, Cable diameter:  $\geq 6$  mm, Lettering field: 29 x 8 mm

## Cable tie - WT-HP HF 3,6X140 - 0830982

### Accessories

#### Cable marker carrier - KMK HP (60X15) - 0830722

Cable marker carrier, transparent, Mounting type: Assembly with cable binders, Cable diameter:  $\geq 9$  mm, Lettering field: 60 x 15 mm



---

#### Cable marker carrier - KMK HP (40X17) - 0830723

Cable marker carrier, transparent, Mounting type: Assembly with cable binders, Cable diameter:  $\geq 9$  mm, Lettering field: 40 x 17 mm



---

### Universal tools

#### Cable tie tool - UNIFOX-CT 4,8 - 1212475



Cable binder pliers, for plastic cable binders with a width of 2.2 - 4.8 mm, for a material thickness of up to 1.6 mm

---

#### Cable tie tool - UNIFOX-CT 4,8P - 1212609



Cable binder pliers, for plastic cable binders with a width of 2.2 - 4.8 mm, for a material thickness of up to 1.6 mm