



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!









Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





FIRST ANGLE PROJECTION						REVISE ONLY ON CAD SYSTEM				SH. REV.	
REVISIONS SEE AWT LIST FOR PREVIOUS EDITIONS	UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 2^\circ$ INCH METRIC			DRWG BY Ca	SIGN	CAD/CAM PROJECT NAME THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
	3 PLACE $\pm .$ $\pm$ 2 PLACE $\pm .$ $\pm$ 1 PLACE $\pm .$ $\pm$			CHK'D BY KN	SIGN	TITLE 96 pos. Male connector DIN 41612 style R (C-Pin) Dimensions					
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			APP'D BY	SIGN						
	DESIGN DIMENSION ☒ MM ☐ IN.					 MOLEX EUROPE		SHEET NO. DATE 1 OF 3 9/11/28			
	EQUIVALENT DIMENSION ☐ MM ☐ IN. IF TWO DIMENSIONS ARE SHOWN THE UPPER IS THE DESIGN DIMENSION			SCALE 1:1		PART NO. DWG NO. SIZE see sh. no. 2 of 3 610-6043-201 B					

F

E

D

C

B

A

F

E

D

C

B

A

10987654321

VIEW ON MATING SIDE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	

A = 96 STANDARD CONTACTS L = 2

MARKING	STANDARD
PERFORMANCE LEVEL	G2/0 = CONTACT AREA LEVEL2 / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	NO
DIMENSIONS	610-6043-201 SHT I

A	G2/0	a1-32 b1-32 c1-32
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

ENTER DESCRIPTION EC NO: I2009-0099 DRWNS:J 2008/09/16 CHKD:KPRASAD 2008/09/16 APPR:KPRASAD 2008/09/16 A	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 				
				mm	INCH	DRAWN BY SUMESH	DATE 2008/09/02	TITLE 96 POS. MALE CONNECTOR ACC. DIN 41612 STYLE R CONTACTS					
			4 PLACES	± ---	± ---	CHECKED BY KPRASAD	DATE 2008/09/02						
			3 PLACES	± ---	± ---	APPROVED BY KPRASAD		DATE 2008/09/02	MOLEX INCORPORATED				
			2 PLACES	± ---	± ---	MATERIAL NO. 850130189		DOCUMENT NO. SD-85013-0189					
			1 PLACE	± ---	± ---	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
			ANGULAR ±---°										
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										